



Inspection Report

Larry R Farmer
711 Wink Ave
Oakley, KS 67748

Customer ID: **4091**
Certificate: **48-C-0007**
Site: 001
Larry Farmer

Type: ROUTINE INSPECTION
Date: 03-SEP-2014

2.131(d)(2) REPEAT

HANDLING OF ANIMALS.

The licensee is offering animal feed to the visiting public. There are still large enough gaps in the two sheep and goat enclosure fences where the animals can place their heads through these openings. There is the potential that the public can hand feed these animals and an attendant is not available at all times of this direct public contact. Insufficient attendant supervision of animals during times of public contact can leave animals at risk for improper handling and feeding of items by the public other than what is provided for the animals. Sufficient number of responsible, knowledgeable, and readily identifiable employees or attendants must be present at all times during periods of public contact.

3.127(d) REPEAT

FACILITIES, OUTDOOR.

There are still numerous places where the established perimeter fence is inadequate. There are gaps of several inches between the lower section of the fence and the ground, there are sections of fence that consists of metal pipe fence with large gaps present, and there is one metal pipe gate that is not 6 feet in height. Inadequate perimeter fence may not restrict animals and unauthorized people from entering the facility. The perimeter fence must be at least 6 feet in height and have small enough openings in the fence and under the fence that restrict animals and unauthorized people from entering the facility.

3.130

WATERING.

The facility is using one rubber water receptacle as well as two automatic waterers for the hogs. The rubber water receptacle had cloudy water in it and was located in a wallow. The basins in the automatic waterers were covered in a layer of dried mud. The seven hogs in this enclosure did not have access to potable water at the time of the inspection. Dirty, unsanitary water receptacles can contaminate the water, play a role in disease transmission and may discourage animals from drinking. All water receptacles must be kept clean and sanitized. Correct by 4 Sept. 2014.

Prepared By: KENDALL LUNDY, A C I USDA, APHIS, Animal Care

Date:
03-SEP-2014

Title: ANIMAL CARE INSPECTOR 4015

Received by Title: LICENSEE

Date:
03-SEP-2014



Inspection Report

This routine inspection and exit interview were conducted with a facility representative.

Additional Inspectors

Shaver Margaret, Veterinary Medical Officer

Prepared By: KENDALL LUNDY, A C I USDA, APHIS, Animal Care

Date:
03-SEP-2014

Title: ANIMAL CARE INSPECTOR 4015

Received by Title: LICENSEE

Date:
03-SEP-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
4091	48-C-0007	001	Larry Farmer	03-SEP-14

Count	Scientific Name	Common Name
000010	<i>Bison bison</i>	AMERICAN BISON
000009	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000002	<i>Canis latrans</i>	COYOTE
000012	<i>Capra hircus</i>	DOMESTIC GOAT
000050	<i>Cynomys ludovicianus</i>	BLACK-TAILED PRAIRIE DOG
000001	<i>Lynx rufus</i>	BOBCAT
000005	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000006	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000003	<i>Procyon lotor</i>	RACCOON
000007	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000005	<i>Vulpes velox</i>	SWIFT FOX
000001	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000111	Total	