



Inspection Report

Pamela Wallberg
P. O. Box 1319
Morongo Valley, CA 92256

Customer ID: **3573**
Certificate: **93-C-0422**
Site: 001
PAMELA WALLBERG

Type: ROUTINE INSPECTION
Date: 21-APR-2016

3.125

FACILITIES, GENERAL.

In the meerkat enclosure, the bottom portion of a tree trunk is covered by metal fencing material which is not completely secured down. As a result, one section with sharp edges was noted curling back into the enclosure which could injure an animal.

Indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury. A system should be in place to ensure areas of disrepair in animal enclosures are identified and repaired in a timely manner.

To be corrected by May 6, 2016

An exit briefing was conducted with the facility representative.

Prepared By: JEFFREY LEE, D V M USDA, APHIS, Animal Care

Date:
04-MAY-2016

Title: VETERINARY MEDICAL OFFICER 6032

Received by Title: FACILITY REPRESENTATIVE

Date:
04-MAY-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3573	93-C-0422	001	PAMELA WALLBERG	21-APR-16

Count	Scientific Name	Common Name
000005	<i>Suricata suricatta</i>	SLENDER-TAILED MEERKAT
000005	Total	