



Inspection Report

Kyle Taitt
335 Locust
Fort Collins, CO 80524

Customer ID: **326713**
Certificate: **84-R-0086**
Site: 001
KYLE TAITT

Type: ROUTINE INSPECTION
Date: 04-MAR-2020

3.80(a)(2)(ii)

PRIMARY ENCLOSURES.

An extension cord with multiple items plugged into it was hanging on the outside of the primary enclosure for "Bubba" the marmoset. These cords were all within reach from the inside of the enclosure. A live electric power cord could cause injury to the marmoset if it is chewed on. All power cords must be installed in a manner that protects the animal from coming into direct contact with the cords. Primary enclosures must be constructed and maintained so that they protect the nonhuman primate from injury.

TO BE CORRECTED BY MARCH 6, 2020.

This inspection and exit interview were conducted with a facility representative.

Prepared By: PRICE KATIE, D V M USDA, APHIS, Animal Care

Date:
05-MAR-2020

Title: VETERINARY MEDICAL OFFICER 6139

Received by Title: SENT BY EMAIL

Date:
05-MAR-2020



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
326713	84-R-0086	001	KYLE TAITT	04-MAR-20

Count	Scientific Name	Common Name
000001	<i>Callithrix jacchus</i>	COMMON MARMOSET
000001	Total	