



Inspection Report

MALINDA KING DAVID KING
459 ROSEDALE RD
KIRKWOOD, PA 17536

Customer ID: **501255**
Certificate: **23-A-0641**
Site: 001
DAVID AND MALINDA KING

Type: ROUTINE INSPECTION
Date: 13-OCT-2020

3.28(a)(1) Repeat

Primary enclosures.

The second enclosure from the bottom on the 5th rack on the left side of the building has a hole approximately 2 inches wide by 5 inches in length on the side wall. There is protruding wire with sharp points where the wire is broken. This enclosure is housing 11 adult guinea pigs and their offspring. Holes and protruding wire with sharp points can cause injury to the guinea pigs.

Enclosures housing guinea pigs must be structurally sound and maintained in good repair to protect the guinea pigs from injury. The above enclosure must be repaired or replaced to prevent injury to guinea pigs.

3.29(d) Repeat

Feeding.

There are three enclosures on the 1st rack on the left side of the building with severely rusted self-feeders. The second enclosure from the bottom also has jagged and sharp edges. Rusty feeders and jagged edges can no longer be appropriately cleaned and sanitized, and may injure guinea pig attempting to feed. Food receptacles must be kept clean and sanitized at least once every 2 weeks. The above self-feeders must be repaired or replaced.

3.31(b) Sanitation.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
13-OCT-2020

Received by Title: Licensee

Date:
13-OCT-2020



Inspection Report

Housekeeping. Sulfametholazole tablets and two containers of lime sulfur dip were on top of the rack of brown enclosures. Ivermectin, sevin dust, insect dust and clorox were housed on a shelf on the right side of the building above the white plastic enclosures. Housing chemicals and veterinary products on top or above animal enclosures could result in harm to the guinea pigs if spillage of the products occurred. Premises housing guinea pigs must be kept clean and in good repair to protect the animals from injury. The above veterinary products and chemicals must be stored away from animal enclosures in a safe manner to prevent injury or harm to the guinea pigs. Correct by October 17, 2020.

This inspection and exit interview were conducted with the licensee.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
13-OCT-2020

Received by Title: Licensee

Date:
13-OCT-2020



United States Department of Agriculture
Animal and Plant Health Inspection Service

Customer: 501255
Inspection Date: 13-Oct-2020

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
501255	23-A-0641	001	DAVID AND MALINDA KING	13-OCT-2020

Count
000525

Scientific Name
Cavia porcellus

Common Name
DOMESTIC GUINEA PIG

000525

Total