



Inspection Report

Tiffanies L L C
3917 Highway C
Frankford, MO 63441

Customer ID: **330462**
Certificate: **43-B-3731**
Site: 001
TIFFANIES L L C

Type: ROUTINE INSPECTION
Date: 10-JUN-2016

3.6(c)(1)(1)

PRIMARY ENCLOSURES.

Minimum floor space.

Inside the broker building, the licensee had puppies housed in enclosures that didn't meet the minimum floor space requirement. There were 8 enclosures housing 18 puppies with inadequate floor space. The puppies in these 8 enclosures and the enclosures themselves were measured to determine if the animals had adequate floor space. The following enclosures did not have adequate floor space to meet the minimum requirements for these dogs. The first enclosure was measured and was 30" x 36". This enclosure provided 7.5 square feet of floor space. The two Husky puppies in this enclosure measured 18" and required 8 square feet of floor space.

The second enclosure measured was 32" x 36". This enclosure provided 8 square feet of floor space.

The Bloodhound puppy in this enclosure was measured at 24" in length and the Great Pyrenees mix puppy in the same enclosure measured 22" requiring 11.65 square feet of floor space to meet the minimum requirements.

The third enclosure measured was 40" x 36". This enclosure provided 10 square feet of floor space. This enclosure housed 4 Golden Doodle puppies, two pups measuring 16" and two at 17" they required 14 square feet of floor space to meet the minimum requirements.

There were two enclosures measuring 32" x 36". These enclosures provided 8 square feet of floor space. Both enclosures housed 3 Golden Doodle puppies each, these 6 pups measuring 16" and required 10 square feet of floor space to meet the minimum requirements.

There were two enclosures measuring 34 x 36". These enclosures provided 8.5 square feet of floor space. Both enclosures housed 2 Mastiff puppies each, these puppies measuring 23" and required 11.68 square feet of floor space to meet the minimum requirements.

The last enclosure measured was 32" x 36". This enclosure provided 8 square feet of floor space. The two Mastiff puppies housed in this enclosure measured 23" and required 11.68 square feet of floor space.

The minimum space requirement is important for the health and well-being of the puppies. The licensee must ensure that all animals are housed in enclosures that meet or exceed the minimum floor space requirement.

To be corrected by: June 10, 2016.

Inspection was done on Friday 6/9/2016 with licensee, State inspector and Chad Proctor ACI. Licensee was told

Prepared By: CHAD PROCTOR, A C I USDA, APHIS, Animal Care

Date:
13-JUN-2016

Title: ANIMAL CARE INSPECTOR 6044

Received by Title: LICENSEE

Date:
13-JUN-2016



Inspection Report

on day of inspection the space requirement had to be corrected. Exit interview was done on Monday 6/13/2016 with licensee and Chad Proctor ACI.

Prepared By: CHAD PROCTOR, A C I USDA, APHIS, Animal Care

Date:
13-JUN-2016

Title: ANIMAL CARE INSPECTOR 6044

Received by Title: LICENSEE

Date:
13-JUN-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
330462	43-B-3731	001	TIFFANIES L L C	10-JUN-16

Count	Scientific Name	Common Name
000229	<i>Canis lupus familiaris</i>	DOG PUPPY
000229	Total	