



Inspection Report

Colleen Kincaid
24850 Lyons Rd
Chanute, KS 66720

Customer ID: **332894**
Certificate: **48-A-2169**
Site: 001
Colleen Kincaid

Type: ROUTINE INSPECTION
Date: 02-NOV-2015

3.9(b)

FEEDING.

Food receptacles must minimize food contamination to help ensure food is kept wholesome. Feed pans must be able to be cleaned and sanitized in accordance with the Animal Welfare Regulations. At least two feed pans are cracked/broken and in need of repairs. These food receptacles have broken edges that cannot be cleaned and sanitized properly and also need to be firmly attached to help ensure food is protected from outside elements that could contaminate food. The breeder must repair, re-attach, and/or replace these feeders. The breeder needs to put in place a good maintenance program that closely monitors all dog feeders for repairs and/or replace them when needed. Correct by 11-05-2015.

This inspection and exit briefing were conducted with the facility owner and Karl Thornton, ACI

Prepared By: KARL THORNTON, A C I USDA, APHIS, Animal Care

Date:
02-NOV-2015

Title: ANIMAL CARE INSPECTOR 4055

Received by Title: OWNER

Date:
02-NOV-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
332894	48-A-2169	001	Colleen Kincaid	02-NOV-15

Count	Scientific Name	Common Name
000060	<i>Canis lupus familiaris</i>	DOG ADULT
000021	<i>Canis lupus familiaris</i>	DOG PUPPY
000081	Total	