



## Inspection Report

---

Park Management Corporation  
1001 Fairgrounds Drive  
VALLEJO, CA 94589

Customer ID: **27924**  
Certificate: **93-C-0809**  
Site: 001  
PARK MANAGEMENT  
CORPORATION

Type: ROUTINE INSPECTION  
Date: 09-NOV-2021

---

### 3.106(b)(1)

### Repeat

#### Water quality.

The facility has been experiencing spikes in coliform levels in the two pinniped pools.

Over the last month, the number of coliform colonies found per 100 ml of pool water exceeded the maximum allowed number of 1,000 on eight different days in Seal Cove (ranging from 2,100 to 10,650), and four days in Sea Lion Stadium (ranging from 3,300 to 7,450).

Although the facility has developed an action plan to address water quality issues, the corrective measures are not always adequate to effectively reduce the coliform levels, and although the facility continues to make improvements to the life support system, these problems continue to recur, and infrastructure improvements previously planned have not yet been completed. Pool water access points at Seal Cove that could allow ground water to flow into the pool were identified as a risk for the introduction of pathogens at the time of the last inspection. At the time of this inspection one had been covered by a protective structure, and a second was addressed during the inspection by installing cover, but a third entry point remains unaddressed. Additionally, trees overhanging a water tower which could allow debris to enter the system were discussed at the last inspection, but the situation had not been adequately addressed at the time of this inspection

---

**Prepared By:** PAMELA SMITH

USDA, APHIS, Animal Care

**Date:**  
10-NOV-2021

**Title:** VETERINARY MEDICAL  
OFFICER

**Received by Title:** Facility Representative

**Date:**  
10-NOV-2021



## Inspection Report

---

(although branches were trimmed during this inspection, and a plan was made to remove the trees in the near future).

The coliform bacteria count for a primary enclosure pool should not exceed 1,000. Coliform counts as high as those documented recently in the pinniped pools are unhealthy for marine mammals. The facility must maintain water quality which is not detrimental to the health and the well-being of the animals, and must ensure that appropriate and effective corrective and preventive actions are taken when high coliform counts, or other water quality concerns are detected.

This inspection and exit interview were conducted with facility representatives.

Additional Inspectors:

LAURIE GAGE, BIG CAT SPECIALIST

Gustavo Soberano, Assistant Director

---

**Prepared By:** PAMELA SMITH  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
10-NOV-2021

**Received by Title:** Facility Representative

**Date:**  
10-NOV-2021



### Species Inspected

| Cust No | Cert No   | Site | Site Name                   | Inspection  |
|---------|-----------|------|-----------------------------|-------------|
| 27924   | 93-C-0809 | 001  | PARK MANAGEMENT CORPORATION | 09-NOV-2021 |

| Count  | Scientific Name               | Common Name                               |
|--------|-------------------------------|---|
| 000001 | <i>Felis silvestris catus</i> | CAT ADULT                                 |
| 000012 | <i>Tursiops truncatus</i>     | BOTTLENOSE DOLPHIN                        |
| 000012 | <i>Zalophus californianus</i> | CALIFORNIA SEA LION                       |
| 000006 | <i>Phoca vitulina</i>         | HARBOR SEAL                               |
| 000001 | <i>Vulpes vulpes</i>          | RED FOX (INCLUDES SILVER FOX & CROSS FOX) |
| 000002 | <i>Canis lupus</i>            | GRAY WOLF / GREY WOLF / TIMBER WOLF       |
| 000004 | <i>Panthera leo</i>           | LION                                      |
| 000001 | <i>Leptailurus serval</i>     | SERVAL                                    |
| 000001 | <i>Lynx rufus</i>             | BOBCAT                                    |
| 000006 | <i>Panthera tigris</i>        | TIGER                                     |
| 000001 | <i>Pteropus giganteus</i>     | INDIAN FLYING FOX                         |
| 000001 | <i>Nasua narica</i>           | WHITE-NOSED COATI                         |
| 000002 | <i>Giraffa camelopardalis</i> | GIRAFFE                                   |
| 000001 | <i>Choloepus hoffmanni</i>    | HOFFMANN'S TWO-TOED SLOTH                 |
| 000002 | <i>Mustela putorius furo</i>  | DOMESTIC FERRET                           |
| 000003 | <i>Aonyx cinereus</i>         | ORIENTAL SMALL-CLAWED OTTER               |
| 000001 | <i>Sus scrofa domestica</i>   | DOMESTIC PIG / POTBELLY PIG / MICRO PIG   |
| 000001 | <i>Callithrix jacchus</i>     | COMMON MARMOSET                           |
| 000001 | <i>Cuniculus paca</i>         | LOWLAND PACA                              |
| 000001 | <i>Hystrix cristata</i>       | AFRICAN CRESTED PORCUPINE                 |
| 000060 | <b>Total</b>                  |   |



United States Department of Agriculture  
Animal and Plant Health Inspection Service

Customer: 27924  
Inspection Date: 09-Nov-2021

**Species Inspected**

| Cust No | Cert No   | Site | Site Name                   | Inspection  |
|---------|-----------|------|-----------------------------|-------------|
| 27924   | 93-C-0809 | 001  | PARK MANAGEMENT CORPORATION | 09-NOV-2021 |