



Inspection Report

Fabgennix International, Inc

9191 Kyser Way
Bldg. 4 , Suite 402
Frisco, TX 75033

Customer ID: **14297**

Certificate: **74-R-0230**

Site: 001

FABGENNIX INTERNATIONAL,
INC

Type: ROUTINE INSPECTION

Date: 21-FEB-2025

2.36(a)

Annual report.

The facility did not submit their fiscal year 2024 annual report to the Deputy Administrator on or before December 1 of calendar year 2024. At the time of inspection, the facility's annual report had not yet been submitted. Timely submission of the annual report is essential to assure that professionally acceptable standards governing the care and use of animals were followed during the previous fiscal year. Each reporting facility shall submit an annual report, covering the use of live animals in the previous fiscal year, on or before December 1st of each calendar year. Correct by March 7, 2025.

3.54(b)

Feeding.

The facility does not currently have a regular cleaning schedule for the food receptacles for their rabbits. The husbandry staff at the facility stated that there is no set schedule for the cleaning of the food receptacles, and that currently, the only time they are cleaned is when a new rabbit is put into a new cage. Unsanitary food receptacles can contaminate the food provided, and result in illness and disease in rabbits. All food receptacles shall be kept clean and sanitized at least once every 2 weeks. Correct by March 7, 2025.

3.56(b)(1)

Sanitation.

The facility does not currently have a regular sanitization schedule for the primary enclosures for their rabbits. The rabbits are housed in mesh metal enclosures that are elevated above a trough used for urine and fecal waste removal. The husbandry staff stated that while the troughs are cleaned thoroughly once per day, the primary enclosures for the rabbits are only hosed down with water whenever they appear extra dirty. The husbandry staff stated that the hose does not output hot water. At the time of inspection, husbandry staff were not trained on sanitization methods for the rabbit primary enclosures. A facility representative stated the rabbit cages are occasionally flamed as well when they get extra dirty, but this is not performed to every rabbit enclosure at least once every 30 days, it is just on an as needed basis. Primary enclosures that are not sanitized properly and frequently may accumulate dust, fecal and urine waste products, and bacterial/viral agents which may contribute to health issues in rabbits such as gastrointestinal and respiratory illness. All primary enclosures for rabbits shall be sanitized at least once every 30 days in one of the following manners as prescribed by 3.56(b)(3): washing with hot water (180F) and soap or detergent as in a mechanical cage washer, or by

Prepared By: SAMANTHA TALLEY

USDA, APHIS, Animal Care

Date:

21-FEB-2025

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:

21-FEB-2025



Inspection Report

washing all soiled surfaces with a detergent solution followed by a safe and effective disinfectant and rinse, or by cleaning all soiled surfaces with live steam or flame. Correct by March 21, 2025.

This inspection and exit interview were conducted with a facility representative.

Prepared By: SAMANTHA TALLEY
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
21-FEB-2025

Received by Title: Facility Representative

Date:
21-FEB-2025



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
14297	74-R-0230	001	FABGENNIX INTERNATIONAL, INC	21-FEB-2025

Count	Scientific Name	Common Name
000040	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000040	Total	