



## Inspection Report

---

John Bryant  
2123 Kentucky Rd  
Seneca, MO 64865

Customer ID: **18698**  
Certificate: **43-A-3807**  
Site: 001  
JOHNNY BRYANT

Type: ROUTINE INSPECTION  
Date: 30-OCT-2015

---

### 3.3(b)

#### SHELTERED HOUSING FACILITIES.

The indoor portion of the sheltered whelping facility did not have sufficient ventilation and smelled of ammonia. The facility had two small fans in the side window of the building, only one of which was working. The window was closed with a 1 inch opening at the bottom. Breathing air with high ammonia levels can lead to health complications. The licensee shall provide sufficient ventilation to minimize odors and reduce ammonia levels. TO BE CORRECTED BY 11/2/2015

This inspection and exit briefing was conducted with a facility representative.

---

Prepared By: KELLY ROBERTS, A C I USDA, APHIS, Animal Care

Date:  
30-OCT-2015

Title: ANIMAL CARE INSPECTOR 6043

Received by Title: FACILITY REPRESENTATIVE

Date:  
30-OCT-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
18698	43-A-3807	001	JOHNNY BRYANT	30-OCT-15

Count	Scientific Name	Common Name
000045	<i>Canis lupus familiaris</i>	DOG ADULT
000026	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000071</b>	<b>Total</b>	