



Inspection Report

WOODSTONE MEADOWS STABLES INC
2560 AG Center Drive
McGaheysville, VA 22840

Customer ID: **327579**

Certificate: **52-C-0269**

Site: 001

WOODSTONE MEADOWS
STABLES INC

Type: ROUTINE INSPECTION

Date: 13-JUL-2023

3.125(a)

Repeat

Facilities, general.

The feed trough for the zebu, llama, and alpaca has four areas of torn, broken plastic with sharp edges and one hole that reveals the rusted metal rack underneath. Additionally, one vertical metal support bar has bent which is starting to expose rough, rusted metal edges. Sharp edges and holes within a food trough can cause injury to the animals while feeding. Correct by ensuring all housing facilities are structurally sound and maintained in good repair to protect the animals from injury.

This inspection and exit interview were conducted with facility representatives.

Prepared By: RACHEL PEREZ-BAUM

USDA, APHIS, Animal Care

Date:

14-JUL-2023

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:

14-JUL-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
327579	52-C-0269	001	WOODSTONE MEADOWS STABLES INC	13-JUL-2023

Count	Scientific Name	Common Name
000009	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000012	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000009	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000001	<i>Lama glama</i>	LLAMA
000001	<i>Lama pacos</i>	ALPACA
000001	<i>Bos primigenius indicus</i>	ZEBU
000002	<i>Mustela putorius furo</i>	DOMESTIC FERRET
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000039	Total	