



Inspection Report

Kristina Brouner
2512 Cedar St.
Everett, WA 98201

Customer ID: **327222**
Certificate: **91-A-0124**
Site: 001
Hedgehogs Northwest

Type: FOCUSED INSPECTION
Date: 14-MAR-2018

3.131(c) REPEAT

SANITATION.

Animal equipment awaiting cleaning and other items were still present on the ground in front of the animal building. The equipment is being kept in unsanitary conditions, and could potentially contribute to disease hazards and pests within the facility. In addition, several of the tiles on the floor of the hedgehog room were loose, and could allow fecal material and bedding to collect underneath and interfere with proper sanitation.

Loose flooring tiles in the hedgehog room must be removed or repaired. In addition, the licensee must ensure that all unwanted items are properly discarded and removed from the property, and that the premises are kept clean in order to minimize odor and pests. Additionally, useful items must be properly cleaned, organized and stored so that all areas of the facility are kept clean and free of accumulation of materials in order to facilitate proper husbandry practices.

The facility was previously cited under this regulation on 7/18/16, 9/11/17, and 12/11/17.

This inspection and exit briefing were conducted with the facility representative.

Prepared By: FORBES DIANE, D V M USDA, APHIS, Animal Care

Date:
19-MAR-2018

Title: VETERINARY MEDICAL OFFICER 5053

Received by Title: LICENSEE

Date:
19-MAR-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
327222	91-A-0124	001	Hedgehogs Northwest	14-MAR-18

Count	Scientific Name	Common Name
000057	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG (MOST COMMON PET HEDGEHOG)
000057	Total	