



Inspection Report

Southwest Bio-Labs Inc.
401 N. 17th St., #11
Las Cruces, NM 88005

Customer ID: **1077**

Certificate: **85-R-0015**

Site: 001

SOUTHWEST BIO-LABS, INC.

Type: ROUTINE INSPECTION

Date: 08-DEC-2015

3.1(c)(2)

HOUSING FACILITIES, GENERAL.

The floors in building 4 have multiple areas of peeling paint. In a few areas on this flooring, the paint is peeling to the point where the bare concrete is exposed. Hard surfaces must be able to be cleaned and sanitized in order to satisfy generally accepted husbandry standards and practices. All floor surfaces must be maintained on a regular basis and replaced when worn or soiled. To be corrected by: February 27, 2016.

Inspection and exit briefing conducted with facility representative.

Prepared By: JEANNE KJOS, D V M USDA, APHIS, Animal Care

Date:
09-DEC-2015

Title: VETERINARY MEDICAL OFFICER 4013

Received by Title: SENT VIA EMAIL

Date:
09-DEC-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1077	85-R-0015	001	SOUTHWEST BIO-LABS, INC.	08-DEC-15

Count	Scientific Name	Common Name
000053	<i>Canis lupus familiaris</i>	DOG ADULT
000053	Total	