

United States Department of Agriculture Animal and Plant Health Inspection Service

KSINGLETARY INS-0001234062

Inspection Report

Louisiana State University System

Office of Academic Affairs 156 Thomas Boyd Hall BATON ROUGE, LA 70803 Customer ID: 1484

Certificate: 72-R-0003

Site: 005

LSU Agricultural Center

Type: ROUTINE INSPECTION

Date: 29-JAN-2025

2.38(I)(2)

Miscellaneous.

The facility has a written contingency plan ("Livestock Emergency Response Plan") that was last reviewed January 18, 2023 (i.e. 2 years and 11 days from date of inspection on January 29, 2025). Contingency plans must be reviewed by the research facility on at least an annual basis and any changes made from previous year's review must be documented. This is important to ensure the facility is prepared for the humane care and handling of animals in the event of an emergency or disaster.

Correct by February 12, 2025 by reviewing the contingency plan annually and maintaining documentation of changes made from the previous year's review.

3.125(a)

Facilities, general.

During the inspection two of the goat barn fencing panels were not in good repair. The four bucks housed in this area are generally maintained in the pasture, but they have access to the barn for feeding and additional shelter during inclement weather. The barn fence paneling consists of 8x8 inch metal wire squares and the wires have been broken such that one fencing panel had four consecutive 8x8 inch squares that are no longer intact. The broken squares were creating 8-inchlong sharp projecting points and a large horizontal opening that measured approximately 3.5 feet in length. A second barn fence section had several consecutive 8x8 inch squares no longer intact creating a gaping 2ft x 5 ft hole with long projecting wires. Some of the projecting wires were approximately 32 inches in length. Failure to maintain enclosure fencing can cause projecting sharp wires to serve as a source of injury or holes that serve as an entrapment hazard to the animals.

The affected fencing panels were removed on January 29, 2025 prior to the conclusion of the inspection.

This inspection and exit interview were conducted with a facility representative.

Prepared By: KEM SINGLETARY Date:

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Facility Representative Date:

29-JAN-2025

29-JAN-2025

USDA, APHIS, Animal Care



United States Department of Agriculture Animal and Plant Health Inspection Service

KSINGLETARY INS-0001234062

Inspection Report

Prepared By: KEM SINGLETARY

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Facility Representative

Date:

Date:

29-JAN-2025

29-JAN-2025



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 1484

Inspection Date: 29-Jan-2025

Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|-------------------------|-------------|
| 1484 | 72-R-0003 | 005 | LSU Agricultural Center | 29-JAN-2025 |

CountScientific NameCommon Name000009Capra hircusDOMESTIC GOAT

000009 **Total**