



## Inspection Report

---

Michael E Fox  
133 Virginia Pine Lane  
Lexington, SC 29073

Customer ID: **26563**  
Certificate: **56-C-0161**  
Site: 001  
FOX TREE FARM INC

Type: ROUTINE INSPECTION  
Date: 03-SEP-2014

---

### 3.53(a)(1)

#### PRIMARY ENCLOSURES.

In the solid bottom group housed rabbit enclosure, the wire along the bottom edges has rusted leaving some sharp points and a potential gap in one area between the wire and the board. The wire needs to be repaired or replaced to prevent injury to the rabbits or escape. To be corrected by 9-22-14.

Exit briefing conducted with facility representative.

---

Prepared By: LISA MACELDERRY, D V M USDA, APHIS, Animal Care

Date:  
03-SEP-2014

Title: VETERINARY MEDICAL OFFICER 1055

Received by Title: OWNER

Date:  
03-SEP-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
26563	56-C-0161	001	FOX TREE FARM INC	03-SEP-14

Count	Scientific Name	Common Name
000001	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000004	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Lama glama</i>	LLAMA
000003	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000009	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000018</b>	<b>Total</b>	