

43140902425433 Insp\_id

## **Inspection Report**

University Of Southern Mississippi 118 College Drive #5116 Hattiesburg, MS 39406 Customer ID: 953

Certificate: 65-R-0505

Site: 001

UNIVERSITY OF SOUTHERN MISSISSIPPI

Type: ROUTINE INSPECTION

Date: 12-FEB-2014

#### 2.33(a)(1)

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE.

The program of veterinary care provided was incomplete. It did not list veterinary care procedures for all the regulated species present at the facility within the past year (bushbabies were listed, but not sheep, rabbits, or cattle). Furthermore, information was not provided about when reglarly scheduled visits by the attending veterinarian would be made. A vague program of veterinary care can contribute lack of approprate and timely treatment for ill animals. There were, in addition, no written provisions for emergency care in this document. Research facilities employing a consulting veterinarian must have a written program of veterinary care listing all regulated species and documented regularly scheduled visits to the research facility. To be corrected by 2/26/2014.

#### 2.33(b)(2) REPEAT

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE.

During inspection of the bush baby facility several bottles of expired medications were found mixed with unexpired drugs. This included antibiotics and a topical spray expired for more than 30 days. Expired medications shall not be used for the treatment of regulated animals as they can cause unintentional illness. Expired medications must be clearly labeled as expired and separated from current medications, or properly disposed of.

#### 3.75(a)

### HOUSING FACILITIES, GENERAL.


There were at least two ceiling lights in one of the rooms of the bush baby facility with a coating of black film material that was peeling off. As one of these lights was located over a corner of a bushbaby cage, pieces of the black film material could fall off into the cages and cause injury to the animals (ingestion etc.). Housing facilities for nonhuman primates must be kept inn good repair and must protect the animals from injury. To be corrected by 2/26/2014.

There was an electrical outlet in a room of the bushbaby facility that was missing a cover. As water is often used in cleaning the facility, this could present a hazard to regulated animals or laboratory staff. Housing facilities for

Prepared By:CHRISTINA DER, D V MUSDA, APHIS, Animal CareDate:12-FEB-2014

Title: VETERINARY MEDICAL OFFICER 6068

Received by Title: DIRECTOR OF ORI Date: 12-FEB-2014





# **Inspection Report**

| nonhuman  | primates | must be k | kept inn go | od repair | and must | protect the | animals f | rom injury | /.To be | corrected | by |
|-----------|----------|-----------|-------------|-----------|----------|-------------|-----------|------------|---------|-----------|----|
| 3/12/2014 | -        |           |             |           |          |             |           |            |         |           |    |

The exit briefing was conducted with the Director of ORI.

## **Additional Inspectors**

Gaj Gregory, Supervisory Animal Care Specialist

Prepared By: CHRISTINA DER, D V M USDA, APHIS, Animal Care Date:

Title: VETERINARY MEDICAL OFFICER 6068

Received by Title: DIRECTOR OF ORI Date: 12-FEB-2014

Page 2 of 2

12-FEB-2014



## United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 953 Inspection Date: 12-FEB-14

# **Species Inspected**

| Cust No | Cert No   | Site | Site Name                          | Inspection |
|---------|-----------|------|------------------------------------|------------|
| 953     | 65-R-0505 | 001  | UNIVERSITY OF SOUTHERN MISSISSIPPI | 12-FEB-14  |
|         |           |      |                                    |            |

CountScientific NameCommon Name000016Otolemur garnettiiSMALL-EARED BUSHBABY / NORTHERN GREATER GALAGO000016Total

Page 1 of 1