

United States Department of Agriculture Animal and Plant Health Inspection Service

163141416270101 Insp_id

Inspection Report

Larry R Farmer Customer ID:

711 Wink Ave Certificate: 48-C-0007

Oakley, KS 67748 Site: 001

Type: ROUTINE INSPECTION

Date: 12-JUN-2014

4091

2.131(d)(2)

HANDLING OF ANIMALS.

The licensee is offering animal feed to the visiting public. There are large enough gaps in the sheep and goat enclosure fences where the animals can place their heads through these openings. There is the potential that the public can hand feed these animals and an attendant is not available at all times of this direct public contact. Insufficient attendant supervision of animals during times of public contact can leave animals at risk for improper handling and feeding of items by the public other than what is provided for the animals. Sufficient number of responsible, knowledgeable, and readily identifiable employees or attendants must be present at all times during periods of public contact. Correct by 12 July 2014.

3.50(a)

FACILITIES. GENERAL.

There are broken welds in the welded-wire fence for the enclosure housing one rabbit. This is resulting in a gap and wire points. These may cause injury to the rabbit. All enclosures must be maintained in good repair to protect the animals from injury. Correct by 26 June 2014.

3.127(d)

FACILITIES, OUTDOOR.

There are numerous places where the established perimeter fence is inadequate. There are gaps of several inches between the lower section of the fence and the ground, there are sections of fence that consists of metal pipe fence with large gaps present, and there is one metal pipe gate that is not 6 feet in height. Inadequate perimeter fence may not restrict animals and unauthorized people from entering the facility. The perimeter fence must be at least 6 feet in height and have small enough openings that restrict animals and unauthorized people from entering the facility. Correct by 12 July 2014.

3.131(d)

SANITATION.

Prepared By: KENDALL LUNDY, A C I USDA, APHIS, Animal Care

Date:

Title: ANIMAL CARE INSPECTOR 4015

Received by Title: LICENSEE Date: 12-JUN-2014

Page 1 of 2

12-JUN-2014

2 0011 20





163141416270101 Insp_id

Inspection Report

There were numerous rats observed in and around the red building that is located adjacent to the pig enclosure as well as in the pigs' enclosure including their feeder. These rats were also seen drinking from the pigs' automatic waterer. Rats can transmit diseases to the animals. A more effective method of pest control must be established to control these rats. Correct by 26 June 2014.

Inspection and exit interview conducted with facility representative.

Additional Inspectors

Shaver Margaret, Veterinary Medical Officer

Prepared By: KENDALL LUNDY, A C I USDA, APHIS, Animal Care Date:

Title: ANIMAL CARE INSPECTOR 4015

Received by Title: LICENSEE Date:

12-JUN-2014

Page 2 of 2

12-JUN-2014



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 4091 Inspection Date: 12-JUN-14

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
4091	48-C-0007	001	Larry Farmer	12-JUN-14

Count	Scientific Name	Common Name
000009	Bison bison	AMERICAN BISON
000009	Bos taurus	CATTLE / COW / OX / WATUSI
000002	Canis latrans	COYOTE
000012	Capra hircus	DOMESTIC GOAT
000050	Cynomys ludovicianus	BLACK-TAILED PRAIRIE DOG
000001	Lynx rufus	BOBCAT
000005	Oryctolagus cuniculus	EUROPEAN RABBIT
000006	Ovis aries aries	SHEEP INCLUDING ALL DOMESTIC BREEDS
000003	Procyon lotor	RACCOON
800000	Sus scrofa domestica	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000003	Vulpes velox	SWIFT FOX
000001	Vulpes vulpes	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000109	Total	