



## Inspection Report

---

Hansen's Farm Fresh Dairy Inc.  
8617 Lincoln Rd  
Hudson, IA 50643

Customer ID: **506983**

Certificate: **42-C-0247**

Site: 001

HANSEN'S FARM FRESH DAIRY  
INC

Type: ROUTINE INSPECTION

Date: 27-AUG-2025

---

### 3.127(d)

### Repeat

#### Facilities, outdoor.

Five adult red kangaroos are housed in an outdoor primary enclosure that has no perimeter fence. The primary enclosure is made of a 6 foot high chain link fence. There is a row of conifer trees planted around this fence. Beyond the conifers, approximate 3 to 4 feet outside the primary enclosure fence, there are some approximately 4 foot tall posts that were used to support two strands of electric fence wire. The electric fence is not in use. There are two stands of wire on only two sides of the enclosure and no wire on the other two sides. The inspector reminded the licensee that a two strand electric fence outside the primary enclosure does not meet the requirement for a 6 foot high perimeter fence surrounding the primary enclosure. The licensee said he had tried using the electric fence inside the 6 foot chain link fence, but the kangaroos had gotten entangled in it.

All outdoor housing facilities (i.e., facilities not entirely indoors) must be enclosed by a perimeter fence that is of sufficient height to keep animals and unauthorized persons out. Fences less than 8 feet high for potentially dangerous animals, such as, but not limited to, large felines (e.g., lions, tigers, leopards, cougars, etc.), bears, wolves, rhinoceros, and elephants, or less than 6 feet high for other animals must be approved in writing by the Administrator. The fence must be constructed so that it protects the animals in the facility by restricting animals and unauthorized persons from going through it or under it and having contact with the animals in the facility, and so that it can function as a secondary containment system for the animals in the facility. It must be of sufficient distance from the outside of the primary enclosure to prevent physical contact between animals inside the enclosure and animals or persons outside the perimeter fence. Such fences less than 3 feet in distance from the primary enclosure must be approved in writing by the Administrator. The facility must have a perimeter fence appropriate for the species being housed, 6 feet high, or have an approved variance by the Administrator.

This inspection and exit interview were conducted with the licensee.

---

Prepared By: WILLIAM JANECKE

USDA, APHIS, Animal Care

Date:  
29-AUG-2025

Title: VETERINARY MEDICAL  
OFFICER

Received by Title: Licensee

Date:  
29-AUG-2025



**Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
506983	42-C-0247	001	HANSEN'S FARM FRESH DAIRY INC	27-AUG-2025

Count	Scientific Name	Common Name
000006	<i>Osphranter rufus</i>	RED KANGAROO
000006	<b>Total</b>	