



Inspection Report

Beth Corley
25803 N. C R 3250
Wynnewood, OK 73098

Customer ID: **35182**
Certificate: **73-C-0167**
Site: 001
BETH CORLEY

Type: ROUTINE INSPECTION
Date: 25-MAR-2015

3.125 REPEAT

FACILITIES, GENERAL.

In an enclosure housing a single red kangaroo, sections of the enclosure fence is in poor condition with numerous broken boards and numerous sharp points exposed to the enclosed animal. The smaller shelter doorway has exposed metal rods on one side of the opening. The condition of this fence and shelter is a source of potential injury to the animal, and could also allow escape from the enclosure. The fence needs to be repaired and maintained in good condition. All sharp points exposed to the animal must be removed.

Inspection and exit interview conducted with facility representative, ODAFF law enforcement, and two USDA APHIS AC VMOs.

Additional Inspectors

Tygart Michael, Supervisory Animal Care Specialist

Prepared By: DEBBIE CUNNINGHAM, D V M USDA, APHIS, Animal Care

Date:
26-MAR-2015

Title: VETERINARY MEDICAL OFFICER 6072

Received by Title: SENT VIA EMAIL

Date:
27-MAR-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
35182	73-C-0167	001	BETH CORLEY	25-MAR-15

Count	Scientific Name	Common Name
000001	<i>Lemur catta</i>	RING-TAILED LEMUR
000001	<i>Osphranter rufus</i>	RED KANGAROO
000002	<i>Pan troglodytes</i>	CHIMPANZEE
000002	<i>Panthera leo</i>	LION
000001	<i>Panthera tigris</i>	TIGER
000007	Total	