

United States Department of Agriculture Animal and Plant Health Inspection Service

SBRUNKHORST **2016090000771258** Insp. id

Inspection Report

SHIRLEY FARMS 2557 SOUTH BLUFF RD OBION, TN 38240 Customer ID: 44856

Certificate: 63-C-0201

Site: 001

SHIRLEY FARMS

Type: FOCUSED INSPECTION

Date: 15-MAR-2022

3.125(a) Critical

Facilities, general.

The fencing of the enclosure used to house one male camel was not constructed and maintained in a manner appropriate to housing a male camel in rut. The enclosure fence consisted of an eight foot tall livestock wire fence and an 8 foot tall chain link metal gate at the far end of the enclosure (opposite end from the barn). The materials of both the fencing and the gate are in good condition however the gate is fastened to both end posts of the fence by two strands of thin rusty wire wrapped around both the post of the gate and the post of the fence on both sides. Upon inspection the two wires on the west side of the gate were in place but the two wires on the east side were missing. The owner states that he did not know where the two missing wire strands were or how they came to be missing. One of the wire strands was found on the ground inside the zebra enclosure.

On the late afternoon of Thursday March 10, 2022 the Obion County Sheriff's Office received a call of a loose camel at the facility. Officers had to put the camel down for the safety of everyone on scene. The officer who arrived on scene in response to the call observed that the gate was open towards the inside of the enclosure wide enough for a person to walk through when he arrived.

It is unknown exactly how the gate came to be open on March 10, 2022, but the thin rusty wire was not strong or secure enough to keep the gate securely closed. The opening of the gate allowed the camel to escape its enclosure. Outdoor

Prepared By: SUSANNE BRUNKHORST Date:

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Licensee Date:

15-MAR-2022

15-MAR-2022

USDA, APHIS, Animal Care



United States Department of Agriculture Animal and Plant Health Inspection Service

SBRUNKHORST **2016090000771258** Insp_id

Inspection Report

housing facilities must be structurally sound and maintained in good repair to protect the animals from injury and to
contain the animals. Correct before using the enclosure to house any regulated animals.

This inspection and exit interview were conducted with the licensee.

Prepared By: SUSANNE BRUNKHORST Date:

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Licensee Date:

15-MAR-2022

15-MAR-2022



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 44856

Inspection Date: 15-Mar-2022

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
44856	63-C-0201	001	SHIRLEY FARMS	15-MAR-2022

Count Scientific Name Common Name

000001 None NONE

000001 **Total**