



## Inspection Report

---

ZACHERY KEELER  
2516 WEST RAUCH Road  
TEMPERANCE, MI 48182

Customer ID: **45064**  
Certificate: **34-B-0225**  
Site: 001  
ZACHERY KEELER

Type: FOCUSED INSPECTION  
Date: 08-MAR-2022

---

**3.130**                      **Direct**                      **Repeat**

### Watering.

One African crested porcupine enclosure, housing one porcupine, did not have any drinking water. When the licensee offered the porcupine water, it drank excessively for a minimum of two minutes. The lack of water can cause dehydration, distress, and even death. This was corrected at the time of inspection.

This inspection and exit interview were conducted with the licensee.

Additional Inspectors:

CARRIE BONGARD, ANIMAL CARE INSPECTOR

---

**Prepared By:** JUSTINE O MALLEY  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
21-MAR-2022

**Received by Title:** Licensee

**Date:**  
21-MAR-2022



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
45064	34-B-0225	001	ZACHERY KEELER	08-MAR-2022

Count	Scientific Name	Common Name
000004	<i>Hystrix cristata</i>	AFRICAN CRESTED PORCUPINE
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000001	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG
000004	<i>Hydrochaeris hydrochaeris</i>	CAPYBARA
000010	<b>Total</b>	