



Inspection Report

JOHN KING VERNA KING
2285 SEAGRAVE DR
WATSONTOWN, PA 17777

Customer ID: **502939**
Certificate: **23-A-0711**
Site: 001
JOHN & Verna KING

Type: ROUTINE INSPECTION
Date: 11-AUG-2022

3.28(c)(1)(iii)

Primary enclosures.

There were 4 guinea pig pens that did not provide the required amount of floor space. There was one pen with 17 adult guinea pigs and 3 pens with 23, 25, and 26 weanling guinea pigs. The pens measured 48 by 24 inches or 1,152 square inches of floor space. Each adult requires a minimum of 101 square inches of floor space and each weanling requires a minimum of 60 square inches of floor space. Total floor space required to house 17 adults is 1,717 square inches and total floor space required to house 23, 25, and 26 weanlings is 1,380, 1,500, and 1,560 square inches respectively. There cannot be more than 11 adult and 19 weanling guinea pigs housed in an enclosure measuring 48 by 24 inches.

Inadequate space can cause stress, crowding, and aggression in animals.

The licensee must ensure that all guinea pigs are provided with the minimum amount of floor space in order to avoid overcrowding and to support the health and well-being of the guinea pigs.

Correct by: August 18, 2022

This inspection and exit interview were conducted with _____.

Prepared By: CHRISTINA RADZAI
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
11-AUG-2022

Received by Title: Licensee

Date:
11-AUG-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502939	23-A-0711	001	JOHN & VERA KING	11-AUG-2022

Count	Scientific Name	Common Name
000440	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000440	Total	