



Inspection Report

Annie S Zook
Elmer Zook
1070 Osceola Dr
Drumore, PA 17518

Customer ID: **500704**

Certificate: **23-A-0635**

Site: 001

ANNIE S ZOOK, ELMER ZOOK

Type: ROUTINE INSPECTION

Date: 19-JUL-2017

3.29(d)

FEEDING.

Some the self-feeders in the main guinea pig building are pitted and severely rusted. Examples of pitted/rusted self-feeders include enclosures numbered 27, 31, 32, 82, 134, 111, 113, and 114. These feeders are pitted/rusted to the point they can no longer be adequately cleaned and sanitized properly. The rusty self-feeders must be repaired or replaced so that they can be kept clean and sanitized at least once every two weeks. Correct by August 19, 2017.

This inspection and exit interview were conducted with the co-owner.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
19-JUL-2017

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: CO-OWNER

Date:
19-JUL-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
500704	23-A-0635	001	ANNIE S ZOOK, ELMER ZOOK	19-JUL-17

Count	Scientific Name	Common Name
001271	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
001271	Total	