



Inspection Report

University of Toledo
3000 Arlington Ave., MS 1004
TOLEDO, OH 43614

Customer ID: **502924**
Certificate: **31-R-0134**
Site: 001
HEALTH SCIENCE CAMPUS

Type: ROUTINE INSPECTION
Date: 29-MAR-2023

3.53(a)(1)

Primary enclosures.

The primary enclosure did not contain two rabbits. A self-report stated that on August 22, 2022, separately housed male and female rabbits were seen together in the same cage by animal care technicians. The divider between the enclosures was not latched properly and the animals were able to access each other's primary enclosure. As a result, the male was then able to impregnate the female. Animals that are not securely contained in their primary enclosures could become entrapped or injured. Primary enclosures shall be structurally sound and maintained in good repair to protect the rabbits from injury, to contain them, and to keep predators out. Correct by ensuring enclosures properly contain the animal. Corrective actions were taken prior to the inspection.

This inspection and exit interview were conducted with the attending veterinarian.

Additional Inspectors:

COURTNEY JERNIGAN, VETERINARY MEDICAL OFFICER

Prepared By: JONATHAN TOMKOVITCH
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
30-MAR-2023

Received by Title: Attending Veterinarian

Date:
30-MAR-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502924	31-R-0134	001	HEALTH SCIENCE CAMPUS	29-MAR-2023

Count	Scientific Name	Common Name
000820	<i>Microtus ochrogaster</i>	PRAIRIE VOLE
000035	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000855	Total	