



## Inspection Report

---

Gary D Broderick Sr  
110 Shenks Ferry Rd  
Conestoga, PA 17516

Customer ID: **329281**  
Certificate: **23-B-0216**  
Site: 001  
GARY BRODERICK SR

Type: ROUTINE INSPECTION  
Date: 20-SEP-2017

---

### 3.53(c)(3)

#### PRIMARY ENCLOSURES.

There were two enclosures housing New Zealand red rabbits that did not meet the space requirements. Enclosures measured 24" by 24" or 4 square feet. Weaned rabbits weighing up to 4.4 pounds require a minimum of 1.5 square feet of floor space each. One enclosure had 3 rabbits and the second enclosure had 4 rabbits. No more than 2 weaned rabbits weighing up to 4.4 pounds can be housed in this size enclosure. Licensee must ensure the space for rabbits at least meets the minimum required floor space to allow the animals to make normal postural adjustments and to prevent discomfort or stress. Correct by September 23, 2017.

This inspection and exit interview were conducted with the owner's wife.

---

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:  
20-SEP-2017

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER'S WIFE

Date:  
20-SEP-2017



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
329281	23-B-0216	001	GARY BRODERICK SR	20-SEP-17

Count	Scientific Name	Common Name
000147	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
<b>000147</b>	<b>Total</b>	