



Inspection Report

Scripps Research Institute
10550 N. Torrey Pines Road, Tpc-30
La Jolla, CA 92037

Customer ID: 1192

Certificate: 93-R-0015

Site: 001

SCRIPPS RESEARCH INSTITUTE - CA

Type: ROUTINE INSPECTION

Date: 12-DEC-2016

3.53(c)(2)

PRIMARY ENCLOSURES.

Two enclosures, measuring 3 feet by 2 feet and providing 6 feet of space housed two rabbits weighing over 4 kilograms, based on weights recorded the week before inspection in the animal records. Each rabbit weighing greater than 4 Kg is required to have 4 square feet of space. Adequate floor space in primary enclosures is essential in order to safeguard the health and well-being of the rabbits. Overcrowding can result in stress, disease, and injury. During the inspection, the rabbits were moved to enclosures providing sufficient space.

Corrected during inspection.

Exit interview conducted with facility representatives.

Prepared By: KATHARINE FRANK, D V M USDA, APHIS, Animal Care

Date:
15-DEC-2016

Title: VETERINARY MEDICAL OFFICER 6091

Received by Title: SENT BY EMAIL

Date:
16-DEC-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1192	93-R-0015	001	SCRIPPS RESEARCH INSTITUTE - CA	12-DEC-16

Count	Scientific Name	Common Name
000094	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000094	Total	