



Inspection Report

Bill Rivers
2222 Fm 1283
Pipecreek, TX 78063

Customer ID: 3541
Certificate: 74-C-0830
Site: 002
BILL RIVERS

Type: ROUTINE INSPECTION
Date: 14-JAN-2016

3.127(d)

FACILITIES, OUTDOOR.

There is no 6 foot perimeter fence surrounding the enclosures for the camels , water buffalo or bison at the new site. A perimeter fence at least 6 feet in height is need to protect the animals. A perimeter fence serves as a secondary containment fence and must restrict persons or animals from going through it or under it to contact the animals , It must be at least 3 feet from the primary enclosure fence to ensure persons on the outside of the perimeter fence may not reach the animals. CORRECT BY : 4/11/16

Note : No covered activity to be conducted until the new site is in compliance.

The inspection and exit briefing was conducted with ranch employee .

Prepared By: ELIZABETH PANNILL, D V M USDA, APHIS, Animal Care

Date:
14-JAN-2016

Title: VETERINARY MEDICAL OFFICER 4018

Received by Title: OWNER

Date:
14-JAN-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3541	74-C-0830	002	BILL RIVERS	14-JAN-16

Count	Scientific Name	Common Name
000001	<i>Bison bison</i>	AMERICAN BISON
000001	<i>Bubalus bubalis</i>	ASIATIC WATER BUFFALO
000007	<i>Camelus dromedarius domestic</i>	DOMESTIC DROMEDARY CAMEL
000009	Total	