



Inspection Report

Brendon Kline
2324 Cramer Road
Brogue, PA 17309

Customer ID: **326294**
Certificate: **23-C-0316**
Site: 001
BRENDON KLINE

Type: ROUTINE INSPECTION
Date: 24-AUG-2017

3.26(d)

FACILITIES, INDOOR.

There is bare wood on some of the walls, drywall, support posts and part of the floor that is wood in the room housing the guinea pigs in the barn. Interior surfaces of indoor guinea pig rooms must be constructed and maintained so that all surfaces are impervious to moisture so that they can be readily clean and sanitized and won't retain odors. The bare wood on walls, drywall, support posts and wooden floor must be sealed or covered with an impervious surfaces so that all surfaces an be repeatedly cleaned and sanitized and won't retain odors. Correct by October 1, 2017.

3.31(b)

SANITATION.

Housekeeping. There are accumulations of dust, dirt, cobwebs on the walls, ceiling, wire surfaces, furniture, and items on the walls in the room housing the guinea pigs and fowl. Animal facilities must be kept clean to ensure good quality of air for the animals and to prevent unnecessary disease risks. Ineffective cleaning exposes the animals to diseases hazards and health problems. Correct by ensuring the premises are kept clean, including removing accumulations of dust, dirt, cobwebs; routinely dusting off and sanitizing all surfaces on the inside of the facility; removing unnecessary furniture and items from the animal room; and maintaining a level of general cleanliness to support good animal husbandry and health. Correct by September 2, 2017.

3.127(c)

FACILITIES, OUTDOOR.

The new outdoor enclosure housing the 3 African crested porcupines is excessively muddy and there are several areas where the dirt has washed away exposing the metal fencing on the ground. Animals should not have to walk through mud to get to their water, food, or shelter. Standing in mud can cause animals to have foot problems and the exposed metal fencing on the ground can cause foot and leg injuries. A suitable method shall be provided to rapidly eliminate excess water from the enclosure and the metal fencing on the ground must be covered to prevent foot and leg injuries. Correct by August 31, 2017.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
24-AUG-2017

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
24-AUG-2017



Inspection Report

This inspection and exit interview were conducted with the owner.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
24-AUG-2017

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
24-AUG-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
326294	23-C-0316	001	BRENDON KLINE	24-AUG-17

Count	Scientific Name	Common Name
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000016	<i>Capra hircus</i>	DOMESTIC GOAT
000011	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000002	<i>Hydrochaeris hydrochaeris</i>	CAPYBARA
000003	<i>Hystrix cristata</i>	AFRICAN CRESTED PORCUPINE
000004	<i>Lama glama</i>	LLAMA
000001	<i>Lama pacos</i>	ALPACA
000015	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000001	<i>Osphranter rufus</i>	RED KANGAROO
000005	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000065	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000125	Total	