United States Department of Agriculture Animal and Plant Health Inspection Service

343141445200435 Insp_id

Inspection Report

Jungle Adventures Inc 26205 E Colonial Dr

Christmas, FL 32709

Customer ID: 3094

Certificate: 58-C-1048

Site: 001

JUNGLE ADVENTURES INC

Type: ROUTINE INSPECTION

Date: 09-DEC-2014

2.40(b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

A skunk "Spike" is currently being given Metronidazole which started on 11/26/14. Another skunk "Ginny" was also being given Metronidazole from 8/24/14-9/1/14. The licensee was aware that this medication expired in 10/2009 but administered it anyway,

There was also a bottle of Metacam that expired in 11/13, which was reportedly not used since that time.

Expired medications are considered adulterated and not a appropriate method to treat diseases. Expired medications are not effective in treating diseases and in some cases can become toxic. All expired medications shall not be used on regulated animals and removed from areas where medications are stored for those regulated mammals to prevent accidental administrations.

Correct immediately.

2.131(d)(4)

HANDLING OF ANIMALS.

During the inspection this inspector observed that the public was giving the bears soda (Mountain Dew) through the feeding tube.

If public feeding is permitted, all food & liquids must be provided by the facility. Additionally, soda pop is not an appropriate liquid to feed to animals.

When public feeding is permitted, all food and liquids must be provided by the facility and shall be appropriate to the type of animal and its nutritional needs and diet.

Correct immediately.

3.125(a)

Prepared By: ROBERT BRANDES, D V M USDA, APHIS, Animal Care Date:

Title: VETERINARY MEDICAL OFFICER 2002

Received by Title: ANIMAL CARE & MEDICAL MANAGER Date: 09-DEC-2014

Page 1 of 2

09-DEC-2014

9-066-20



United States Department of Agriculture Animal and Plant Health Inspection Service

343141445200435 Insp_id

Inspection Report

FACILITIES, GENERAL.

There is a sheet of plywood which divides the lynx enclosure into 2 sections. A small portion located on the upper surface, adjacent to the pass through, has deteriorated leaving a hole and splinters. The rest of this plywood appears wet/damp and may no longer be structurally sound.

The splinters pose a risk of injury if this animal shall have contact with it. All enclosures shall be structurally sound and maintained in good repair to protect the animals from injury.

Correct by December 17, 2014

The exit interview was conducted with the Animal Care & Medical Manager.

 Prepared By:
 ROBERT BRANDES, D V M
 USDA, APHIS, Animal Care
 Date:

Title: VETERINARY MEDICAL OFFICER 2002

Received by Title: ANIMAL CARE & MEDICAL MANAGER Date: 09-DEC-2014

Page 2 of 2

09-DEC-2014



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 3094
Inspection Date: 09-DEC-14

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3094	58-C-1048	001	JUNGLE ADVENTURES INC	09-DEC-14

Count	Scientific Name	Common Name
000002	Atelerix albiventris	HEDGEHOG
000002	Canis latrans	COYOTE
000002	Canis lupus familiaris	DOG ADULT
000001	Dama dama	FALLOW DEER
000002	Didelphis marsupialis	SOUTHERN OPOSSUM
000002	Lemur catta	RING-TAILED LEMUR
000001	Leptailurus serval	SERVAL
000001	Lynx canadensis	CANADIAN LYNX
000002	Macaca mulatta	RHESUS MACAQUE
000001	Mephitis mephitis	STRIPED SKUNK
000004	Odocoileus virginianus	WHITE-TAILED DEER
000007	Puma concolor	PUMA / MOUNTAIN LION / COUGAR
000002	Ursus americanus	NORTH AMERICAN BLACK BEAR
000002	Vulpes vulpes	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000031	Total	