



Inspection Report

Frank C Mello
130 Riverside Drive
Point Arena, CA 95468

Customer ID: **21079**
Certificate: **93-C-0793**
Site: 001
FRANK MELLO

Type: ROUTINE INSPECTION
Date: 27-AUG-2014

3.125(a) REPEAT

FACILITIES, GENERAL.

*** There were various locations on the primary enclosure for antelope and zebra where the fencing has been damaged, causing an opening of up to eight inches in diameter. In some places the ends of broken wires protrude into the animal enclosure. Damaged fencing with openings in the fence that are large enough in some places for an animal to put its head through could lead to entrapment, injury, or escape. Protruding wires could cause eye injuries or other wounds.

A system should be put into place in order to ensure that fences are inspected regularly, and that repairs are made in a timely manner.

This is a repeat issue, cited previously on the 4/27/11 inspection report, with a 5/6/11 correction date.

An exit interview was conducted with a facility representative.

Prepared By: PAMELA SMITH, D V M USDA, APHIS, Animal Care

Date:
29-AUG-2014

Title: VETERINARY MEDICAL OFFICER 6036

Received by Title: SENT VIA ELECTRONIC MAIL

Date:
29-AUG-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
21079	93-C-0793	001	FRANK MELLO	27-AUG-14

Count	Scientific Name	Common Name
000011	<i>Equus grevyi</i>	GREVY'S ZEBRA
000010	<i>Equus zebra</i>	MOUNTAIN ZEBRA / HARTMANN'S ZEBRA
000005	<i>Giraffa camelopardalis</i>	GIRAFFE
000023	<i>Hippotragus equinus</i>	ROAN ANTELOPE
000020	<i>Hippotragus niger</i>	SABLE ANTELOPE
000010	<i>Tragelaphus strepsiceros</i>	GREATER KUDU
000079	Total	