



## Inspection Report

---

David Wooten  
277 Whispering Hills  
Dover, TN 37058

Customer ID: **3339**  
Certificate: **63-C-0163**  
Site: 001  
DAVID WOOTEN

Type: ROUTINE INSPECTION  
Date: 19-MAY-2016

---

### 3.125(a)

#### FACILITIES, GENERAL.

The fence needs repair where a tree limb has fallen down and pushed down the fence to where it is less than three foot in height. In addition, the storm brought down a metal shed structure to where the metal might cause injury if the camels were to rub against it. The enclosure fencing and structures shall be repaired and or removed so that they do not cause injury or allow escape of the animals. Correct by June 15, 2016.

Exit with owner.

---

Prepared By: SUSANNE BRUNKHORST, D V M USDA, APHIS, Animal Care

Date:  
19-MAY-2016

Title: VETERINARY MEDICAL OFFICER 1076

Received by Title: OWNER

Date:  
19-MAY-2016



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3339	63-C-0163	001	DAVID WOOTEN	19-MAY-16

Count	Scientific Name	Common Name
000003	<i>Camelus dromedarius domestic</i>	DOMESTIC DROMEDARY CAMEL
<b>000003</b>	<b>Total</b>	