



Inspection Report

Aaron G Fisher
72 Cerrato Lane
Loganton, PA 17747

Customer ID: **6003537**
Certificate: **23-A-0752**
Site: 001
Aaron G Fisher

Type: ROUTINE INSPECTION
Date: 16-DEC-2024

3.28(a)(1) Repeat

Primary enclosures.

The bottom of the metal self-feeder in one enclosure was rusted through resulting in a hole approximately 1 inch in size with sharp edges.

Sharp edges in feeders can injure the guinea pigs as they are feeding.

Primary enclosures shall be structurally sound and maintained in good repair to protect the guinea pigs from injury.

3.31(b) Repeat

Sanitation.

There was a pile of approximately 10-15 empty feed bags on the floor of the facility.

Accumulations of trash may serve as harborage for pests and vermin that can negatively impact the health the guinea pigs.

Premises shall be kept clean and shall remain free of accumulations of trash.

This inspection and exit interview were conducted with the licensee.

Prepared By: CHRISTINA RADZAI
USDA, APHIS, Animal Care

Date:
16-DEC-2024

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
16-DEC-2024



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6003537	23-A-0752	001	Aaron G Fisher	16-DEC-2024

Count	Scientific Name	Common Name
000778	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000778	Total	