



Inspection Report

Wilsons Wild Animal Park
985 W Parkins Mill Road
Winchester, VA 22602

Customer ID: **2477**

Certificate: **52-C-0038**

Site: 001

WILSON'S WILD ANIMAL PARK

Type: ROUTINE INSPECTION

Date: 19-JUL-2017

2.131(c)(1) REPEAT

HANDLING OF ANIMALS.

There is only a single rope barrier in front of several animal enclosures including the kulan, and a mixed species enclosure housing blackbuck, zebra, nilgai, and aoudad. The single rope barrier is drooping close to the ground in several areas making it easy to walk over the rope and come in contact with the animals. Sufficient public barriers must be in place to protect the of the animals and for the safety of public. Sufficient barriers must be installed in front of both camel enclosures, kulan, and the mixed species enclosure housing blackbuck, a zebra, a nilgai, and aoudads.

3.125(a) REPEAT

FACILITIES, GENERAL.

***Lion Enclosure:

Structural strength: Lion Enclosure: The enclosure is 80 feet x 70 feet and 12 feet in height with no overhang or electric wire. The enclosure is constructed of the appropriate gauge chain link fencing attached to 12 foot high steel poles, 4 inches in diameter. Within the enclosure, a 7.2 foot high pyramid-type structure, on which the lion can rest upon, is located approximately 15 feet 2 inches from the front enclosure fence. There are tall tress (4) with deep roots - no lower branches - along the right side and back (approximately 8 feet) and on tree on right side is approximately 4 feet from the enclosure fence. There is now an 8 foot high tensile wire barrier fence approximately 20 feet from the front of the enclosure.

The enclosure currently houses a -4 year old male lion and a – 3 year old female lion with limited mobility. The enclosure is only 12 feet in height. Primary enclosures must be constructed in a manner that will ensure containment of healthy big cats. Based upon known physical and behavioral characteristics of exotic cats, modifications to the enclosure to increase the height must be made to prevent escape.

NOTE: The enclosure was evaluated by the exotic cat specialist in June 2014 and recommendations were made.

*** The following additional structural strength items were noted during this inspection:

Prepared By: MCFADDEN GLORIA, D V M USDA, APHIS, Animal Care

Date:
20-JUL-2017

Title: VETERINARY MEDICAL OFFICER 1048

Received by Title: OWNER

Date:
20-JUL-2017



Inspection Report

Primary enclosure fencing in several areas of the llama and deer fallow enclosures had large gaps at the base of the fencing which could allow entry of unwanted animals. These gaps tended to occur at areas of water drainage where the ground had washed away.

The primary fencing of the fallow deer enclosure (across from the camel enclosure) is bowed and bent at the top of the fence. This damage to the fence could potentially lead to further collapse thus not keeping the fallow deer secure in their enclosure.

All primary animal enclosures shall be structurally sound, maintained in good repair and constructed in a manner to protect the animals from injury and to contain the animals.

3.128

SPACE REQUIREMENTS.

The bears are housed in a 20' x 20' x 12' chain link enclosure with a concrete floor. Within the enclosure there is a single tire swing, a water trough for the bears to climb in and a couple of loose small logs. The current structures provide little stimulation for bears who typically enjoy climbing and digging. An elevated surface and substrate to encourage digging should be added to the enclosure to allow the animal to demonstrate species typical behavior and improve their psychological well-being. Correct by July 30, 2017.

NOTE: A new enclosure is under construction for the bears that will provide additional space and structures to encourage species typical behavior.

The tigers are housed in a 30' x 40' x 10' closed top enclosure with a dirt floor and a single elevated structure. No water feature is available swim like activity. The current enclosure limits the species typical behaviors the three (3) tigers could demonstrate. Tigers often engage in running, climbing, jumping and water play and should be housed in a manner that allows them to demonstrate these natural behaviors. The current enclosure must be modified or husbandry practices adjusted in a manner that will allow the tigers to jump, climb, run and water play to improve their overall well-being. Correct by September 30, 2017.

NOTE: A new enclosure is under construction for the tigers that will provide additional space and structures to encourage species typical behavior.

*** Tiger enclosure: The elevated platform within the enclosure will only allow 2 of the 3 tigers to climb upon it and rest. Tigers typically use elevated surfaces to rest and observe their surroundings. There should be enough elevated surfaces available within the enclosure for each animals to rest at the same time. An additional elevated surface or an extension of the current platform must be constructed for the psychological well-being of all the tigers.

Prepared By: MCFADDEN GLORIA, D V M USDA, APHIS, Animal Care

Date:
20-JUL-2017

Title: VETERINARY MEDICAL OFFICER 1048

Received by Title: OWNER

Date:
20-JUL-2017



Inspection Report

Correct by July 30, 2017.

3.132 REPEAT

EMPLOYEES.

***The facility houses approximately 175 regulated and non-regulated animals. There was only one keeper present performing husbandry duties during the inspection. Based upon the number of housekeeping, maintenance, building projects, there is an insufficient number of employees to adequately perform the day to day responsibilities for maintaining the facility in accordance with the Animal Welfare Act regulations. There must be a sufficient number of employees to carry out the facility husbandry duties, repairs, and projects. The facility has contracted part-time labor to initiate work on several renovation and fencing projects. Additional personnel must be obtained to maintain routine upkeep of the facility in a timely manner to ensure the well-being and safety of the animals.

This inspection and exit interview were conducted with the owner.

Additional Inspectors

Cohen Kimberley, Veterinary Medical Officer

Prepared By: MCFADDEN GLORIA, D V M USDA, APHIS, Animal Care

Date:
20-JUL-2017

Title: VETERINARY MEDICAL OFFICER 1048

Received by Title: OWNER

Date:
20-JUL-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2477	52-C-0038	001	WILSON'S WILD ANIMAL PARK	19-JUL-17

Count	Scientific Name	Common Name
000002	<i>Ammotragus lervia</i>	BARBARY SHEEP
000004	<i>Antilope cervicapra</i>	BLACKBUCK
000001	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG (MOST COMMON PET HEDGEHOG)
000001	<i>Ateles geoffroyi</i>	BLACK-HANDED SPIDER MONKEY
000005	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000001	<i>Boselaphus tragocamelus</i>	NILGAI
000002	<i>Camelus bactrianus</i>	BACTRIAN CAMEL
000005	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000013	<i>Capra hircus</i>	DOMESTIC GOAT
000018	<i>Dama dama</i>	FALLOW DEER
000007	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000001	<i>Equus hemionus</i>	ASIATIC WILD ASS
000001	<i>Equus quagga</i>	BURCHELL'S / GRANT'S / CHAPMAN'S / PLAINS ZEBRA
000006	<i>Eulemur alblfrons</i>	WHITE-FRONTED LEMUR
000003	<i>Hystrix cristata</i>	AFRICAN CRESTED PORCUPINE
000004	<i>Lama glama</i>	LLAMA
000011	<i>Lama pacos</i>	ALPACA
000006	<i>Lemur catta</i>	RING-TAILED LEMUR
000003	<i>Lynx lynx</i>	NORTHERN/EURASIAN LYNX
000002	<i>Macaca fascicularis</i>	CRAB-EATING MACAQUE / CYNOMOLGUS MONKEY
000004	<i>Nasua olivacea</i>	MOUNTAIN COATI
000001	<i>Oryx beisa</i>	EAST AFRICAN ORYX (BEISA ORYX)
000028	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000002	<i>Panthera leo</i>	LION
000003	<i>Panthera tigris</i>	TIGER
000028	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000002	<i>Ursus thibetanus</i>	ASIATIC BLACK BEAR
000003	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000167	Total	