# United States Department of Agriculture Animal and Plant Health Inspection Service

37151527200586 Insp\_id

## **Inspection Report**

Aaron J Glick 25766 Hwy 81 Cuba City, WI 53807 Customer ID: **327740**Certificate: **35-A-0363** 

Site: 001

AARON GLICK

Type: ROUTINE INSPECTION

Date: 06-FEB-2015

## 3.53(a)(1)

### PRIMARY ENCLOSURES.

Enclosures used on the back wall as a holding area for two rabbits had wire points and loose wire mesh that the rabbits could come into contact with. Loose mesh and wire points could possibly injure the rabbits. Surfaces that rabbits come into contact with must be maintained in good repair to protect the rabbits from possible injury. Correct by 2/7/15.

## 3.53(b)(2)

#### PRIMARY ENCLOSURES.

At least two enclosures were over-crowded with rabbits. One enclosure had 6 weaned dwarf rabbits and the other had 5 weaned dwarf rabbits. The rabbits were estimated to weigh less than 4.4 lbs. Weaned rabbits that weigh less than 4.4 lbs are required to have at least 1.5 square feet of floor space per rabbit. The enclosures were measured to have 5.3 square feet of floor space, which is enough space for 3 weaned rabbits of this size. Over-crowding animals can cause them to get sick easier and does not provide for their wellbeing. To protect animal health and provide for their wellbeing, rabbits must be provided at least the minimum amount of floor space. Correct by 2/8/15.

# 3.56(a)

## SANITATION.

At least four rabbit enclosures were observed to have excessive build-up of excreta (feces and feed) in the corners. Excessive build-up of excreta can cause rabbits to get sick and does not provide for their wellbeing. Routinely clean rabbit enclosures to prevent a build-up of excreta.

Correct by 2/7/15.

Exit interview conducted with facility representative.

Prepared By: SCOTT WELCH, D V M USDA, APHIS, Animal Care Date: 06-FEB-2015

Title: VETERINARY MEDICAL OFFICER 6046

Received by Title: OWNER Date: 06-FEB-2015



# United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 327740 Inspection Date: 06-FEB-15

# **Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
327740	35-A-0363	001	AARON GLICK	06-FEB-15

CountScientific Name001177Cavia porcellus000089Oryctolagus cuniculus

001266 Total

**Common Name** 

DOMESTIC GUINEA PIG EUROPEAN RABBIT