



## Inspection Report

---

Dorothy Sutmiller  
Johnny Sutmiller  
Shawn Sutmiller  
36760 Poteau Mountain Road  
Poteau, OK 74953

Customer ID: **321261**  
Certificate: **73-A-2583**  
Site: 001  
SHAWN SUTMILLER

Type: ROUTINE INSPECTION  
Date: 05-MAY-2014

---

### 3.6(a)(2)(1)

#### PRIMARY ENCLOSURES.

At time of inspection there were sharp points and broken wires in the dividers between the dogs in 5 exterior enclosures of the sheltered building, to the east, and the enclosures were on the east side of the building. All of the broken wire in the dividers and sharp points seen were in contact with the dogs. Some of the wire dividers were also loose from the bottom wire and some broken wires were on the bottom enclosure wire.

The applicant must replace or repair the broken or loose wire throughout the entire facility and in every enclosure to prevent the potential for injury to the dogs.

To be corrected by May 19 2014

---

Prepared By: JERRY WEST, A C I USDA, APHIS, Animal Care

Date:  
06-MAY-2014

Title: ANIMAL CARE INSPECTOR 4056

Received by Title: OWNER

Date:  
07-MAY-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
321261	73-A-2583	001	SHAWN SUTMILLER	05-MAY-14

Count	Scientific Name	Common Name
000083	<i>Canis lupus familiaris</i>	DOG ADULT
000011	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000094</b>	<b>Total</b>	