



Inspection Report

Charles E Robison
20354 Windy Hill Rd
Harvard, IL 60033

Customer ID: **10178**
Certificate: **33-C-0352**
Site: 001
CHARLES ROBISON

Type: ROUTINE INSPECTION
Date: 07-MAY-2014

3.130

WATERING.

All water receptacles shall be kept clean and sanitary.

The water bucket in the fox enclosure has excessive debris and dirt in it. Pine needles and dirt are among the items in the bucket. Dirty, contaminated water sources can cause animals to become sick when ingested.

Clean the water bucket and repeat often enough to assure that the fox has access to potable drinking water.

To be corrected: 5-8-14

The inspection exit briefing was conducted with the facility representative.

Prepared By: CHAD MOORE, A C I USDA, APHIS, Animal Care

Date:
07-MAY-2014

Title: ANIMAL CARE INSPECTOR 1046

Received by Title: FACILITY REPRESENTATIVE

Date:
07-MAY-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
10178	33-C-0352	001	CHARLES ROBISON	07-MAY-14

Count	Scientific Name	Common Name
000001	<i>Lynx rufus</i>	BOBCAT
000001	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000002	Total	