



Inspection Report

Cathy Morrison
3510 Ave L
Santa Fe, TX 77510

Customer ID: **39397**
Certificate: **74-C-1001**
Site: 001
Cathy Morrison

Type: ROUTINE INSPECTION
Date: 14-JAN-2015

3.130

WATERING.

Inside the goat and pig enclosure, the watering receptacle in this enclosure has an excess of green material covering the inside of the watering receptacle. Dirty water may harbor disease hazards which may pose a health risk for the animals. All water receptacles shall be kept clean and sanitary.

TO BE CORRECTED FROM THIS DAY FORWARD

Inspection and exit interview was conducted by APHIS personnel with facility representative

Prepared By: BRYAN IRWIN, C S USDA, APHIS, Animal Care

Date:
15-JAN-2015

Title: COMPLIANCE SPECIALIST 6081

Received by Title: SENT BY EMAIL

Date:
15-JAN-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
39397	74-C-1001	001	Cathy Morrison	14-JAN-15

Count	Scientific Name	Common Name
000003	<i>Capra hircus</i>	DOMESTIC GOAT
000003	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000001	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000009	Total	