



Inspection Report

BioStone Animal Health LLC

2815 Exchange Blvd
Suite 400
Southlake, TX 76092

Customer ID: **6023845**

Certificate: **74-R-0252**

Site: 001

BioStone Animal Health

Type: ROUTINE INSPECTION

Date: 11-JUN-2026

3.53(a)(1)

Primary enclosures.

Multiple rabbit enclosures have sections of the framing that are rusted to the point of significant flaking and pitting. Multiple rabbit enclosures have sharp metal wire points present. Presence of flaking rust or sharp metal points in enclosures could lead to injury of the animals housed within. Primary enclosures shall be structurally sound and maintained in good repair to protect the animals from injury.

Correct by 15 July 2026.

3.53(c)(2)

Primary enclosures.

Floor space for an enclosure housing 3 weaned rabbits weighing approximately 2-3 pounds each is insufficient. The enclosure measures 28 inches long by 21 inches wide and provides 4.1 square feet of space. The minimum floor space for 3 weaned rabbits weighing less than 4.4 pounds is 4.5 square feet. Failure to provide sufficient space for rabbits may result in their poor health or incompatibility. Each rabbit housed in a primary enclosure shall be provided a minimum amount of floor space, exclusive of the space taken up by food and water receptacles, in accordance with the table in this subpart.

Correct from this date forward of 15 June 2026.

3.56(a)(1)

Sanitation.

A wooden block provided for chewing in a rabbit enclosure is covered in hair and excreta. More than half the wood is saturated with white and brown material. A mound of fecal pellets is adhered to one end. Failure to adequately clean enclosures may negatively affect the health of the animal. Primary enclosures shall be kept reasonably free of excreta, hair, cobwebs and other debris by periodic cleaning.

Corrected at time of inspection.

Prepared By: MADELINE ANNA

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:

15-JUN-2026

Received by Title: Facility Representative

Date:

15-JUN-2026



Inspection Report

This inspection and exit interview were conducted with the facility representatives.

Prepared By: MADELINE ANNA
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
15-JUN-2026

Received by Title: Facility Representative

Date:
15-JUN-2026



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6023845	74-R-0252	001	BioStone Animal Health	11-JUN-2026

Count	Scientific Name	Common Name
000029	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000029	Total	