



Inspection Report

HL's Menagerie
13900 Stirling Rd
Southwest ranches, FL 33330

Customer ID: **6017669**
Certificate: **58-C-1285**
Site: 001
HL's Menagerie

Type: ROUTINE INSPECTION
Date: 10-JUN-2026

2.1(b)(2)(i) Repeat

Requirements and application

The facility continues to exceed the maximum number of animals allowed under their license. The facility is approved for up to 100 animals, but 136 animals were documented during the inspection. The USDA license authorizes a specific number of animals to ensure that the facility and personnel possess adequate facilities, employees and education to provide sufficient husbandry to the regulated animals. A licensee must obtain a new license before any change resulting in more than the authorized number of animals on hand at any single point in time during the period of licensure. The licensee must reapply for a license that properly reflects the number of regulated animals under the license or reduce the number of regulated animals to a number which is under the maximum threshold authorized under the current license.

2.40(b)(2)

Attending veterinarian and adequate veterinary care (dealers and exhibitors).

The facility failed to notify the attending veterinarian about multiple animal health conditions reported by employees and observed by APHIS inspectors. A male Toco toucan is limping due to a mass growing on its right foot. A Nanday parakeet was observed squinting his right eye. A Variegated squirrel has hair loss along the center of its tail. Employees have reported these conditions to the facility manager previously. The APHIS inspector also observed an Eclectus parrot with feather loss on its chest and a male Red kangaroo to be underweight and has missing patches of hair on his chest and along his tail.

Effective and timely communication between licensees, their employees, and the attending veterinarian is essential to safeguarding the health and welfare of all animals. Prompt updates and collaboration can prevent problems from escalating—many illnesses can be addressed quickly and effectively with immediate notification to the veterinarian.

Each dealer or exhibitor shall establish and maintain programs of adequate veterinary care that include the use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries, and the availability of emergency, weekend, and holiday care. To be corrected this day, July 7, 2026, forward.

2.75(b)(1) Repeat

Records: Dealers and exhibitors.

Prepared By: MOIRA ROBERTS
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
07-JUL-2026

Received by Title: _____

Date:
07-JUL-2026



Inspection Report

The record of animals on hand (inventory) was not current. The following animals were missing from the inventory: two Green Cheeked conures, one Umbrella cockatoo, numerous chickens, and a Zebu calf born on the premises. There was no record of deposition for a Cape Barren goose, Ring-tailed lemur, two cows, multiple goats and the date of death for an Indian Ringneck parrot, Black lorikeet, Rainbow lorikeet, Budgie parakeet, and Muntjac deer.

Complete and accurate records are necessary to facilitate the tracking of animals and maintain compliance with other aspects of the AWA.

The licensee shall make, keep, and maintain records or forms which fully disclose the information concerning animals, purchased or otherwise acquired, owned, held, leased, or otherwise in his or her possession or under his or her control, or which is transported, sold, euthanized, or otherwise disposed of by that dealer or exhibitor. This record must be kept current and maintained to accurately reflect all the animals.

3.53(a)(4)

Primary enclosures.

The facility failed to maintain the flooring in a rabbit enclosure. The wire flooring in a white rabbits enclosure was exposed and has sharp points that could potentially injure the rabbit.

Sharp, exposed wire can inflict physical harm, cause pain, infection, and behavioral distress.

All primary enclosures for rabbits shall conform to the following requirements: The floors of the primary enclosures shall be constructed so as to protect the rabbits feet and legs from injury. Litter shall be provided in all primary enclosures having solid floors. To be corrected this day, July 7, 2026, forward.

3.78(d)

Repeat

Outdoor housing facilities.

The facility, which houses primates in outdoor enclosures, continues to lack an adequate perimeter fence. The perimeter fence continues to be less than 6 feet tall.

An inadequate perimeter fence leaves the facility vulnerable, creating opportunities for intruders or wild animals to enter and potentially compromises the safety and well-being of the animals.

An outdoor housing facility must be enclosed by a fence that is of sufficient height to keep unwanted species out. The fence must be constructed so that it protects nonhuman primates by restricting unauthorized humans, and animals the size of dogs, skunks, and raccoons from going through it or under it and having contact with the nonhuman primates. It must be of sufficient distance (at least 3 feet) from the outside wall or fence of the primary enclosure to prevent physical contact between animals inside the enclosure and outside the perimeter fence.

3.127(d)

Repeat

Facilities, outdoor.

Prepared By: MOIRA ROBERTS

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:

07-JUL-2026

Received by Title: _____

Date:

07-JUL-2026



Inspection Report

The facility, which houses a sloth, genets, kangaroos, wallabies, kinkajous and porcupines in outdoor enclosures, continues to lack an adequate perimeter fence. Most of the premises continue to be surrounded by a perimeter fence that is less than 6 feet tall and has significant gaps through or underneath the fencing.

An inadequate perimeter fence leaves the facility vulnerable, creating opportunities for intruders or wild animals to enter and potentially compromises the safety and well-being of the animals. A perimeter fence protects animals from contact with unauthorized people and animals. A perimeter fence also acts as a secondary containment system if an animal escapes from its primary enclosure.

All outdoor housing facilities (i.e., facilities not entirely indoors) must be enclosed by a perimeter fence that is of sufficient height to keep animals and unauthorized persons out. The fence must be constructed so that it protects the animals in the facility by restricting animals and unauthorized persons from going through it or under it and having contact with the animals in the facility, and so that it can function as a secondary containment system for the animals in the facility. It must be of sufficient distance (at least 3 feet) from the outside of the primary enclosure to prevent physical contact between animals inside the enclosure and animals or persons outside the perimeter fence.

3.132 Repeat

Employees.

The facility failed to attain an adequate number of employees to feed and clean enclosures for 132 regulated animals. One of the two employees present, had to delay the feeding of multiple animals to escort the APHIS inspector around the facility for the inspection. The non-compliances identified during this inspection, as well as those identified in previous inspection reports, are consistent with inadequate staffing levels. Without a sufficient number of adequately trained employees, the facility cannot provide the husbandry practices necessary to maintain the animals in a manner that ensures their health and welfare. A sufficient number of adequately trained employees shall be utilized to maintain the professionally acceptable level of husbandry practices set forth in this subpart. Such practices shall be under a supervisor who has a background in animal care.

3.150(c)(3)

Facilities, general.

The container holding water for bathing has sharp, jagged edges in two Palm cockatoo enclosures.

Birds explore and eat with their beaks, so a jagged plastic object can easily cut their beak, tongue, or mouth. Stepping on or perching near broken edges can also injure their sensitive feet or claws, and even small cuts can lead to infection or lameness.

The surfaces of housing facilities must be constructed in a manner and made of materials that allow them to be readily cleaned and/or sanitized or removed and replaced when worn or soiled. Interior surfaces and surfaces that come in contact with birds must be free of jagged edges or sharp points that could injure the birds. To be corrected this day, July 7, 2026, forward.

3.153(a)(1)(i)

Prepared By: MOIRA ROBERTS
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
07-JUL-2026

Received by Title: _____

Date:
07-JUL-2026



Inspection Report

Primary enclosures.

The facility failed to maintain the primary enclosure of four pigeons in good repair. A separate enclosure within the primary enclosure of 4 pigeons has wire pushed out at the bottom exposing sharp, jagged points.

The birds risk injury when they crawl beneath this wire to reach the inner enclosure. Not only could it trap them in an area with no access to water, but its sharp, jagged points can easily wound them, turning simple exploration into a harmful situation.

Primary enclosures must be designed and constructed of suitable materials so that they are structurally sound. The primary enclosures must be kept in good repair. Primary enclosures must be constructed and maintained so that they have no sharp points or edges that could injure the birds. To be corrected this day, July 7, 2026, forward.

3.158(a)(1)

Cleaning, sanitization, housekeeping, and pest control.

The facility failed to prevent the accumulation of excreta in the primary enclosures housing chickens. In the south chicken coop, there is buildup of excreta on the walls and wooden boards constructing the walls.

Failure to clean accumulations of waste materials can increase disease hazards, attract insects, pests, and be a source of odors.

Excreta and food waste must be removed from primary enclosures and from under and around primary enclosures as often as necessary to prevent excessive accumulation of feces and food waste, to prevent soiling of the birds contained in the primary enclosures, and to reduce disease hazards, insects, pests, and odors. When steam or water is used to clean primary enclosures, measures must be taken to protect birds from being harmed, wetted involuntarily, or distressed in the process. Standing water, except for such water in pools or other aquatic areas (e.g., ponds, waterfalls, fountains, and other water features), must be removed from the primary enclosure. To be corrected by July 14, 2026.

3.158(d)

Cleaning, sanitization, housekeeping, and pest control.

The facility does not maintain an effective pest control program. Ants were observed in the food receptacles of a Rainbow lorikeet and Umbrella cockatoo.

Keeping insects out of birds' food dishes is important because they can contaminate the food, make it unsafe or unappealing, and in some cases bite or sting birds, causing stress or injury. They can also introduce bacteria or mold that increases the risk of illness. If insects overrun a dish, a bird may stop eating, which can lead to dehydration or malnutrition, and ongoing infestations can create chronic stress that weakens a bird's immune system and overall well being.

A safe and effective program for the control of insects, ectoparasites, and avian and mammalian pests must be established and maintained so as to promote the health and well-being of the birds and reduce contamination by pests in animal areas. Insecticides, chemical agents, or other pest control products that may be harmful to the birds must not be

Prepared By: MOIRA ROBERTS

USDA, APHIS, Animal Care

Date:

07-JUL-2026

Title: VETERINARY MEDICAL
OFFICER

Received by Title: _____

Date:

07-JUL-2026



Inspection Report

applied to primary enclosures and other bird contact surfaces unless the application is consistent with manufacturer recommendations or otherwise approved for use and does not harm birds. To be corrected by July 14, 2026.

This inspection and exit interview were conducted with a facility representative.

Prepared By: MOIRA ROBERTS
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
07-JUL-2026

Received by Title: _____

Date:
07-JUL-2026



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6017669	58-C-1285	001	HL's Menagerie	10-JUN-2026

Count	Scientific Name	Common Name
000001	<i>Thectocercus acuticaudatus</i>	BLUE-CROWNED PARAKEET
000003	<i>Columba livia domestica</i>	DOMESTIC PIGEON INCLUDING ALL DOMESTIC BREEDS
000001	<i>Cacatua galerita</i>	SULPHUR-CRESTED COCKATOO / GREATER SULPHUR-CRESTED COCKATOO
000001	<i>Lama pacos</i>	ALPACA
000001	<i>Potos flavus</i>	KINKAJOU
000002	<i>Varecia rubra</i>	RED RUFFED LEMUR
000002	<i>Eulemur rufus</i>	RUFIOUS BROWN LEMUR / RED BROWN LEMUR
000002	<i>Lemur catta</i>	RING-TAILED LEMUR
000002	<i>Genetta genetta</i>	SMALL SPOTTED GENET
000003	<i>Saimiri sciureus</i>	COMMON SQUIRREL MONKEY
000002	<i>Coendou prehensilis</i>	PREHENSILE-TAILED PORCUPINE
000004	<i>Varecia variegata</i>	BLACK-AND-WHITE RUFFED LEMUR
000002	<i>Osphranter rufus</i>	RED KANGAROO
000005	<i>Bos taurus</i>	CATTLE / COW / OX
000002	<i>Notamacropus rufogriseus</i>	BENNETT'S WALLABY / RED-NECKED WALLABY
000003	<i>Muntiacus reevesi</i>	REEVE'S MUNTJAC
000002	<i>Callosciurus prevostii</i>	PREVOST'S SQUIRREL / TRI-COLORED SQUIRREL
000001	<i>Sciurus variegatoides</i>	VARIEGATED SQUIRREL
000005	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Anodorhynchus hyacinthinus</i>	HYACINTH MACAW
000001	<i>Goura cristata</i>	WESTERN CROWNED-PIGEON / BLUE CROWNED-PIGEON
000002	<i>Lophoceros fasciatus</i>	AFRICAN PIED HORNBILL
000001	<i>Ara severus</i>	CHESTNUT-FRONTED MACAW / SEVERE MACAW
000001	<i>Amazona leucocephala</i>	CUBAN PARROT / ROSE-THROATED PARROT
000001	<i>Pteroglossus viridis</i>	GREEN ARACARI
000001	<i>Ramphastos toco</i>	TOCO TOUCAN
000002	<i>Probosciger aterrimus</i>	PALM COCKATOO
000001	<i>Ara militaris</i>	MILITARY MACAW
000001	<i>Amazona oratrix</i>	YELLOW-HEADED PARROT / YELLOW-HEADED AMAZON / DOUBLE YELLOW-HEADED AMAZON
000002	<i>Ara ararauna</i>	BLUE-AND-YELLOW MACAW / BLUE-AND-GOLD MACAW
000005	<i>Dromaius novaehollandiae</i>	EMU
000004	<i>Melopsittacus undulatus</i>	BUDGERIGAR / BUDGIE / COMMON PARAKEET / SHELL PARAKEET
000002	<i>Ramphastos tucanus</i>	WHITE-THROATED TOUCAN / RED-BILLED TOUCAN
000002	<i>Eclectus roratus</i>	ECLECTUS PARROT
000001	<i>Amazona aestiva</i>	TURQUOISE-FRONTED PARROT / TURQUOISE-FRONTED AMAZON / BLUE-FRONTED AMAZON
000002	<i>Dacelo novaeguineae</i>	LAUGHING KOOKABURRA
000003	<i>Bubo bubo</i>	EURASIAN EAGLE-OWL
000024	<i>Gallus gallus domesticus</i>	DOMESTIC CHICKEN (INCLUDING ALL DOMESTIC BREEDS / TURKIN / COCK / HEN / ROOSTER)
000001	<i>Cereopsis novaehollandiae</i>	CAPE BARREN GOOSE
000001	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000000	<i>Chalcopsitta atra</i>	BLACK LORY
000003	<i>Bos indicus</i>	ZEBU
000005	<i>Ara, Anodorhynchus, Primolius, Diopsittaca spp hybrid</i>	MACAW HYBRID



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6017669	58-C-1285	001	HL's Menagerie	10-JUN-2026
000001	<i>Choloepus hoffmanni</i>		HOFFMANN'S TWO-TOED SLOTH	
000002	<i>Psittacara erythrogenys</i>		RED-MASKED PARAKEET / RED-MASKED CONURE	
000001	<i>Ara macao</i>		SCARLET MACAW	
000002	<i>Hystrix cristata</i>		AFRICAN CRESTED PORCUPINE	
000001	<i>Trichoglossus moluccanus</i>		RAINBOW LORIKEET	
000002	<i>Pyrrhura molinae</i>		GREEN-CHEEKED PARAKEET / GREEN-CHEEKED CONURE	
000003	<i>Anas platyrhynchos domesticus</i>		DOMESTIC DUCK INCLUDING ALL DOMESTIC BREEDS	
000001	<i>Goura victoria</i>		VICTORIA CROWNED-PIGEON	
000000	<i>Psittacula krameri</i>		ROSE-RINGED PARAKEET	
000002	<i>Psittacara leucophthalmus</i>		WHITE-EYED PARAKEET / WHITE-EYED CONURE	
000001	<i>Aratinga nenday</i>		NANDAY PARAKEET / NANDAY CONURE	
000001	<i>Ramphastos ambiguus</i>		YELLOW-THROATED TOUCAN	
000002	<i>Sus scrofa domestica</i>		DOMESTIC PIG / POTBELLY PIG / MICRO PIG	
000005	<i>Oryctolagus cuniculus</i>		DOMESTIC RABBIT / EUROPEAN RABBIT	
000001	<i>Cacatua alba</i>		WHITE COCKATOO / UMBRELLA COCKATOO	
000136	Total			