



Inspection Report

Beavers Bend Safari Park LLC

589 Old Hochatown Rd
Broken Bow, OK 74728

Customer ID: **6016260**

Certificate: **73-C-0257**

Site: 001

Beavers Bend Safari Park, LLC

Type: ROUTINE INSPECTION

Date: 25-JUN-2026

2.131(d)(2)

Handling of animals.

The public was having contact with the animals and there was not a readily identifiable attendant present at the time of the interactions. In the central part of the walk-through area, members of the public were observed petting and feeding animals at a feeding station in an enclosure housing three emu, eight eland and twelve fallow deer. Allowing public contact without an attendant present can lead to injuries to the animals and/or the public. The facility needs to have a responsible, knowledgeable, and readily identifiable employee or attendant present at all times during periods of public contact to ensure the safety of the animals and the members of the public.

To be corrected by 7-1-2026.

3.75(e)

Housing facilities, general.

The refrigerator located in a primate lock out storage area had various chemicals stored inside with the food. Chemical substances that contaminate food may cause harm to the animals.

Supplies of food and bedding must be stored in a manner that protects the supplies from spoilage, contamination, and vermin infestation. Substances that are toxic to the nonhuman primates but that are required for normal husbandry practices must not be stored in food storage and preparation areas but may be stored in cabinets in the animal areas.

To be corrected by 7-1-2026.

3.77(a)

Sheltered housing facilities.

None of the primate cages at the facility have an effective means to cool the sheltered portions of the enclosures. Without appropriate and effective cooling mechanisms, there is no practical way to maintain internal shelter temperatures at an appropriate level.

At the time of inspection, the temperature for the sheltered portion of the housing facility for four brown lemurs was measured at 91° F. The ambient high temperature that day was 93 F. Excessively hot shelter structures can negatively

Prepared By: RONALD RICHARDSON

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:

30-JUN-2026

Received by Title: Facility Representative

Date:

30-JUN-2026



Inspection Report

impact the well-being of the enclosed primates and could prevent the animals from freely using their shelters.

The sheltered part of sheltered housing facilities must be sufficiently heated and cooled when necessary to protect the nonhuman primates from temperature extremes, and to provide for their health and well-being. The ambient temperature in the sheltered part of the facility must not fall below 45 °F (7.2 °C) for more than 4 consecutive hours when nonhuman primates are present, and must not rise above 85°F (29.5 °C) for more than 4 consecutive hours when nonhuman primates are present, unless temperatures above 85 °F (29.5 °C) are approved by the attending veterinarian, in accordance with generally accepted husbandry practices. The ambient temperature must be maintained at a level that ensures the health and well-being of the species housed, as directed by the attending veterinarian, in accordance with generally accepted professional and husbandry practices.

To be corrected by July 15, 2026.

3.80(a)(2)(ix)

Primary enclosures.

The enclosure for a female howler monkey, Juliet, had numerous areas of rust within reach of the animal. The rusted areas were deeply pitted and flaking. Excessive rust can compromise the structural strength of an enclosure as well as prevent adequate cleaning and sanitation.

Housing facilities for nonhuman primates must be designed and constructed so that they are structurally sound for the species of nonhuman primates housed in them and enable all surfaces in contact with nonhuman primates to be readily cleaned and sanitized or replaced when worn or soiled.

To be corrected by 7-10-2026.

3.81(b)

Environment enhancement to promote psychological well-being.

Three cotton-top tamarins were housed without sufficient environmental enrichment. The cages lacked sufficient perches or resting platforms and contained no environmental enrichment. One of the tamarins was observed using the food bowl as a perch.

The physical environment in the primary enclosures must be enriched by providing means of expressing noninjurious species-typical activities. Species differences should be considered when determining the type or methods of enrichment. Examples of environmental enrichments include providing perches, swings, mirrors, and other increased cage complexities; providing objects to manipulate; varied food items; using foraging or task-oriented feeding methods; and providing interaction with the care giver or other familiar and knowledgeable person consistent with personnel safety precautions.

To be corrected by 7-1-2026.

3.82(a)

Prepared By: RONALD RICHARDSON

USDA, APHIS, Animal Care

Date:

30-JUN-2026

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:

30-JUN-2026



Inspection Report

Feeding.

An open bucket of feed was observed in the lockout/storage area for several non-human primate enclosures. Numerous flies were on the container and crawling on the food. Pests can contaminate food with disease causing organisms that could be harmful to the animals.

The diet for nonhuman primates must be appropriate for the species, size, age, and condition of the animal, and for the conditions in which the nonhuman primate is maintained, according to generally accepted professional and husbandry practices and nutritional standards. The food must be clean, wholesome, and palatable to the animals.

To be corrected by 7-1-2026.

3.84(d)

Cleaning, sanitization, housekeeping, and pest control.

Rodents were observed running into a large, separated section of wood roofing directly above an olive baboon. The opening was approximately four feet long and one-two inches in width. Rodents are a potential source of contamination to the enclosed animals.

An effective program for control of insects, external parasites affecting nonhuman primates, and birds and mammals that are pests, must be established and maintained so as to promote the health and well-being of the animals and reduce contamination by pests in animal areas.

To be corrected by 7-1-2026.

3.125(a)

Facilities, general.

There were multiple areas of the facility in need of repair and maintenance. All structures must be maintained in good repair to help protect the enclosed animals.

-The enclosure for the male white rhino had a section of woven wire that was crumpled, had several holes, and numerous sharp points. The sharp points could cause injury to the rhino, and the damaged woven wire may be a source of entrapment.

-The enclosure housing two otters had a large drain near the center of the pool that had a protection cover with large openings that could entrap an animal.

-The enclosure for two pygmy hippos had an electrical cord with a plug in connection that was suspended approximately two feet above the pool water. The cord was loosely attached to a metal rod with a frayed rope. Unprotected electrical cords that contact water may cause serious injury to the enclosed animals.

The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

To be corrected by 7-3-2026.

3.128

Prepared By: RONALD RICHARDSON

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:

30-JUN-2026

Received by Title: Facility Representative

Date:

30-JUN-2026



Inspection Report

Space requirements.

A single prairie dog has been held in a small enclosure for approximately four months. The enclosure does not appear to be an appropriate size to provide the prairie dog with necessary living and exercise space. The animal appeared depressed and inactive but became extremely animated and excited when temporarily removed from the enclosure to interact with a handler.

Enclosures shall be constructed and maintained so as to provide sufficient space to allow each animal to make normal postural and social adjustments with adequate freedom of movement. Inadequate space may be indicated by evidence of malnutrition, poor condition, debility, stress, or abnormal behavior patterns.

To be corrected by 7-1-2026.

This inspection and exit interview were conducted with a facility representative.

Additional Inspectors:

Michael Tygart, VETERINARY MEDICAL OFFICER

Prepared By: RONALD RICHARDSON
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
30-JUN-2026

Received by Title: Facility Representative

Date:
30-JUN-2026



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6016260	73-C-0257	001	Beavers Bend Safari Park, LLC	25-JUN-2026

Count	Scientific Name	Common Name
000006	<i>Tragelaphus strepsiceros</i>	GREATER KUDU
000003	<i>Tragelaphus eurycerus</i>	BONGO
000007	<i>Bison bison</i>	AMERICAN BISON
000004	<i>Oryx gazella</i>	GEMSBOK
000006	<i>Addax nasomaculatus</i>	ADDAX
000003	<i>Antidorcas marsupialis</i>	SPRINGBOK
000002	<i>Varecia variegata</i>	BLACK-AND-WHITE RUFFED LEMUR
000006	<i>Lemur catta</i>	RING-TAILED LEMUR
000028	<i>Cervus elaphus</i>	RED DEER
000007	<i>Martes zibellina</i>	SABLE
000008	<i>Damaliscus pygargus</i>	BONTEBOK / BLESBOK
000010	<i>Lama glama</i>	LLAMA
000009	<i>Kobus ellipsiprymnus</i>	COMMON WATERBUCK
000003	<i>Equus quagga</i>	BURCHELL'S / GRANT'S / CHAPMAN'S / PLAINS ZEBRA
000034	<i>Antilope cervicapra</i>	BLACKBUCK
000020	<i>Cervus canadensis</i>	ELK / WAPITI
000004	<i>Nanger dama</i>	ADDRA GAZELLE
000001	<i>Tragelaphus angasii</i>	NYALA
000007	<i>Oryx dammah</i>	SCIMITAR-HORNED ORYX
000006	<i>Osphranter rufus</i>	RED KANGAROO
000001	<i>Cervus nippon</i>	SIKA DEER
000046	<i>Dama dama</i>	FALLOW DEER
000003	<i>Aepyceros melampus</i>	IMPALA
000009	<i>Elaphurus davidianus</i>	PERE DAVID'S DEER
000001	<i>Ceratotherium simum</i>	WHITE RHINOCEROS
000002	<i>Casuarus casuarus</i>	SOUTHERN CASSOWARY / DOUBLE-WATTLED CASSOWARY
000004	<i>Hydrochaeris hydrochaeris</i>	CAPYBARA
000004	<i>Hystrix cristata</i>	AFRICAN CRESTED PORCUPINE
000003	<i>Pavo cristatus</i>	INDIAN PEAFOWL / COMMON PEAFOWL / PEAHEN / PEACOCK
000003	<i>Aonyx cinereus</i>	ORIENTAL SMALL-CLAWED OTTER
000006	<i>Struthio camelus</i>	COMMON OSTRICH
000003	<i>Nomascus concolor</i>	BLACK CRESTED GIBBON
000004	<i>Papio anubis</i>	OLIVE BABOON
000002	<i>Papio hamadryas</i>	HAMADRYAS BABOON
000005	<i>Chlorocebus pygerythrus</i>	VERVET
000006	<i>Ateles chamek</i>	BLACK SPIDER MONKEY
000003	<i>Alouatta caraya</i>	BLACK HOWLER
000003	<i>Dromaius novaehollandiae</i>	EMU
000002	<i>Hexaprotodon liberiensis</i>	PYGMY HIPPOPOTAMUS
000001	<i>Cynomys ludovicianus</i>	BLACK-TAILED PRAIRIE DOG
000004	<i>Sapajus appella</i>	BROWN CAPUCHIN / TUFTED CAPUCHIN
000001	<i>Varecia rubra</i>	RED RUFFED LEMUR
000002	<i>Crocuta crocuta</i>	SPOTTED HYENA
000002	<i>Cebus capucinus</i>	WHITE-HEADED / WHITE-THROATED CAPUCHIN
000002	<i>Cercopithecus neglectus</i>	DE BRAZZA'S MONKEY
000003	<i>Macaca silenus</i>	LION-TAILED MACAQUE
000006	<i>Procyon lotor</i>	RACCOON
000001	<i>Mandrillus sphinx</i>	MANDRILL



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6016260	73-C-0257	001	Beavers Bend Safari Park, LLC	25-JUN-2026
000001	<i>Colobus satanas</i>		BLACK COLOBUS	
000002	<i>Tapirus terrestris</i>		SOUTH AMERICAN TAPIR	
000003	<i>Bos taurus</i>		CATTLE / COW / OX	
000004	<i>Balearica regulorum</i>		GRAY CROWNED-CRANE / AFRICAN CROWNED-CRANE / GOLDEN CROWNED-CRANE	
000004	<i>Ovis aries aries</i>		SHEEP INCLUDING ALL DOMESTIC BREEDS	
000003	<i>Choloepus hoffmanni</i>		HOFFMANN'S TWO-TOED SLOTH	
000006	<i>Eulemur fulvus</i>		BROWN LEMUR	
000001	<i>Notamacropus rufogriseus</i>		BENNETT'S WALLABY / RED-NECKED WALLABY	
000002	<i>Arctictis binturong</i>		BINTURONG	
000003	<i>Saguinus oedipus</i>		COTTON-TOP TAMARIN	
000012	<i>Connochaetes gnou</i>		BLACK WILDEBEEST	
000003	<i>Eudorcas thomsonii</i>		THOMSON'S GAZELLE	
000002	<i>Casuarus unappendiculatus</i>		NORTHERN CASSOWARY / SINGLE-WATTLED CASSOWARY	
000009	<i>Taurotragus oryx</i>		COMMON ELAND	
000361	Total			