



Inspection Report

Creatures By Theresa
18609 SE State Route Y
DEARBORN, MO 64439

Customer ID: **329348**
Certificate: **43-C-0347**
Site: 002
Creatures By Theresa

Type: ROUTINE INSPECTION
Date: 24-JUN-2026

3.25(d) Repeat

Facilities, general.

* Approximately 25% of the floor was covered with bedding, feathers, vermin waste, brown dust, webs, hair and pieces of white Styrofoam insulation. The pieces of insulation and vermin waste indicate an ongoing vermin infestation. The ceiling and the white plastic legs for the sink had black to reddish brown grimy spots covering approximately 30% of their surfaces. The metal lids on the trash cans, plastic storage containers and shelves had an accumulation of brown dust, brown grime, white pieces of insulation and vermin waste on top of their lids. This indicates there are not enough provisions to remove or dispose of animal and food waste, bedding, grime and insect waste on hard surfaces and the debris. As a result, there is a vermin infestation, and numerous insects flying around in the building. This can increase the potential for other disease hazards for the 31 Guinea Pigs.

For the prevention and accumulation of animal and food waste, bedding, black to brown grimy spots on the hard surfaces, debris, and to minimize vermin, insects and disease hazards for all guinea pigs, additional provisions of removal and disposal must be implemented.

3.30

Watering.

* Eight watering receptacles used to water 10 guinea pigs had an accumulation of brown debris and or dirt and vermin fecal waste on top plastic surface of the receptacles. These receptacles indicate that they are not being sanitized when dirty or at least every two weeks. When asked how often the water receptacles were cleaned, the licensee stated they don't have a schedule for cleaning. As a result, this can increase the disease potential for the animals.

For the prevention of the disease potential, all water receptacles must be sanitized when dirty and or at least once every two weeks.

To be corrected by, 3-July-2026

3.31(a)(1)

Sanitation.

Prepared By: RANDALL WAGNER
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
30-JUN-2026

Received by Title: Facility Representative

Date:
30-JUN-2026



Inspection Report

* Eight enclosures, housing 16 guinea pigs, have an accumulation of reddish specks of grime on the white cage surfaces. This indicates the enclosures are not being cleaned to prevent an accumulation of debris, and sanitization at least once every two weeks does not happen. Therefore, this can increase the disease hazards for the guinea pigs.

For the prevention of disease hazards to the guinea pigs, all enclosures must be cleaned and sanitized often enough for the prevention of an accumulation of excreta and debris.

To be corrected by, 6-July-2026.

3.31(c)

Repeat

Sanitation.

* There was a live mouse that ran across the floor under a raised rabbit enclosure during the inspection and quickly scampered into hiding. The licensee stated that the mice were coming in through the floor, and that they had repaired the building with mouse prevention under part of the building. Similarly, the licensee stated, they used different traps to trap the mice. There were not any traps present during the inspection. There were mouse droppings on the table where the clean feeding bowls were stored. The mouse fecal waste droppings were on the floor around the sink area and husbandry work area and on top of lids for plastic storage containers and water bottles used as watering receptacles. Numerous pieces of Styrofoam insulation from inside the wall were on the floor around the sink area from the mice getting into the building. Numerous small insects (small flies) were observed flying around the ceiling by a hanging light. Similarly, small flies were flying above the melon rind inside the turtle enclosure. The licensee had a homemade bottle trap near the turtle enclosure. However, there was only one bottle trap for prevention of the insects.

The presence of mice and small flies indicates that there is not an established and maintained program to control insects and mammalian pests. As a result, this can increase the disease hazards for the 31 guinea pigs.

For the prevention of disease hazards for all guinea pigs, an effective program to control insects and mammalian pests must be established and maintained.

3.50(d)

Repeat

Facilities, general.

* Approximately 25% of the floor was covered with bedding, feathers, vermin waste, brown dust, webs, hair and pieces of white Styrofoam insulation. The pieces of insulation and vermin waste indicate an ongoing vermin infestation. The ceiling and the white plastic legs for the sink had black to reddish brown grimy spots covering approximately 30% of their surfaces. The metal lids on the trash cans, plastic storage containers and shelves had an accumulation of brown dust, brown grime, white pieces of insulation and vermin waste on top of their lids. This indicates there are not enough provisions to remove or dispose of animal and food waste, bedding, grime and insect waste on hard surfaces and the debris. As a result, there is a vermin infestation, and numerous insects flying around in the building. This can increase the potential for other disease hazards for the six rabbits.

For the prevention and accumulation of animal and food waste, bedding, black to brown grimy spots on the surfaces, debris, and minimizing vermin, insects and disease hazards for all rabbits, additional provisions of removal and disposal must be implemented.

Prepared By: RANDALL WAGNER

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

30-JUN-2026

Received by Title: Facility Representative

Date:

30-JUN-2026



Inspection Report

3.53(a)(2)

Primary enclosures.

* A bird cage enclosure, housing one dove, is stacked on top of an enclosure, housing one rabbit. There was a piece of cardboard and plywood in between these two enclosures. There is an accumulation of feed, waste and white feathers, tiny pieces of Styrofoam and debris on the plywood and cardboard. This debris can fall onto the rabbit being housed underneath. Therefore, the rabbit potentially may not remain clean, and this could cause disease hazards.

For the prevention of disease hazards and for all rabbits to remain clean and dry, all enclosures should prevent waste, debris and food from falling onto the rabbits housing underneath them.

To be corrected by, 8-July-2026.

3.55

Watering.

* Four watering receptacles used to water two rabbit had an accumulation of brown debris and or dirt on top plastic surface of the receptacles. These receptacles indicate that they are not being sanitized when dirty or at least every two weeks. When asked how often the water receptacles were cleaned, the licensee stated they don't have a schedule for cleaning. As a result, this can increase the disease potential for the animals.

For the prevention of the disease potential, all water receptacles must be sanitized when dirty and or at least once every two weeks.

To be corrected by, 5-July-2026.

3.56(d)

Repeat

Sanitation.

* There was a live mouse that ran across the floor under a raised rabbit enclosure during the inspection and quickly scampered into hiding. The licensee stated that the mice were coming in through the floor, and that they had repaired the building with mouse prevention under part of the building. Similarly, the licensee stated, they used different traps to trap the mice. There were not any traps present during the inspection. There were mouse droppings on the table where the clean feeding bowls were stored. The mouse fecal waste droppings were on the floor around the sink area and husbandry work area and on top of lids for plastic storage containers and water bottles used as watering receptacles. Numerous pieces of Styrofoam insulation from inside the wall were on the floor around the sink area from the mice getting into the building. Numerous small insects (small flies) were observed flying around the ceiling by a hanging light. Similarly, small flies were flying above the melon rind inside the turtle enclosure. The licensee had a homemade bottle trap near the turtle enclosure. However, there was only one bottle trap for prevention of the insects.

The presence of mice and small flies indicates that there is not an established and maintained program to control insects and mammalian pests. As a result, this can increase the disease hazards for the six rabbits.

Prepared By: RANDALL WAGNER

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

30-JUN-2026

Received by Title: Facility Representative

Date:

30-JUN-2026



Inspection Report

For the prevention of disease hazards for all rabbits, an effective program to control insects and mammalian pests must be established and maintained.

3.125(d)

Repeat

Facilities, general.

* Approximately 25% of the floor was covered with bedding, feathers, vermin waste, brown dust, webs, hair and pieces of white Styrofoam insulation. The pieces of insulation and vermin waste indicate an ongoing vermin infestation. The ceiling and the white plastic legs for the sink had black to reddish brown grimy spots covering approximately 30% of their surfaces. The metal lids on the trash cans, plastic storage containers and shelves had an accumulation of brown dust, brown grime, white pieces of insulation and vermin waste on top of their lids. This indicates there are not enough provisions to remove or dispose of animal and food waste, bedding, grime and insect waste on hard surfaces and the debris. As a result, there is a vermin infestation, and numerous insects flying around in the building. This can increase the potential for other disease hazards for the eight chinchillas and two ferrets.

For the prevention and accumulation of animal and food waste, bedding, black to brown grimy spots on the hard surfaces, debris, and minimizing vermin, insects and disease hazards for all animals in subpart F, additional provisions of removal and disposal must be implemented.

3.131(a)

Sanitation.

* An enclosure, housing two chinchillas, has an accumulation of hair stuck to the caging and grey dust on the caging's surface.

The enclosure, housing two ferrets, has green waste and debris on the flooring of the cage. There was a strong order present during the inspection; in which, the licensee mentioned the ferret cage needed to be cleaned.

This indicates that these enclosures are not being cleaned as often as necessary. As a result, this can increase the contamination of the animals, disease hazards and orders.

All subpart F., animal enclosures must be cleaned often enough for the minimization of disease hazards and orders, and for the prevention of contamination of the animals.

To be corrected by, 5-July-2026.

3.131(d)

Repeat

Sanitation.

* There was a live mouse that ran across the floor under a raised rabbit enclosure during the inspection and quickly scampered into hiding. The licensee stated that the mice were coming in through the floor, and that they had repaired the building with mouse prevention under part of the building. Similarly, the licensee stated, they used different traps to trap the mice. There were not any traps present during the inspection. There were mouse droppings on the table where the clean feeding bowls were stored. The mouse fecal waste droppings were on the floor around the sink area and husbandry work area and on top of lids for plastic storage containers and water bottles used as watering receptacles. Numerous pieces of Styrofoam insulation from inside the wall were on the floor around the sink area from the mice getting into the

Prepared By: RANDALL WAGNER

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

30-JUN-2026

Received by Title: Facility Representative

Date:

30-JUN-2026



Inspection Report

building. Numerous small insects (small flies) were observed flying around the ceiling by a hanging light. Similarly, small flies were flying above the melon rind inside the turtle enclosure. The licensee had a homemade bottle trap near the turtle enclosure. However, there was only one bottle trap for prevention of the insects.

The presence of mice and small flies indicates that there is not an established and maintained program to control insects and mammalian pests. As a result, this can increase the disease hazards for the eight chinchillas and two ferrets.

For the prevention of disease hazards for all subpart F animals, an effective program to control insects and mammalian pests must be established and maintained.

This inspection and exit interview were conducted with the facility representative.

Prepared By: RANDALL WAGNER
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
30-JUN-2026

Received by Title: Facility Representative

Date:
30-JUN-2026



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
329348	43-C-0347	002	Creatures By Theresa	24-JUN-2026

Count	Scientific Name	Common Name
000002	<i>Mustela putorius furo</i>	DOMESTIC FERRET
000031	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000008	<i>Chinchilla lanigera</i>	CHINCHILLA
000006	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000047	Total	