



Inspection Report

Columbus Zoo and Aquarium
P.O. BOX 400
POWELL, OH 43065

Customer ID: **2204**
Certificate: **31-C-0042**
Site: 001
COLUMBUS ZOO

Type: FOCUSED INSPECTION
Date: 21-MAY-2026

3.127(d)

Facilities, outdoor.

The facility has sections of the perimeter fence that do not meet the requirements:

- On the south side of the facility, part of the fencing adjacent to the main gate measures approximately 93 inches (7 feet and 9 inches).
- On the south side of the facility, part of the fencing in front of a pond near the main gate measures approximately 92 inches (7 feet and 8 inches).
- On the south side of the facility, part of the fencing adjacent to the entrance to the water park measures approximately 92 inches (7 feet and 8 inches). During the inspection, the facility corrected this section by placing an additional high tension wire at the top of the fence.

Failure to provide an appropriate perimeter fence may result in animal escape or allow persons or other animals to interact with the regulated animals. All outdoor housing facilities must be enclosed by a perimeter fence that is of sufficient height to keep animals and unauthorized person out. Fences less than 8 feet high (96 inches) for potentially dangerous animals, such as but not limited to, large felines (e.g., lions, tigers, leopards, cougars, etc.), bears, wolves, rhinoceros, and elephants, or less than 6 feet high for other animals must be approved in writing by the Administrator. The fence must be constructed so that it protects the animals in the facility by restricting animals and unauthorized persons from going through it or under it and having contact with the animals in the facility, and so that it can function as a secondary containment system for the animals in the facility. It must be of sufficient distance from the outside of the primary enclosure to prevent physical contact between animals inside the enclosure and animals or persons outside the perimeter fence. Such fences less than 3 feet in distance from the primary enclosure must be approved in writing by the Administrator. Correct by ensuring that all species requiring a perimeter fence are completely enclosed within an adequate perimeter fence that meets all requirements. Alternatively, a variance may be requested in writing and sent to the APHIS Administrator. Correct by 19-AUG-2026.

This inspection and exit interview were conducted with a Facility Representative.

Prepared By: JONATHAN TOMKOVITCH
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
21-MAY-2026

Received by Title: Facility Representative

Date:
21-MAY-2026



Inspection Report

Prepared By: JONATHAN TOMKOVITCH

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
21-MAY-2026

Received by Title: Facility Representative

Date:
21-MAY-2026



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2204	31-C-0042	001	COLUMBUS ZOO	21-MAY-2026

Count	Scientific Name	Common Name
000000	NONE	NONE
000000	Total	