



Inspection Report

Equitech-Bio Inc.
512 Cotton Gin Lane
Kerrville, TX 78028

Customer ID: **1752**
Certificate: **74-R-0161**
Site: 004
EQUITECH-BIO INC.

Type: FOCUSED INSPECTION
Date: 16-MAR-2026

3.125(a)

Facilities, general.

The outdoor housing facilities are not being adequately maintained in good repair, do not protect the animals from injury, and may not contain the animals. At the Scott Road location on the southern side of the pasture, there is an area of fencing that contains sharp points and a gap between the fence panels. There is an approximately 6 inch gap in the fencing and the ends of the metal panels have sharp points. Additionally, there is another fence panel laying on the ground in front of this section that could entangle the limbs of the animals and result in an injury.

Failure to maintain the housing facilities in good repair could result in injury, entrapment, and may not contain the animals. The facility must be constructed of such material and of such strength as appropriate for the animals involved. Correct by ensuring that outdoor housing facilities are structurally sound and maintained in good repair to protect the animals from injury and to contain the animals. Correct by 30-MARCH-2026.

3.127(c)

Facilities, outdoor.

The facility is not providing a suitable method to rapidly eliminate excess water from an outdoor housing area. The Scott Road Barn #2 building is currently being utilized to house approximately 96 goats. The area leading into the shelter structure which is the only entrance/exit for the animals is not draining water adequately and the excess water has caused the area to become filled with mud and some areas of standing water. The animals must walk through the mud and water to gain access to the sheltered area.

Enclosures that do not drain effectively and in which the ground contains mud and standing water with no dry path to the shelter, can cause animals to develop hoof or skin issues due to excessive moisture and mud exposure. Correct by ensuring that a suitable method is provided to rapidly eliminate excess water within the animals' primary enclosure and ensure that the animals can access their shelter without walking through mud and water. Correct by 30-March-2026.

This inspection and exit interview were conducted with the facility representatives.

Prepared By: JONATHAN TOMKOVITCH
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
16-MAR-2026

Received by Title: Facility Representative

Date:
16-MAR-2026



Inspection Report

Additional Inspectors:

Eric Irvin, VETERINARY MEDICAL OFFICER

Prepared By: JONATHAN TOMKOVITCH

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
16-MAR-2026

Received by Title: Facility Representative

Date:
16-MAR-2026



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1752	74-R-0161	004	EQUITECH-BIO INC.	16-MAR-2026

Count	Scientific Name	Common Name
000620	<i>Capra hircus</i>	DOMESTIC GOAT
000620	Total	