



## Inspection Report

---

Creatures By Theresa  
18609 SE State Route Y  
DEARBORN, MO 64439

Customer ID: **329348**  
Certificate: **43-C-0347**  
Site: 002  
Creatures By Theresa

Type: ROUTINE INSPECTION  
Date: 10-APR-2026

---

### 3.25(d)

#### Facilities, general.

\* Approximately 40% of the floor was covered with bedding, feathers, vermin waste, brown dust, webs, hair and pieces of white Styrofoam insulation. Under the sink there was a pile of loose pieces of white Styrofoam. The pieces of insulation and vermin waste indicate an ongoing vermin infestation. The ceiling and a grey plastic stand had black to reddish brown grimy spots covering approximately 30% of their surfaces. This indicates there are not enough provisions to remove or dispose of animal and food waste, bedding, grime and insect waste on hard surfaces and the debris. As a result, there is a vermin infestation, and numerous insects flying around in the building. This can increase the potential for other disease hazards for the 37 guinea pigs.

For the prevention and accumulation of animal and food waste, bedding, black to brown grimy spots on the hard surfaces, debris, and to minimize vermin, insects and disease hazards for all guinea pigs, additional provisions of removal and disposal must be implemented.

To be correct by, 13-April-2026.

### 3.31(c)

#### Sanitation.

\* There was a live visible mouse under the sink area during the inspection that quickly scampered into hiding. The licensee was asked about the free roaming mouse, and stated that the wild mice had made an opening through the floor/wall of the building. This opening of the building has not been closed and or repaired yet. This gave the wild mice free access inside the building. There were numerous mouse droppings on the table where the clean feeding bowls were stored. The mouse fecal waste droppings were on the floor around the sink area and husbandry work area on top of a cardboard box. Numerous pieces of Styrofoam insulation from inside the wall were on the floor around the sink area. Similarly, there was a pile of loose Styrofoam insulation under the sink. Numerous small insects (small flies) were observed flying around the ceiling in the center part of the building. The licensee had two separate rolls sticky-tape for flies at the opposite ends of the building. However, only a small portion of the sticky-tape roll was exposed to catch small flies and or insects.

The presence of mice and small flies indicates that there is not an established and maintained program to control insects and mammalian pests. As a result, this can increase the disease hazards for the 37 guinea pigs.

---

Prepared By: RANDALL WAGNER  
USDA, APHIS, Animal Care  
Title: ANIMAL CARE INSPECTOR

Date:  
13-MAY-2026

Received by Title: Facility Representative

Date:  
13-MAY-2026



## Inspection Report

---

For the prevention of disease hazards for all guinea pigs, an effective program to control insects and mammalian pests must be established and maintained.

To be corrected by, 13-April-2026.

### 3.50(d)

#### Facilities, general.

\* Approximately 40% of the floor was covered with bedding, feathers, vermin waste, brown dust, webs, hair and pieces or white Styrofoam insulation. Under the sink there was a pile of loose pieces of white Styrofoam. The pieces of insulation and vermin waste indicate an ongoing vermin infestation. The ceiling and a grey plastic stand had black to reddish brown grimy spots covering approximately 30% of their surfaces. This indicates there are not enough provisions to remove or dispose of animal and food waste, bedding, grime and insect waste on hard surfaces and the debris. As a result, there is a vermin infestation, and numerous insects flying around in the building. This can increase the potential for other disease hazards for the 10 rabbits.

For the prevention and accumulation of animal and food waste, bedding, black to brown grimy spots on the hard surfaces, debris, and minimizing vermin, insects and disease hazards for all rabbits, additional provisions of removal and disposal must be implemented.

To be correct by, 13-April-2026.

### 3.56(d)

#### Sanitation.

\* There was a live visible mouse under the sink area during the inspection that quickly scampered into hiding. The licensee was asked about the free roaming mouse, and stated that the wild mice had made an opening through the floor/wall of the building. This opening of the building has not been closed and or repaired yet. This gave the wild mice free access inside the building. There were numerous mouse droppings on the table where the clean feeding bowls were stored. The mouse fecal waste droppings were on the floor around the sink area and husbandry work area on top of a cardboard box. Numerous pieces of Styrofoam insulation from inside the wall were on the floor around the sink area. Similarly, there was a pile of loose Styrofoam insulation under the sink. Numerous small insects (small flies) were observed flying around the ceiling in the center part of the building. The licensee had two separate rolls sticky-tape for flies at the opposite ends of the building. However, only a small portion of the sticky-tape roll was exposed to catch small flies and or insects.

The presence of mice and small flies indicates that there is not an established and maintained program to control insects and mammalian pests. As a result, this can increase the disease hazards for the 10 rabbits.

For the prevention of disease hazards for all rabbits, an effective program to control insects and mammalian pests must be established and maintained.

To be corrected by, 13-April-2026.

---

Prepared By: RANDALL WAGNER

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

13-MAY-2026

Received by Title: Facility Representative

Date:

13-MAY-2026



## Inspection Report

---

### 3.125(d)

#### Facilities, general.

\* Approximately 40% of the floor was covered with bedding, feathers, vermin waste, brown dust, webs, hair and pieces or white Styrofoam insulation. Under the sink there was a pile of loose pieces of white Styrofoam. The pieces of insulation and vermin waste indicate an ongoing vermin infestation. The ceiling and a grey plastic stand had black to reddish brown grimy spots covering approximately 30% of their surfaces. This indicates there are not enough provisions to remove or dispose of animal and food waste, bedding, grime and insect waste on hard surfaces and the debris. As a result, there is a vermin infestation, and numerous insects flying around in the building. This can increase the potential for other disease hazards for the eight chinchillas and two ferrets.

For the prevention and accumulation of animal and food waste, bedding, black to brown grimy spots on the hard surfaces, debris, and minimizing vermin, insects and disease hazards for all animals in subpart F, additional provisions of removal and disposal must be implemented.

To be correct by, 13-April-2026.

### 3.131(d)

#### Sanitation.

\* There was a live visible mouse under the sink area during the inspection that quickly scampered into hiding. The licensee was asked about the free roaming mouse and stated that the wild mice had made an opening through the floor/wall of the building. This opening of the building has not been closed and or repaired yet. This gave the wild mice free access inside the building. There were numerous mouse droppings on the table where the clean feeding bowls were stored. The mouse fecal waste droppings were on the floor around the sink area and husbandry work area on top of a cardboard box. Numerous pieces of Styrofoam insulation from inside the wall were on the floor around the sink area. Similarly, there was a pile of loose Styrofoam insulation under the sink. Numerous small insects (small flies) were observed flying around the ceiling in the center part of the building. The licensee had two separate rolls sticky-tape for flies at the opposite ends of the building. However, only a small portion of the sticky-tape roll was exposed to catch small flies and or insects.

The presence of mice and small flies indicates that there is not an established and maintained program to control insects and mammalian pests. As a result, this can increase the disease hazards for the eight chinchillas and two ferrets.

For the prevention of disease hazards for all subpart F animals, an effective program to control insects and mammalian pests must be established and maintained.

To be corrected by, 13-April-2026.

This inspection and exit interview were conducted with the facility representative.

---

Prepared By: RANDALL WAGNER

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

13-MAY-2026

Received by Title: Facility Representative

Date:

13-MAY-2026



## Inspection Report

---

---

**Prepared By:** RANDALL WAGNER  
USDA, APHIS, Animal Care  
**Title:** ANIMAL CARE INSPECTOR

**Date:**  
13-MAY-2026

**Received by Title:** Facility Representative

**Date:**  
13-MAY-2026



### Species Inspected

| Cust No | Cert No   | Site | Site Name            | Inspection  |
|---------|-----------|------|----------------------|-------------|
| 329348  | 43-C-0347 | 002  | Creatures By Theresa | 10-APR-2026 |

| Count  | Scientific Name              | Common Name                       |
|--------|------------------------------|-----------------------------------|
| 000008 | <i>Chinchilla lanigera</i>   | CHINCHILLA                        |
| 000010 | <i>Oryctolagus cuniculus</i> | DOMESTIC RABBIT / EUROPEAN RABBIT |
| 000002 | <i>Mustela putorius furo</i> | DOMESTIC FERRET                   |
| 000001 | <i>Zenaida macroura</i>      | MOURNING DOVE                     |
| 000037 | <i>Cavia porcellus</i>       | DOMESTIC GUINEA PIG               |
| 000058 | <b>Total</b>                 |                                   |