



Inspection Report

Mattersville
13952 W 87th Dr.
Arvada, CO 80005

Customer ID: **6015764**
Certificate: **84-C-0173**
Site: 004
Mattersville

Type: ROUTINE INSPECTION
Date: 11-FEB-2026

3.1(a) Repeat

Housing facilities, general.

The wolf hybrids have exposed the dig barrier fencing wire in the ground in almost every enclosure. The exposed fencing creates areas through the wire into the ground where a paw could get caught and cause injury. In Tsaattsat and Taamsis's enclosure, there is a log with protruding nails, a large stack of decaying wood including a section of fence with jagged edges, and several metal fence wires protruding into the enclosure. In Delilah and Cronus' enclosure, there is chicken wire fencing that has been torn loose resulting in sharp points protruding into the enclosure. There are several enclosures that have plastic igloo-type shelters that are chewed up around the entrances of the shelters creating jagged edges. Exposed fence wire in the ground, decaying wood, and sharp points could cause injury to the wolf hybrids. Housing facilities for wolf hybrids must be kept in good repair to protect them from injury.

3.4(b) Repeat

Outdoor housing facilities.

Many of the enclosures do not provide adequate shade for all the wolf hybrids present in the enclosures. Lack of adequate shade from the direct rays of the sun can cause discomfort, increase the chance of high-altitude UV exposure related diseases, and high temperatures could lead to heat stress. All outdoor enclosures must be provided with adequate shade structures in addition to the shelter structures to provide enough shade to contain all the wolf hybrids at one time. The licensee must ensure that shade is provided and be large enough to contain all the dogs at one time and protect them from the direct rays of the sun.

3.4(c) Repeat

Outdoor housing facilities.

The wolf hybrid wooden dog houses are not impervious to moisture. Some of the wood around the dog house entrances are severely chewed. A wolf hybrid was urinating on the corner of a wooden dog house structure and the wood is soaked and stained with urine. Some of the raised dog beds have torn fabric. Frayed, chewed, and porous surfaces cannot be cleaned and sanitized and could cause infection if bacteria or viruses are harbored in the material. Surfaces permeable to moisture cannot be properly cleaned and/or sanitized as contaminated material can penetrate into the surfaces. Having surfaces in contact with the animals that cannot be properly cleaned and sanitized can expose the wolf hybrids to unnecessary disease hazards. Building surfaces in contact with animals in outdoor housing facilities must be impervious

Prepared By: MARY ANN ARCHER
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
17-FEB-2026

Received by Title: Facility Representative

Date:
17-FEB-2026



Inspection Report

to moisture. All surfaces must be maintained on a regular basis. Surfaces of outdoor housing facilities – including houses, dens, etc. – that cannot be readily cleaned and sanitized must be replaced when worn or soiled.

3.11(b)(2)

Repeat

Cleaning, sanitization, housekeeping, and pest control.

The facility is not sanitizing the wolf hybrid wooden shelter structures in the primary enclosures at least once every 2 weeks. Proper sanitization of primary enclosures is important for reducing disease hazards such as potential odors, dirt, debris, and bodily waste, which can lead to an increased risk of illness or disease. Used primary enclosures must be sanitized at least once every 2 weeks using one of the methods prescribed in paragraph (b)(3) of this section, and more necessary to prevent accumulation of dirt, debris, food waste, excreta, and other disease hazards.

This inspection and exit interview were conducted with the facility representative.

Additional Inspectors:

KENDALL LUNDY, ANIMAL CARE INSPECTOR

Prepared By: MARY ANN ARCHER

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
17-FEB-2026

Received by Title: Facility Representative

Date:
17-FEB-2026



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6015764	84-C-0173	004	Mattersville	11-FEB-2026

Count	Scientific Name	Common Name
000079	<i>Canis lupus X C. familiaris</i>	WOLF/DOG HYBRID
000079	Total	