



Inspection Report

Mary Ducote
15150 N 253 Rd
Okmulgee, OK 74447

Customer ID: **326021**
Certificate: **73-A-2697**
Site: 001
Mary Ducote

Type: ROUTINE INSPECTION
Date: 01-SEP-2026

3.6(a)(2)(i)

Primary enclosures.

There were sharp points present in two separate enclosures.

- In the outdoor run portion of a kennel housing two dogs, there was a section of twisted wire attached to a support pole, extending into the enclosure. This point is located at eye level to the enclosed dogs and could cause injury.
- In an outdoor enclosure housing two dogs, the shelter access door is surrounded by woven wire. This wire is loose around the entrance door and has multiple sharp points. This is a potential source of injury and/or entrapment to the dogs. Sharp points and edges are a potential source of injury to the enclosed dogs. The sharp points should be removed or repaired by the facility to help ensure the welfare of the enclosed animals.

Correct by: 6 September 2026

This inspection and exit interview were conducted with licensee.

Prepared By: MICHAEL TYGART

USDA, APHIS, Animal Care

Date:
01-SEP-2026

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
01-SEP-2026



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
326021	73-A-2697	001	Mary Ducote	01-SEP-2026

Count	Scientific Name	Common Name
000021	<i>Canis familiaris</i>	DOG ADULT
000012	<i>Canis familiaris</i>	DOG PUPPY
000033	Total	