

DM-Quiz-2020-Q9

0% (0/11)

- 1. (geners ← c("Action, Adventure, Comedy", "Comedy", "Comedy, Drama, Drama, Romance", "Crime, Drama, History")) Which of the functions has the following output? [1] NA NA "Drama" "Drama"
 - A str_extract(string = geners, pattern = "Drama")
 - **B** str_count(string = geners, pattern = "Drama")
 - c str_subset(string = geners, pattern = "Drama")
 - D str_detect(string = geners, pattern = "Drama")
 - E I do not know.
- **2.** str_subset(string = c("abc", "abbc", "abbbc", "ac"), pattern = "ab?c")
 - A [1] "abc" "ac"
 - B [1] "abc" "abbc" "abbbc" "ac"
 - **c** [1] "abc"
 - D [1] "abc" "abbc" "abbbc"
 - E I do not know
- **3.** str_subset(string = c(" space(1)", "space (1)", "nospace", " ", " "), pattern = "\\S+")
 - A " space(1)", "space (1)", "nospace"
 - **B** "space(1)", "space (1)", " ", " "
 - **c** "space (1)", " ", " "
 - **D** I do not know
- **4.** str_subset(string = c("0L","L1", "LL", "Li", "."), pattern = "[aeuio]")
 - A "Li"
 - B "OL","L1", "LL", "Li", "."
 - c "0L","L1", "LL", "Li"
 - D "LL", "Li"
 - E I do not know.

X	5.	Define the right format for "95.AUG- 27"
	Α	"%y.%b- %d"
	В	"%Y/%B/%d"
	C	"%y.%B- %d"
	D	"%Y-%b-%d"
	E	I do not know
X	6.	gsub("Replace a with A", pattern = "a", replacement = "A")
	Α	"ReplAce A with A"
	В	"ReplAce a with A"
	C	"ReplAce a with a"
	D	"ReplAce A with a"
	E	I do no know
×	7.	str_sub("start with the minus 7", start = -8, end = -4)
×	7.	
×		
×	A B	" minu"
×	A B	" minu" "minu" "minus"
×	A B C	" minu" "minu" "minus"
×	A B C D E	" minu" "minu" "minus" "minu 7"
×	A B C D E	" minu" "minu" "minus" "minu 7" Error
×	A B C D E F	" minu" "minu" "minus" "minu 7" Error
×	A B C D E F	" minu" "minus" "minu 7" Error I do now know
×	A B C D E F	" minu" "minus" "minu 7" Error I do now know str_subset(string = "^start", pattern = "^start") character(0)
×	A B C D E F 8. A B	"minu" "minus" "minu 7" Error I do now know str_subset(string = "^start", pattern = "^start") character(0)
×	A B C D E F 8. A B	<pre>" minu" "minus" "minu 7" Error I do now know str_subset(string = "^start", pattern = "^start") character(0) "money"</pre>
×	A B C D E F 8. A B C	<pre>" minu" "minus" "minu 7" Error I do now know str_subset(string = "^start", pattern = "^start") character(0) "money" "^money" Error</pre>

- **9.** Regular Expressions are
 - A set of commands used to match a family of text (alphanumeric, digits, words) to detect string sequences in a large text data
 - **B** series of functions used to extract information from text variables.
 - c meaning and interpretation of words, signs, and sentence structure
 - D collections of documents containing (natural language) text
 - E I do not know

X 10. String manipulation is

- A set of commands used to match a family of text (alphanumeric, digits, words) to detect string sequences in a large text data
- B series of functions used to extract information from text variables.
- c meaning and interpretation of words, signs, and sentence structure
- D collections of documents containing (natural language) text
- E I do not know

X 11. Sparsity is

- A number of terms with more than one occurrence
- B number of term with 0 occurrence in all documents
- c percentage of element with value 0 in total number of elements in document term matrix
- I do not know