

DM-Spring-2020-Q8-Grade

100% (15/15)

-
- ✓ 1. Cluster Analysis is
- ☒ A Unsupervised learning technique
 - ☐ B Supervised learning technique
 - ☐ C I do not know
- ✓ 2. Distance between records and distance between clusters are the same
- ☐ A True
 - ☒ B False
 - ☐ C I do not know
- ✓ 3. Which of these is the measure of between clusters distance?
- ☐ A Single link
 - ☐ B Complete link
 - ☐ C Average link
 - ☐ D Centroid
 - ☒ E All of them
 - ☐ F I do not know
- ✓ 4. Single link is
- ☒ A the smallest distance between an element in one cluster and an element in the other
 - ☐ B the largest distance between an element in one cluster and an element in the other
 - ☐ C the average distance between an element in one cluster and an element in the other
 - ☐ D distance between the centroids of two clusters
 - ☐ E I do not know

- ✓ 5. Complete link is
- ☐ A the smallest distance between an element in one cluster and an element in the other
 - ☒ B the largest distance between an element in one cluster and an element in the other
 - ☐ C the average distance between an element in one cluster and an element in the other
 - ☐ D distance between the centroids of two clusters
 - ☐ E I do not know

- ✓ 6. Which of these is the nested algorithm of clustering?
- ☒ A Hierarchical clustering
 - ☐ B k-means
 - ☐ C Knn
 - ☐ D I do not know

- ✓ 7. Which of these is the unnested algorithm of clustering?
- ☐ A Hierarchical clustering
 - ☒ B k-means
 - ☐ C Knn
 - ☐ D I do not know

- ✓ 8. Which of these is the type of hierarchical clustering?
- ☐ A Agglomerative Methods
 - ☐ B Divisive Methods
 - ☒ C Both
 - ☐ D I do not know

- ✓ 9. This function can be used to perform hierarchical clustering in R
- ☒ A hclust()
 - ☐ B cluster()
 - ☐ C hierarchical ()
 - ☐ D I do not know

- ✓ 10. This function can be used to perform k-means clustering in R
- ☒ A kmeans()
 - ☐ B kclust()
 - ☐ C kmenscl()
 - ☐ D I do not know
- ✓ 11. Do we need to worry about scaling in clustering?
- ☒ A Yes
 - ☐ B No
 - ☐ C I do not know
- ✓ 12. The goal of Cluster Analysis is
- ☒ A That the objects within a group be similar (or related) to one another and different from (or unrelated to) the objects in other groups
 - ☐ B That the objects within a group be different from (or unrelated to) to one another and similar (or related) the objects in other groups
 - ☐ C That the objects within a group be similar (or related) to one another and the same for the objects in other groups
 - ☐ D To classify the object as similar as did in the data
 - ☐ E I do no know
- ✓ 13. Cluster Analysis can be considered as
- ☒ A unsupervised classification
 - ☐ B supervised classification
 - ☐ C supervised regression
 - ☐ D I do not know
- ✓ 14. Exclusive clustering
- ☒ A Assign each object to a single cluster
 - ☐ B Assign each object to more than one cluster
 - ☐ C Assign each object to cluster with the highest number of data points
 - ☐ D I do not know



15. Partial clustering can be considered if

- ☒ **A** some objects in a data set may not belong to well-defined groups
- ☐ **B** assigns every object to a cluster
- ☐ **C** assigns every object to a cluster with some probability
- ☐ **D** I do not know