Ubuhinzi

Gahunda y'imirimo


Uko watangiza umurima w'imboga ugaburira igikoni gikuru (galley) kandi ukagurisha ibisagutse byawo: ibihembwe, uturima, amazi, ibihingwa n'ukwezi kwa mbere, intambwe ku yindi.

> ***Ubusobanuro:*** *iyi nyandiko yahinduwe na mudasobwa (machine draft). Igomba gusuzumwa n'umuntu uvuga Ikinyarwanda kavukire mbere yo kuyiha abakozi. Iyo hari itandukaniro, kurikiza iy'Icyongereza.*

Status: gahunda yo ku wa 2026-10-31. Umurima, ubutaka bwawo n'amazi yawo ntibirapimwa; ingano yawo ikurikiza igishushanyo mbonera cy'agateganyo (provisional master plan) n'igishushanyo cy'umurima cyakozwe na mudasobwa (D-050).

English: read this plan in English · Gucapa: iyi gahunda nka PDF · Uturima, ibihingwa n'ibiciro mu bishushanyo: urupapuro rw'umurima · Izindi paji zawo: ibikoresho, amazi

Mu ncamake



Iki	Ingano
Igice cy'imboga (vegetable zone)	3456 m², iruhande rw'igikoni gikuru (igishushanyo mbonera)
Uturima (beds)	ubugari bwa m 1.2, tuzamuye cm 20, uburebure bwa m 10: uturima 60 two gutangiriraho, mu matsinda 6 y'uturima 10 (D-050), muri two 672 m² ziterwa [E]
Inzira (paths)	m 0.5 hagati y'uturima, m 1 hagati y'amatsinda y'uturima
Amazi	amatiyo y'ibitonyanga (drip lines), 2 kuri buri karima, ahabwa amazi n'ikigega cy'amazi (tank); 2.8 kugeza 3.6 m³ ku munsi mu mezi y'izuba ryinshi [E]
Ibyo igikoni gikuru gikenera	hafi kg 38.5 z'imboga mu cyumweru gisanzwe, kg 89.8 iyo amacumbi yose yuzuye [A]; uturima twa mbere duhaza icyumweru gisanzwe, naho amacumbi yose yuzuye akenera uturima 105 (urupapuro rw'umurima); ibisigaye bigurishwa

A full house every day is 25.5 people at the galley's table, 22 guests and the team, about 89.8 kg of vegetables a week, and would take 105 beds. The field starts smaller: the two rows of blocks nearest the gate, 60 beds, 56 of them planted, about 672 m² of growing area with a quarter more than the plate needs for pests and a failed planting. They give about 51.4 kg a week: 57 % of a full house and more than an average week (38.5 kg), whose surplus is sold. On the busiest weeks the galley buys the rest; the other two rows follow the bookings. Behind the field a row of bananas and fruit trees (avocado, mango, lemon, papaya) gives the table its fruit.

Crop	Per guest a day	Full house, a week	Average week	Beds at the start	Full ho
Tomato	80 g	14.3 kg	6.1 kg	9	
Potato	60 g	10.7 kg	4.6 kg	8	
Onion	50 g	8.9 kg	3.8 kg	4	
Cabbage	50 g	8.9 kg	3.8 kg	4	
Carrot	40 g	7.1 kg	3.1 kg	4	
Kale (sukuma)	40 g	7.1 kg	3.1 kg	3	
French beans	35 g	6.2 kg	2.7 kg	8	
Amaranth (dodo)	30 g	5.4 kg	2.3 kg	2	
All vegetables	**503 g**	**89.8 kg**	**38.5 kg**	**56 of 60**	

Crop	Per guest a day	Full house, a week	Average week	Beds at the start	Full ho
Cucumber	30 g	5.4 kg	2.3 kg	2	
Spinach and chard	30 g	5.4 kg	2.3 kg	3	
Sweet pepper	25 g	4.5 kg	1.9 kg	3	
Eggplant	25 g	4.5 kg	1.9 kg	4	
Herbs	5 g	0.9 kg	0.4 kg	1	
Chilli	3 g	0.5 kg	0.2 kg	1	
All vegetables	**503 g**	**89.8 kg**	**38.5 kg**	**56 of 60**	

Grams on the plate are assumed until the cook writes the menu. Eggs come from the hens; events buy what the field can’t give.

Ibihembwe by'ihinga

Igihembwe	Amezi	Ibyo umurima ukora
A	Nzeri kugeza Gashyantare	Kurera ingemwe (seedlings) mu gihe cy'ibyumweru 3 kugeza 8, kuzimura (transplant) igihe imvura itangiye, kuhira hakoreshejwe ibitonyanga igihe imvura ihagaze muri Mutarama na Gashyantare
B	Werurwe kugeza Kamena	Kwimura ingemwe muri Gashyantare no muri Werurwe, uturima tuzamuye kubera imvura ya Mata, kongera kuhira hakoreshejwe ibitonyanga guhera mu mpera za Gicurasi
C	Nyakanga kugeza Nzeri	Kuhira hakoreshejwe ibitonyanga gusa: buri munsi hayoyoka hafi mm 4 kugeza 5 z'amazi; gutera gusa ibyo amazi yemejwe n'igerageza ashobora kuhira

Ibihembwe [V LOC-53]; imvura n'amazi ayoyoka i Gashora [E LOC-34, LOC-54]; igihe ingemwe zimara mu buhumbikiro [V CRP-68].

Ibihingwa

Igihingwa	Intera yo gutera (cm)	Isarura rya mbere	Umusaruro	Ibyo kwitondera
Inyanya (tomato)	100 × 50	iminsi 60 kugeza 90 nyuma yo kwimura ingemwe	hafi 8 t/ha ku rwego rw'igihugu [V CRP-17]	Tuta absoluta (ikinyugunyugu gito, inyo zacyo zicukura amababi n'inyanya), late blight (indwara yumisha amababi n'inyanya vuba), bacterial wilt (indwara ya bagiteri ituma igihingwa kiraba)
Igitunguru (onion)	20 × 10	iminsi 90 kugeza 150	kugeza kuri 60 t/ha (uko abacuruza ubwo bwoko babivuga)	thrips (udusimba duto cyane twonona amababi), downy mildew (uruhumbu munsi y'amababi)
Ishu (cabbage)	60 × 50 kugeza 60	iminsi 60 kugeza 105	25 kugeza 30 t/ha	diamondback moth (ikinyugunyugu gito, inyo zacyo zirya amababi), black rot (indwara ya bagiteri yirabuza amababi)
Karoti (carrot)	imirongo 20, hanyuma ugakuramo izirenze hagasigara 5 kugeza 8	iminsi 75 kugeza 110 nyuma yo kubiba	20 kugeza 30 t/ha	carrot fly (isazi, inyo zayo zicukura karoti), leaf blight (indwara itera amabara yumisha amababi)
Puwavuro (sweet pepper)	60 × 40 kugeza 45	iminsi 70 kugeza 90	hafi 40 t/ha mu murima usanzwe (open field)	whitefly (udusimba duto tw'umweru tuguruka), thrips, bacterial wilt
Intoryi (eggplant)	75 × 50	iminsi 75 kugeza 110	kg 10 kugeza 12 ku murongo wa m 10 [CRP-70]	fruit borer (inyo yinjira mu ntoryi), bacterial wilt

Igihingwa	Intera yo gutera (cm)	Isarura rya mbere	Umusaruro	Ibyo kwitondera
Dodo (amaranth)	40 × 30	iminsi 25 kugeza 30 nyuma yo kubiba, hanyuma buri cyumweru	kugeza kuri 10 t/ha z'amababi [CRP-71]	aphids (udusimba duto tunyunyuza ibimera)
Sukuma (kale)	60 × 40 kugeza 60	iminsi 42 nyuma yo kwimura ingemwe	hafi 15 t/acre [CRP-69]	diamondback moth, black rot
Imiteja (French beans)	30 × 15	iminsi 42 kugeza 56 nyuma yo kubiba	ubwoko bugufi (bush) 5 kugeza 6 t/ha	bean fly (isazi ntoya, inyo zayo zangiza uruti), rust (ingese ku mababi)
Concombre (cucumber)	100 × 50	iminsi 60	kg 8 kugeza 10 ku murongo wa m 10 [CRP-70]	aphids, downy mildew
Epinari na bette (spinach and chard)	45 kugeza 60 × 20 kugeza 25	iminsi 60 kugeza 90	ibimera 40 kugeza 50 ku murongo wa m 10 [CRP-70]	leaf miners (inyo nto zicukura imbere mu mababi)
Ibirungo (herbs)	persil (parsley) 40 × 15, coriandre (coriander) imirongo 15	coriandre iminsi 28, persil 100	uturima duto hafi y'igikoni gikuru	

Intera, igihe, umusaruro, ibyonnyi n'indwara biva mu gitabo cy'imboga cya RAB [V CRP-68], keretse aho handitswe ukundi.

Mbere yo gutangira

1. **Pima ubutaka.** Fata ingero z'ubutaka (samples) ahantu 10 hatandukanye mu gice cyose, uzivange, maze uzohereze muri laboratwari y'ubutaka ya RAB: pH (ubusharire), organic carbon, azote (nitrogen), fosifore (phosphorus), imiterere y'ubutaka (texture) [V CRP-72].

2. **Pima amazi.** Pima amazi borehole (iriba ricukuwe) itanga mu gihe cy'amasaha 6, kandi usuzumishe urugero rw'amazi; uturima twa mbere dukenera kugeza kuri 3.6 m^3 ku munsi mu mezi y'izuba [E].

Inyongeramusaruro no kugurisha

- **Abatanga ibikoresho (suppliers)** (ntibaravugishwa; kuba bari ku rutonde ntibivuga ko bafite ibicuruzwa mu bubiko): Holland Greentech ku mbuto n'ibikoresho byo kuhira hakoreshejwe ibitonyanga, Davis & Shirtliff kuri pompe, n'abacuruza inyongeramusaruro b'i Bugesera bari ku rutonde rwa RICA [V CRP-74].
- **Ifumbire** y'imboga ihabwa nkunganire (subsidy) binyuze kuri *774#, ukoresheje indangamuntu (ID) na UPI y'ubutaka; imbuto zo ntizihabwa nkunganire [V CRP-73].
- **Ibiciro i Bugesera** (igiciro ku murima / igiciro cyo kudandaza, RWF kuri kg, Nyakanga kugeza Ukwakira 2026): inyanya 350 / 700, igitunguru 475 / 750, ishu 164 / 350, karoti 550 / 1,000, puwavuro 850 / 1,500, imiteja 550 / 900, dodo 220 / 400 [V MKT-60]. I Kigali bagura ku giciro kiri hejuru: gurisha ibisagutse i Kigali cyangwa ku bashyitsi b'ikigo (compound).

Intambwe

1. **Zitira igice cy'imboga** kugira ngo inyamaswa zitinjiramo, kandi usige irembo rimwe ku nzira y'ubusitani (garden walk) ijya ku gikoni gikuru.
2. **Shyira ibimenyetso aho uturima tuzaba:** uturima twa m 1.2, inzira za m 0.5, inzira za m 1 hagati y'amatsinda y'uturima 10; uturima dutambikwa ku buhaname bw'ubutaka (across the slope).
3. **Kora uturima 60:** cukura, uvangemo ifumbire y'imborera (compost) cyangwa iy'amatungo (manure), hafi kg 250 kuri 100 m^2 ku nyanya (tomatoes) [V CRP-68], hanyuma utuzamure cm 20.
4. **Shyiraho amatiyo y'ibitonyanga:** itiyo nkuru (header pipe) iva ku kigega cy'amazi, akayunguruzo (filter), n'amatiyo abiri y'ibitonyanga kuri buri karima; fungura amazi mu gihe cy'isaha imwe, ugenzure buri kenge gatonyanga (emitter) (amazi).
5. **Tangiza ubuhumbikiro (nursery):** udusanduku tw'ingemwe (trays) cyangwa akarima k'ingemwe (seedbed) gatwikiriwe n'urushundura rw'igicucu (shade net), ku ngemwe za sukuma (kale), ishu (cabbage), igitunguru (onion), inyanya na puwavuro (sweet pepper).
6. **Biba imbuto mu turima, nta guhumbika:** dodo (amaranth) n'imiteja (French beans), bitanga umusaruro mu byumweru 4 kugeza 8.
7. **Shyiramo ishwagara (lime) gusa iyo ibisubizo by'igerageza bibisabye:** imboga zikenera pH 6.0 kugeza 7.0; birashoboka ko ubutaka bwo hano buri hafi ya 5.5 kugeza 6.1 [V CRP-68, E LOC-37].

A few beds of each crop go in every few weeks, so something is always ready to pick. Each family moves to another family’s beds the next season, so no bed grows the same family twice running.

Crop	Plant	Nursery	To first harvest	Picking
Tomato	2 beds every 4 weeks	5 wk	11 wk	8 wk
Potato	2 beds every 3 weeks	sown in place	13 wk	3 wk
Onion	1 bed every 2 weeks	6 wk	17 wk	2 wk
Cabbage	1 bed every 3 weeks	4 wk	12 wk	3 wk
Carrot	1 bed every 3 weeks	sown in place	13 wk	3 wk
Kale (sukuma)	1 bed every 4 weeks	4 wk	6 wk	16 wk
French beans	3 beds every 4 weeks	sown in place	7 wk	4 wk
Amaranth (dodo)	1 bed every 4 weeks	sown in place	4 wk	6 wk
Cucumber	1 bed every 4 weeks	sown in place	8 wk	5 wk
Spinach and chard	1 bed every 4 weeks	4 wk	8 wk	10 wk
Sweet pepper	1 bed every 4 weeks	6 wk	11 wk	10 wk
Eggplant	1 bed every 4 weeks	6 wk	13 wk	10 wk
Herbs	1 bed every 4 weeks	sown in place	6 wk	10 wk
Chilli	1 bed every 4 weeks	6 wk	12 wk	20 wk

Season A · September to February

Raise seedlings for 3 to 8 weeks, transplant with the rains, drip through the January–February lull.

Season B · March to June

Transplant in February and March; the raised beds carry the April rains; drip again from late May.

Season C · July to September

Drip only: plant only what the borehole's proven flow can carry.

Kuhira

1. Mu mezi y'izuba ryinshi, buri m² y'akarima ikenera litiro 4.1 kugeza 5.3 ku munsi: 2.8 kugeza 3.6 m³ ku munsi ku turima twa mbere [E CRP-75, LOC-54].
2. Ayo mazi arenze kure ayo ibisenge bishobora gufata, bityo borehole cyangwa umuyoboro rusange (mains) ni byo bitunga umurima; mu gihembwe C, tera gusa ibyo amazi yemejwe n'igerageza ashobora kuhira.
3. Uhire mu museke cyangwa nimugoroba, ntuzigere uhira saa sita z'amanywa; sasira uturima ibyatsi byumye (mulch) kugira ngo amazi agume mu butaka.
4. Kuhira ubuso buri munsi ya ha 1 ntibisaba uruhushya rw'Ikigo gishinzwe umutungo kamere w'amazi (Water Resources Board) [V LOC-08].

Kurwanya ibyonnyi

1. Simburanya ibihingwa (rotation): ntuzigere utera umuryango umwe w'ibihingwa (inyanya, puwavuro n'intoryi; ishu na sukuma; imiteja n'ibindi bishyimbo) mu karima kamwe ibihembwe bibiri bikurikiranye.
2. Zenguruka uturima kabiri mu cyumweru; randura kandi utwike igihingwa cyose kiraba mu buryo butunguranye (bacterial wilt).
3. Manika imitego ikoresha impumuro (pheromone traps) ya Tuta absoluta mu turima tw'inyanya.
4. Tera umuti gusa uwo umujyanama w'ucuruza inyongeramusaruro (agro-dealer) akubwiye ku cyonnyi wabonye, kandi wandike buri muti uteye.

Ingingo zo guhagarara ukagenzura (hold points)

1. **Igerageza mbere y'uturima.** Nta shwagara cyangwa ifumbire bishyirwa mu butaka mbere y'uko ibisubizo by'igerageza ry'ubutaka bigaruka.
2. **Igihembwe C ku mazi yemejwe.** Nta kintu giterwa mu gihe cy'izuba kirenze icyo igerageza rya borehole ryemeje ko ishobora kuhira.
3. **Buri muti uteye urandikwa.** Uwo umujyanama yavuze ku cyonnyi cyabonetse gusa, kandi ukandikwa.

Ibigaragaza ko byarangiye

1. Ibisubizo by'igerageza ry'ubutaka n'iry'amazi byagarutse, kandi uturima twashyizwemo ishwagara n'ifumbire nk'uko ibyo bisubizo bibisaba.
2. Uturima 60 twatewe, amatiyo y'ibitonyanga arakora, kandi buri kenge gatonyanga gatanga amazi.

3. Igikoni gikuru gihabwa urutonde rw'ibyasaruwe buri gitondo, kandi buri kilo gisaruwe mu murima kirandikwa.

Ibibazo bitarasubizwa

1. Borehole itanga amazi angana iki kuva muri Kamena kugeza muri Kanama, kandi ayo mazi akwiriye gukoreshwa mu kuhira?
2. Ni nde uzakora mu murima buri munsi: umuhinzi umwe, cyangwa babiri?
3. Ni abahe baguzi b'i Kigali bazagura ibisagutse, kandi ku kihe giciro?
4. Uruhushya rwo kuhira? Ubuso buri munsi ya ha 1 ntibusaba uruhushya [V LOC-08], nyamara igishushanyo cy'imyaka itanu cy'inyigo gishyira kuhira hakoreshejwe ibitonyanga nyuma y'uruhushya [LOC-04]: ni ikihe gikurikizwa?