
COMPENDIUM · EDITION 1.0

Remedia

Traditional & Herbal Remedies

FROM FIVE LIVING TRADITIONS

●
India
भारत

●
Peru & Andes
Ande

●
China
中药

●
Japan
漢方

●
Global
Mundus

580

REMEDIES

5

TRADITIONS

250

SAFETY ENTRIES

A cross-referenced reference work gathering the materia medica of Ayurveda, Andean & Iberian folk medicine, Traditional Chinese Medicine, Japanese Kampo, and the wider global herbal canon — with preparation recipes, structured safety flags, and modern pharmacological citations.

REMEDIA · EDITORIAL

Compiled May 04, 2026

Safety Disclaimer

This is educational material. It is not medical advice.

Traditional remedies and herbs can interact with prescription medications and have real contraindications — particularly in pregnancy, breastfeeding, paediatric use, chronic disease, and the perioperative period. Before acting on anything in this compendium:

- Confirm correct botanical identification by Latin binomial. Common names collide across regions; several plants listed here share vernacular names with unrelated and potentially toxic species.
- Start at the lowest typical dose. Observe for 24–72 hours. Discontinue at the first sign of allergy, rash, gastrointestinal upset, jaundice, dark urine, palpitations, or breathing difficulty.
- Avoid long-term high-dose use of any single herb without supervision. “Natural” is not a synonym for “safe” and is not a synonym for “benign at any dose.”
- Check the legal status of each herb in your jurisdiction. Several entries (e.g. coca leaf, ephedra, kava, kratom, areca) are regulated or prohibited in some countries.
- Consult a licensed practitioner — MD, pharmacist, registered herbalist, Ayurvedic doctor, TCM practitioner, or Kampo physician — before combining herbs with any medication or before use during pregnancy, breastfeeding, or for children.

The authors and publishers accept no liability for outcomes resulting from use of this material. By continuing to read you acknowledge that the content is for study and reference only.

Preparation & Measurement

Recipes throughout this compendium use the shorthand below. Where an entry gives only a preparation type (e.g. "infusion", "decoction", "tincture") the standard dose here applies unless the entry states otherwise.

Infusion (tea)	Leaves, flowers, soft aerals. 1 tbsp dried (≈ 3 g) per 240 ml just-off-the-boil water. Cover. Steep 8–10 min. Strain. 1–3 cups/day.
Decoction	Roots, bark, seeds, tough material. 1 tsp dried (≈ 3–5 g) per 240 ml cold water. Simmer covered 15–30 min. Strain. 1–2 cups/day. TCM formulas often double-boil 45–90 min.
Cold infusion	Mucilaginous or aromatic herbs (marshmallow, lemon balm). 1 tbsp per 250 ml cold water, 4–8 hr. Strain.
Powder (churna / fine powder)	¼–½ tsp (≈ 1–3 g) in warm water, milk, ghee, or honey, 1–3× daily. Start at the lower end.
Tincture (1:5 in 40 % alcohol)	2–4 ml (≈ 40–80 drops), 2–3× daily , diluted in a little water. Acute doses up to every 2 hours short-term.
Glycerite	Alcohol-free tincture for children or sensitive users. 2.5–5 ml, 2–3× daily .
Capsules / tablets	Follow label. Typical range 300–1000 mg of dried herb per capsule , 1–3× daily with food.
Kampo / TCM granule sachets	One sachet (typically 2.5–3 g) 2–3× daily before meals, dissolved in warm water, unless a doctor directs otherwise.
Syrup / honey preparation	1 tsp (5 ml), 1–3× daily . Refrigerate and use within 4–6 weeks.
Essential oil	Topical: 1–3 drops per 5 ml carrier (2–6 % dilution for adults). Do not ingest without professional guidance. Skin-test first.
Poultice / compress	Fresh or rehydrated herb, crushed, applied to clean skin 15–30 min. Repeat 1–3× daily.
Food-as-medicine	Culinary quantities. "Add to soup / grate over rice" means a normal kitchen amount (≈ 5–15 g fresh, 1–3 g dried per serving). Therapeutic effect is cumulative and mild.

Unit quick reference. 1 tsp ≈ 5 ml ≈ 3–5 g dried herb (varies by density — ginger powder is denser than chamomile). 1 tbsp ≈ 15 ml ≈ 10–15 g dried herb. 1 cup ≈ 240 ml. 1 fluid oz ≈ 30 ml. Drops per ml varies by dropper; 20 drops ≈ 1 ml is a safe default.

Always start at the lowest dose in the range. Children, elderly, pregnant or breastfeeding individuals, and those on medication should reduce by half or consult a practitioner first.

Contents

Traditional & Herbal Remedies — 500+ Entry Reference	8
How each entry is structured	8
Safety disclaimer	8
Requested follow-ups (addressed in appendix file)	8
Building the PDF	8
Preparation glossary	9
50 Chinese (TCM) Herbal Remedies	10
1. Ginseng / Ren Shen 人参 (<i>Panax ginseng</i>)	10
2. Astragalus / Huang Qi 黄芪 (<i>Astragalus membranaceus</i>)	10
3. Goji / Gou Qi Zi 枸杞子 (<i>Lycium barbarum</i>)	11
4. Fresh ginger / Sheng Jiang 生姜	11
5. Licorice / Gan Cao 甘草 (<i>Glycyrrhiza uralensis</i>)	11
6. White peony / Bai Shao 白芍 (<i>Paeonia lactiflora</i>)	11
7. Dang Gui 当归 (<i>Angelica sinensis</i>)	11
8. Reishi / Ling Zhi 灵芝 (<i>Ganoderma lucidum</i>)	12
9. Chrysanthemum / Ju Hua 菊花 (<i>Chrysanthemum morifolium</i>)	12
10. Hawthorn / Shan Zha 山楂 (<i>Crataegus pinnatifida</i>)	12
11. Dang Shen 党参 (<i>Codonopsis pilosula</i>)	12
12. He Shou Wu 何首乌 (<i>Polygonum multiflorum</i>) — prepared only	12
13. Bai Zhu 白术 (<i>Atractylodes macrocephala</i>)	12
14. Fu Ling 茯苓 (<i>Poria cocos</i>)	13
15. Chen Pi 陈皮 (aged tangerine peel)	13
16. Ban Xia 半夏 (<i>Pinellia ternata</i>) — processed	13
17. Jin Yin Hua 金银花 (<i>Lonicera japonica</i> , honeysuckle)	13
18. Lian Qiao 连翘 (<i>Forsythia suspensa</i>)	13
19. Ban Lan Gen 板蓝根 (<i>Isatis</i>)	13
20. Huang Lian 黄连 (<i>Coptis chinensis</i>)	13
21. Huang Qin 黄芩 (<i>Scutellaria baicalensis</i>)	14
22. Huang Bai 黄柏 (<i>Phellodendron amurense</i>)	14
23. Bo He 薄荷 (Chinese mint, <i>Mentha haplocalyx</i>)	14
24. Ju Hong / Hong Pao 红茶 — pu-erh tea (<i>Camellia sinensis</i>)	14
25. Dried longan / Long Yan Rou 龙眼肉	14
26. Hong Zao / Red dates 红枣 (<i>Ziziphus jujuba</i>)	14
27. Suan Zao Ren 酸枣仁 (sour jujube seed)	15
28. Yuan Zhi 远志 (<i>Polygala</i>)	15
29. Bai He 百合 (lily bulb)	15
30. Sha Shen 沙参 (<i>Glehnia</i> / <i>Adenophora</i>)	15
31. Mai Men Dong 麦门冬 (<i>Ophiopogon</i>)	15
32. Shan Yao 山药 (Chinese yam, <i>Dioscorea opposita</i>)	15
33. Yi Yi Ren 薏苡仁 (Job's tears / Coix)	15
34. Chi Xiao Dou 赤小豆 (adzuki)	15
35. Lian Zi 莲子 (lotus seed)	16
36. Bai Mu Er 白木耳 (white fungus / tremella)	16
37. Hei Mu Er 黑木耳 (black wood ear)	16
38. Gui Zhi 桂枝 (cinnamon twig)	16
39. Rou Gui 肉桂 (cinnamon bark)	16

40. Da Huang 大黄 (rhubarb root)	16
41. Ma Huang 麻黄 (<i>Ephedra</i>)	17
42. Xing Ren 杏仁 (bitter apricot kernel) — <i>processed</i>	17
43. Pi Pa Ye 枇杷叶 (loquat leaf)	17
44. San Qi / Tian Qi 三七 (<i>Panax notoginseng</i>)	17
45. Du Zhong 杜仲 (<i>Eucommia ulmoides</i>)	17
46. Nu Zhen Zi 女贞子 (<i>Ligustrum lucidum</i>)	17
47. Gou Teng 钩藤 (<i>Uncaria rhynchophylla</i>)	17
48. Tian Ma 天麻 (<i>Gastrodia elata</i>)	18
49. Cordyceps / Dong Chong Xia Cao 冬虫夏草	18
50. Yunnan Baiyao 云南白药 (proprietary powder)	18
Extended Reference — China	19
51. Huang Qi (Astragalus) (<i>Astragalus membranaceus</i>)	19
52. Dang Gui (<i>Angelica sinensis</i>)	19
53. Goji (Gou Qi Zi) (<i>Lycium barbarum</i>)	19
54. Chinese Yam (Shan Yao) (<i>Dioscorea opposita</i>)	19
55. Lily Bulb (Bai He) (<i>Lilium lancifolium</i>)	19
56. Jujube (Da Zao) (<i>Ziziphus jujuba</i>)	20
57. Schisandra (Wu Wei Zi) (<i>Schisandra chinensis</i>)	20
58. Eleuthero (<i>Eleutherococcus senticosus</i>)	20
59. Licorice (Gan Cao) (<i>Glycyrrhiza uralensis</i>)	20
60. Ginger (Sheng Jiang) (<i>Zingiber officinale</i>)	20
61. Cinnamon Twig (Gui Zhi) (<i>Cinnamomum cassia</i>)	21
62. Cinnamon Bark (Rou Gui) (<i>Cinnamomum cassia</i>)	21
63. White Peony (Bai Shao) (<i>Paeonia lactiflora</i>)	21
64. Red Peony (Chi Shao) (<i>Paeonia rubra</i>)	21
65. Rehmannia Raw (Sheng Di Huang) (<i>Rehmannia glutinosa</i>)	21
66. Rehmannia Prepared (Shu Di Huang) (<i>Rehmannia glutinosa (processed)</i>)	21
67. Cornus Fruit (Shan Zhu Yu) (<i>Cornus officinalis</i>)	22
68. Poria (Fu Ling) (<i>Wolfiporia cocos</i>)	22
69. Atractylodes White (Bai Zhu) (<i>Atractylodes macrocephala</i>)	22
70. Codonopsis (Dang Shen) (<i>Codonopsis pilosula</i>)	22
71. American Ginseng (Xi Yang Shen) (<i>Panax quinquefolius</i>)	22
72. Ren Shen (Asian Ginseng) (<i>Panax ginseng</i>)	22
73. San Qi (Notoginseng) (<i>Panax notoginseng</i>)	22
74. Salvia Root (Dan Shen) (<i>Salvia miltiorrhiza</i>)	23
75. Chuan Xiong (<i>Ligusticum chuanxiong</i>)	23
76. Safflower (Hong Hua) (<i>Carthamus tinctorius</i>)	23
77. Peach Seed (Tao Ren) (<i>Prunus persica</i>)	23
78. Mulberry Leaf (Sang Ye) (<i>Morus alba</i>)	23
79. Chrysanthemum (Ju Hua) (<i>Chrysanthemum morifolium</i>)	23
80. Honeysuckle (Jin Yin Hua) (<i>Lonicera japonica</i>)	23
81. Forsythia (Lian Qiao) (<i>Forsythia suspensa</i>)	24
82. Ban Lan Gen (<i>Isatis indigotica root</i>)	24
83. Da Qing Ye (<i>Isatis indigotica leaf</i>)	24
84. Huang Lian (<i>Coptis chinensis</i>)	24
85. Huang Qin (<i>Scutellaria baicalensis</i>)	24
86. Huang Bai (<i>Phellodendron chinense</i>)	24
87. Xuan Shen (<i>Scrophularia ningpoensis</i>)	24
88. Mai Men Dong (<i>Ophiopogon japonicus</i>)	25
89. Sha Shen (<i>Adenophora or Glehnia</i>)	25

90. Tian Men Dong (<i>Asparagus cochinchinensis</i>)	25
91. Yu Zhu (<i>Polygonatum odoratum</i>)	25
92. Huang Jing (<i>Polygonatum sibiricum</i>)	25
93. He Shou Wu (<i>Polygonum multiflorum</i>)	25
94. Du Zhong (<i>Eucommia ulmoides</i>)	25
95. Xu Duan (<i>Dipsacus asper</i>)	26
96. Dang Shen (<i>Codonopsis pilosula</i>)	26
97. Chen Pi (Aged Tangerine Peel) (<i>Citrus reticulata</i>)	26
98. Zhi Shi (<i>Citrus aurantium (immature)</i>)	26
99. Magnolia Bark (Hou Po) (<i>Magnolia officinalis</i>)	26
100. Pinellia (Ban Xia) (<i>Pinellia ternata</i>)	26
101. Platycodon (Jie Geng) (<i>Platycodon grandiflorus</i>)	26
102. Bei Mu (Fritillaria) (<i>Fritillaria cirrhosa / thunbergii</i>)	27
103. Bitter Apricot (Xing Ren) (<i>Prunus armeniaca</i>)	27
104. Loquat Leaf (Pi Pa Ye) (<i>Eriobotrya japonica</i>)	27
105. Ma Huang (<i>Ephedra sinica</i>)	27
106. Zi Su Ye (Perilla) (<i>Perilla frutescens</i>)	27
107. Bo He (Field Mint) (<i>Mentha haplocalyx</i>)	27
108. Bai Zhi (<i>Angelica dahurica</i>)	27
109. Ge Gen (Kudzu) (<i>Pueraria lobata</i>)	28
110. Chai Hu (<i>Bupleurum chinense</i>)	28
111. Bai Guo (Ginkgo) (<i>Ginkgo biloba seed</i>)	28
112. Mu Xiang (<i>Aucklandia lappa</i>)	28
113. Yi Yi Ren (Job's Tears) (<i>Coix lacryma-jobi</i>)	28
114. Mung Bean (Lu Dou) (<i>Vigna radiata</i>)	28
115. Lotus Seed (Lian Zi) (<i>Nelumbo nucifera</i>)	28
116. Reishi (Ling Zhi) (<i>Ganoderma lucidum</i>)	29
117. Cordyceps (Dong Chong Xia Cao) (<i>Cordyceps sinensis / militaris</i>)	29
118. Turkey Tail (Yun Zhi) (<i>Trametes versicolor</i>)	29
119. Lion's Mane (Hou Tou Gu) (<i>Hericium erinaceus</i>)	29
120. Maitake (<i>Grifella frondosa</i>)	29
121. Shiitake (<i>Lentinula edodes</i>)	29
122. Gui Ban (Tortoise Plastron) (<i>Chinemys reevesii</i>)	30
123. Wu Ling San (Classical 5-herb formula)	30
124. Si Jun Zi Tang (Four-Gentlemen decoction)	30
125. Liu Wei Di Huang Wan (Six-Flavor Rehmannia pill)	30
126. Xiao Yao San (Rambling Powder)	30
127. Gui Pi Tang (Restore Spleen decoction)	30
128. Yin Qiao San (Honeysuckle-Forsythia Powder)	30
129. Yunnan Baiyao (Traditional bleeding formula)	31
Cross-Cultural Symptom Index	32
Respiratory — cough, bronchitis, sore throat	32
Cold, flu, fever	32
Sleep & insomnia	32
Anxiety & stress	32
Depression, low mood	33
Memory & cognition	33
Digestion / bloating / gas	33
Constipation	33
Diarrhea	33
Acid reflux / gastritis / ulcers	33

Nausea & motion sickness	34
Liver support / detox	34
Kidney / urinary / stones	34
Menstrual pain & PMS	34
Menopause	34
Male vitality / fertility	34
Joint pain, arthritis	35
Skin — eczema, acne, psoriasis	35
Wound healing	35
Headache & migraine	35
Blood pressure	35
Cholesterol	35
Blood sugar / diabetes support	36
Immunity (general, chronic)	36
Fatigue / adrenal	36
Eyes / vision	36
Hair loss, graying	36
Oral / dental	36
Ear	37
Antiparasitic	37
Weight management (supportive)	37
Pregnancy quick reference	38
Avoid in pregnancy	38
Use only with caution	38
Symptom cross-reference	39
Blood Sugar	39
Cough & Respiratory	39
Digestion	39
Heart & BP	39
Immunity & Fatigue	40
Joints & Pain	40
Liver & Detox	40
Skin	40
Sleep & Anxiety	40
Latin binomial index	41
Colophon	45

Traditional & Herbal Remedies — 500+ Entry Reference

A structured reference of 500+ traditional/ancient herbal remedies across five regions. The compendium is sourced from two layers:

1. **Curated markdown** (250 foundational entries, 50 per region) — the original hand-authored corpus.
2. **Extended JSON datasets** (site/data/extended/*.json, ~330 additional entries) — the structured data that also powers the Remedia site's /encyclopedia. These are merged into the master PDF so the book and the site stay in sync.

Regions:

- 01_Indian_Ayurvedic.md + ayurveda.json — India / Ayurveda
- 02_Peruvian_Andean_Spanish.md + andean.json — Peru, Andes, Amazon, Spanish folk
- 03_Chinese_TCM.md + tcm.json — China / Traditional Chinese Medicine
- 04_Japanese_Kampo.md + kampo.json — Japan / Kampo & folk
- 05_Other_Global.md + global.json — Europe, Africa, Middle East, Americas, Pacific, SE Asia

How each entry is structured

- **Benefit** — traditional use(s) and, where relevant, modern evidence direction.
- **Preparation / Recipe** — typical home preparation (decoction, infusion, powder, tincture, topical).
- **Local Sourcing** — where the plant/product is typically bought in its country of origin.

Safety disclaimer

This is educational material, not medical advice. Herbs can interact with medications and have contraindications in pregnancy, breastfeeding, pediatric use, or with chronic disease. Always:

1. Verify correct botanical identification (Latin binomial).
2. Start with low doses, watch for allergy.
3. Avoid long-term high-dose use without supervision.
4. Check legality in your jurisdiction (e.g., coca leaf, ephedra, kava, kratom).
5. Consult a licensed herbalist, Ayurvedic doctor, TCM practitioner, Kampo doctor, or MD.

Requested follow-ups (addressed in appendix file)

- A1_Triphala_Home_Recipe.md — detailed home Triphala preparation.
- A2_Ashwagandha_Safety.md — safety, side effects, and interactions.

Building the PDF

The canonical compendium PDF is produced by:

Master compendium – all regions, includes extended JSON (~500+ entries)

```
pwsh ./_build_pdf_typst.ps1
```

Single-region PDF – ships only one tradition

```
pwsh ./_build_pdf_typst.ps1 -Region India
```

```
pwsh ./_build_pdf_typst.ps1 -Region Peru
```

```
pwsh ./_build_pdf_typst.ps1 -Region China
```

```
pwsh ./_build_pdf_typst.ps1 -Region Japan
```

```
pwsh ./_build_pdf_typst.ps1 -Region Global
```

Markdown-only (fast, 250 entries, no JSON merge)

```
pwsh ./_build_pdf_typst.ps1 -NoExtended
```

Build master + every regional variant

```
pwsh ./_build_pdf_typst.ps1 -All
```

Outputs:

- Traditional_Herbal_Remedies_Compendium.pdf — master (all regions)
- Traditional_Herbal_Remedies_India.pdf / _Peru.pdf / _China.pdf / _Japan.pdf / _Global.pdf — per-region editions

All variants share the same pipeline: [Typst](#) via pandoc and `_pdf_template.typ` to produce a cover page, safety disclaimer, TOC with running headers, regional chapters with per-entry safety badges + modern-sources citations, a cross-referenced **Latin binomial index** (A–Z), a **symptom cross-reference**, a **pregnancy quick-reference**, and a colophon with dynamic entry counts.

`_build_pdf.ps1` (Edge-headless) is kept only as a fallback if Typst is not installed.

Preparation glossary

- **Decoction** — simmer hard plant parts (root, bark, berries) 15–30 min covered.
- **Infusion / Tea** — pour hot water on leaves/flowers, steep 5–10 min covered.
- **Tincture** — 1 part dried herb : 5 parts 40–60% alcohol, macerate 2–6 weeks, strain.
- **Poultice** — crushed fresh herb applied to skin, covered with cloth.
- **Oil infusion** — dried herb in olive/coconut oil, warm 2–4 hours double-boiler or 2–6 weeks sun.
- **Syrup** — strong decoction + equal weight honey/sugar, refrigerate.

CHAPTER

50 Chinese (TCM) Herbal Remedies

The superior physician treats what is not yet ill.

Fifty materia medica entries from Traditional Chinese Medicine. Classical pinyin names precede modern botanical identifications where given in the source. Formulas follow the Shang Han Lun and Wen Bing conventions.

Sourcing hubs: **Beijing Tongrentang** (同仁堂) branches nationwide, **Anguo herbal market (Hebei)**, **Bozhou herb market (Anhui)** — the largest in China, **Lei Yun Shang (Shanghai)**, local *zhongyao* pharmacies, hospital TCM dispensaries. Overseas: Chinatowns worldwide. Pinyin (and characters) given for accurate shop requests.

Caution: TCM herbs are typically prescribed in formulas by a trained TCM doctor based on syndrome differentiation. Self-use should be short-term, low-dose, and avoid contraindications (pregnancy, medication interactions).

1. Ginseng / Ren Shen 人參 (*Panax ginseng*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 5 drug interactions documented — see monograph.

- **Benefit:** Qi tonic — fatigue, shock, lung/spleen qi.
- **Recipe:** 3–5 g sliced root, double-boiled 1–2 hr; or chew single slice.
- **Sourcing:** Jilin Changbai mountain; Tongrentang.

Modern sources: [NCCIH — Asian Ginseng](#) · [WHO — WHO monograph — Radix Ginseng](#) · [PubMed — Ginseng for cognition: Cochrane review \(2010\)](#)

2. Astragalus / Huang Qi 黄芪 (*Astragalus membranaceus*)

Safety Pregnancy: **caution**. Lactation: **insufficient data**. 4 drug interactions documented — see monograph.

- **Benefit:** Immune, wei qi, chronic fatigue, wound healing.
- **Recipe:** 10–15 g slices simmered 30 min; add to chicken soup.
- **Sourcing:** Gansu, Inner Mongolia; all TCM pharmacies.

Modern sources: [NCCIH — Astragalus](#) · [PubMed — Astragalus membranaceus: pharmacology and clinical review \(2014\)](#)

3. Goji / Gou Qi Zi 枸杞子 (*Lycium barbarum*)

Safety Pregnancy: **AVOID**. Lactation: **insufficient data**. 3 drug interactions documented — see monograph.

- **Benefit:** Liver-kidney yin, eyes, blood.
- **Recipe:** 15–20 berries in hot water or in congee.
- **Sourcing:** Ningxia is premium; supermarkets.

Modern sources: [PubMed — Lycium barbarum: pharmacological effects review \(2015\)](#)

4. Fresh ginger / Sheng Jiang 生姜

- **Benefit:** Warms stomach, wind-cold, nausea.
- **Recipe:** 3 slices + brown sugar + hong zao, simmered 10 min.
- **Sourcing:** Any market.

5. Licorice / Gan Cao 甘草 (*Glycyrrhiza uralensis*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 5 drug interactions documented — see monograph.

- **Benefit:** Harmonizes formulas, soothes throat, spleen qi.
- **Recipe:** 3–6 g sliced in formulas; short cures only.
- **Sourcing:** TCM pharmacies.

Modern sources: [NCCIH — Licorice Root](#) · [PubMed — Glycyrrhizin-induced pseudoaldosteronism: review \(2019\)](#)

6. White peony / Bai Shao 白芍 (*Paeonia lactiflora*)

- **Benefit:** Blood tonic, cramps, liver.
- **Recipe:** 9–15 g in formulas (e.g., Si Wu Tang).
- **Sourcing:** TCM pharmacies.

7. Dang Gui 当归 (*Angelica sinensis*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 3 drug interactions documented — see monograph.

- **Benefit:** Blood tonic, menstruation, circulation.

- **Recipe:** 6–12 g in soups with chicken and huang qi.
- **Sourcing:** Gansu Min Xian is premium.

Modern sources: [PubMed](#) — *Angelica sinensis: pharmacological and clinical review (2013)*

8. Reishi / Ling Zhi 灵芝 (*Ganoderma lucidum*)

Safety Pregnancy: **insufficient data**. Lactation: **insufficient data**. 3 drug interactions documented — see monograph.

- **Benefit:** Shen-calming, immune, liver.
- **Recipe:** 5–10 g dried slices simmered 1 hr.
- **Sourcing:** TCM pharmacies; mushroom shops.

Modern sources: [PubMed](#) — *Ganoderma lucidum (Reishi) for cancer treatment: Cochrane review (2016)* · [Examine](#) — *Reishi evidence summary*

9. Chrysanthemum / Ju Hua 菊花 (*Chrysanthemum morifolium*)

- **Benefit:** Cools liver heat, eyes, headache.
- **Recipe:** 5–10 flowers in hot water 5 min, often + goji.
- **Sourcing:** Hangzhou (bai ju) famous; supermarkets.

10. Hawthorn / Shan Zha 山楂 (*Crataegus pinnatifida*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 4 drug interactions documented — see monograph.

- **Benefit:** Digests meat/fat, circulation, cholesterol.
- **Recipe:** 10 g simmered 15 min after heavy meals.
- **Sourcing:** Markets; candied on sticks *tanghulu*.

Modern sources: [NCCIH](#) — *Hawthorn* · [Cochrane](#) — *Hawthorn extract for treating chronic heart failure (2008)*

11. Dang Shen 党参 (*Codonopsis pilosula*)

- **Benefit:** Gentle qi tonic, mild ginseng substitute.
- **Recipe:** 9–15 g in soups.
- **Sourcing:** TCM pharmacies.

12. He Shou Wu 何首乌 (*Polygonum multiflorum*) — prepared only

- **Benefit:** Hair, liver-kidney yin, graying.
- **Recipe:** Use *zhi he shou wu* (prepared), 6–12 g in decoction.
- **Sourcing:** TCM pharmacies; raw form can be hepatotoxic.

13. Bai Zhu 白术 (*Atractylodes macrocephala*)

- **Benefit:** Spleen qi, damp, bloating.
- **Recipe:** 6–12 g in Si Jun Zi Tang.
- **Sourcing:** TCM pharmacies.

14. Fu Ling 茯苓 (*Poria cocos*)

- **Benefit:** Drains damp, calms shen, mild diuretic.
- **Recipe:** 9–15 g in soups/formulas.
- **Sourcing:** Yunnan premium; TCM pharmacies.

15. Chen Pi 陈皮 (aged tangerine peel)

- **Benefit:** Moves qi, phlegm, digestion.
- **Recipe:** 3–9 g aged peel in tea/soup.
- **Sourcing:** Xinhui Guangdong famous.

16. Ban Xia 半夏 (*Pinellia ternata*) — processed

- **Benefit:** Phlegm, nausea.
- **Recipe:** Only processed 3–9 g in formulas (raw is toxic).
- **Sourcing:** TCM pharmacies.

17. Jin Yin Hua 金银花 (*Lonicera japonica*, honeysuckle)

- **Benefit:** Clears heat-toxin, sore throat, early colds.
- **Recipe:** 6–15 g dried flowers as tea.
- **Sourcing:** TCM pharmacies, supermarkets.

18. Lian Qiao 连翘 (*Forsythia suspensa*)

- **Benefit:** Heat-toxin, often paired with Jin Yin Hua.
- **Recipe:** In Yin Qiao San formula. Standalone: 6–15 g dried fruit in 400 ml water, simmered 15 min; 1–2 cups/day short-term for early-stage sore throat / cold.
- **Sourcing:** TCM pharmacies.

19. Ban Lan Gen 板蓝根 (*Isatis*)

- **Benefit:** Antiviral, sore throat, flu prevention.
- **Recipe:** Granule sachets 1 sachet in hot water.
- **Sourcing:** All Chinese pharmacies.

20. Huang Lian 黄连 (*Coptis chinensis*)

- **Benefit:** Damp-heat, diarrhea, mouth ulcers.
- **Recipe:** 2–5 g in formulas; very bitter.
- **Sourcing:** TCM pharmacies.

21. Huang Qin 黄芩 (*Scutellaria baicalensis*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 3 drug interactions documented — see monograph.

- **Benefit:** Lung/upper heat, allergies.
- **Recipe:** 6–12 g in formulas.
- **Sourcing:** TCM pharmacies.

Modern sources: [PubMed](#) — *Scutellaria baicalensis: flavonoids and pharmacology review (2017)*

22. Huang Bai 黄柏 (*Phellodendron amurense*)

- **Benefit:** Lower-jiao damp-heat, UTIs.
- **Recipe:** 6–12 g in formulas.
- **Sourcing:** TCM pharmacies.

23. Bo He 薄荷 (Chinese mint, *Mentha haplocalyx*)

- **Benefit:** Wind-heat cold, headache, eyes.
- **Recipe:** 3–6 g added at end of decoction.
- **Sourcing:** Supermarkets, TCM shops.

24. Ju Hong / Hong Pao 红茶 — pu-erh tea (*Camellia sinensis*)

- **Benefit:** Digestion of fats, cholesterol.
- **Recipe:** Rinse, then steep 2–5 min multiple infusions.
- **Sourcing:** Yunnan; tea shops nationwide.

25. Dried longan / Long Yan Rou 龙眼肉

- **Benefit:** Blood & heart-spleen tonic, insomnia.
- **Recipe:** 10 g in soup with hong zao + goji.
- **Sourcing:** Markets.

26. Hong Zao / Red dates 红枣 (*Ziziphus jujuba*)

- **Benefit:** Qi-blood tonic, calms shen.
- **Recipe:** 5–10 dates in tea/soup.
- **Sourcing:** Every market; Xinjiang premium.

27. Suan Zao Ren 酸枣仁 (sour jujube seed)

- **Benefit:** Insomnia, anxiety.
- **Recipe:** 9–18 g crushed, simmered.
- **Sourcing:** TCM pharmacies.

28. Yuan Zhi 远志 (*Polygala*)

- **Benefit:** Shen-calming, memory.
- **Recipe:** 3–9 g in formulas.
- **Sourcing:** TCM pharmacies.

29. Bai He 百合 (lily bulb)

- **Benefit:** Lung yin, dry cough, anxiety.
- **Recipe:** 9–30 g in sweet soup with pear.
- **Sourcing:** Markets; Gansu Lanzhou premium.

30. Sha Shen 沙参 (*Glehnia* / *Adenophora*)

- **Benefit:** Lung/stomach yin, dry cough.
- **Recipe:** 9–15 g in soups.
- **Sourcing:** TCM pharmacies.

31. Mai Men Dong 麦门冬 (*Ophiopogon*)

- **Benefit:** Yin tonic, dry mouth, cough.
- **Recipe:** 6–12 g in tea.
- **Sourcing:** TCM pharmacies.

32. Shan Yao 山药 (Chinese yam, *Dioscorea opposita*)

- **Benefit:** Spleen-lung-kidney tonic, diabetes.
- **Recipe:** Fresh in soups; dried 15–30 g in formulas.
- **Sourcing:** Supermarkets (fresh); TCM shops (dried).

33. Yi Yi Ren 薏苡仁 (Job's tears / *Coix*)

- **Benefit:** Drains damp, skin, edema.
- **Recipe:** Soak, simmer 1 hr in congee with red beans.
- **Sourcing:** Supermarkets.

34. Chi Xiao Dou 赤小豆 (adzuki)

- **Benefit:** Damp-drain, edema.
- **Recipe:** Congee: 30 g adzuki + 30 g yi yi ren (Job's tears) + 100 g rice + 1.5 L water, simmered 1 hr. Eat warm, 1 bowl daily for damp-heat / edema.
- **Sourcing:** Supermarkets.

35. Lian Zi 蓮子 (lotus seed)

- **Benefit:** Spleen, heart, sleep.
- **Recipe:** 15 g in sweet soup or congee.
- **Sourcing:** Supermarkets.

36. Bai Mu Er 白木耳 (white fungus / tremella)

- **Benefit:** Lung yin, skin, anti-aging.
- **Recipe:** 15 g dried tremella soaked 1 hr, simmered 45 min with 6 red dates + 10 g rock sugar in 800 ml water. Serves 2. Moistens lungs and skin.
- **Sourcing:** Fujian; markets.

37. Hei Mu Er 黑木耳 (black wood ear)

- **Benefit:** Blood thinner, circulation.
- **Recipe:** 10 g dried wood ear soaked 30 min in warm water; stir-fry with vegetables, or cold salad with 1 tbsp rice vinegar + 1 tsp sesame oil. 1 serving 2–3×/week.
- **Sourcing:** Supermarkets.

38. Gui Zhi 桂枝 (cinnamon twig)

- **Benefit:** Releases exterior cold, circulation.
- **Recipe:** 3–9 g in Gui Zhi Tang decoction.
- **Sourcing:** TCM pharmacies.

39. Rou Gui 肉桂 (cinnamon bark)

- **Benefit:** Warms kidney yang, cold limbs.
- **Recipe:** 1–5 g added late in decoction.
- **Sourcing:** TCM pharmacies; Guangxi.

40. Da Huang 大黃 (rhubarb root)

- **Benefit:** Strong laxative, heat-clearing (short-term).
- **Recipe:** 3–9 g in formulas under guidance.
- **Sourcing:** TCM pharmacies.

41. Ma Huang 麻黄 (*Ephedra*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 4 drug interactions documented — see monograph.

- **Benefit:** Wind-cold with wheezing; strong.
- **Recipe:** Prescription only — 3–9 g in classical decoction (e.g., Ma Huang Tang) when dispensed by a TCM physician. Restricted / illegal in many jurisdictions. Dangerous with MAOIs, stimulants, cardiac/thyroid medication.
- **Sourcing:** TCM hospitals; restricted in many countries.

Modern sources: [FDA — FDA Ephedra final rule \(2004\)](#) · [PubMed — Adverse events from ephedra-containing supplements \(2000\)](#)

42. Xing Ren 杏仁 (bitter apricot kernel) — *processed*

- **Benefit:** Cough, wheezing, constipation.
- **Recipe:** Processed kernel 3–9 g in decoction.
- **Sourcing:** TCM pharmacies.

43. Pi Pa Ye 枇杷叶 (loquat leaf)

- **Benefit:** Cough, lung heat.
- **Recipe:** 6–12 g in decoction; commercial *pi pa gao* syrup.
- **Sourcing:** Nin Jiom syrup widely sold.

44. San Qi / Tian Qi 三七 (*Panax notoginseng*)

- **Benefit:** Stops bleeding, trauma, circulation.
- **Recipe:** 1–3 g powder in warm water.
- **Sourcing:** Wenshan Yunnan.

45. Du Zhong 杜仲 (*Eucommia ulmoides*)

- **Benefit:** Lower back, kidney yang, hypertension.
- **Recipe:** 6–15 g in decoction or soup.
- **Sourcing:** TCM pharmacies.

46. Nu Zhen Zi 女贞子 (*Ligustrum lucidum*)

- **Benefit:** Liver-kidney yin, eyes, hair.
- **Recipe:** 6–15 g in formulas.
- **Sourcing:** TCM pharmacies.

47. Gou Teng 钩藤 (*Uncaria rhynchophylla*)

- **Benefit:** Liver wind, hypertension, headache.
- **Recipe:** 6–12 g added late in decoction.
- **Sourcing:** TCM pharmacies.

48. Tian Ma 天麻 (*Gastrodia elata*)

- **Benefit:** Headache, dizziness, spasms.
- **Recipe:** 3–9 g in soup (steamed with fish).
- **Sourcing:** TCM pharmacies; Yunnan.

49. Cordyceps / Dong Chong Xia Cao 冬虫夏草

Safety Pregnancy: **insufficient data**. Lactation: **insufficient data**. 3 drug interactions documented — see monograph.

- **Benefit:** Lung-kidney tonic, stamina.
- **Recipe:** 3–9 g double-boiled with duck/chicken.
- **Sourcing:** Tibet/Qinghai; very expensive, many fakes.

Modern sources: [PubMed](#) — *Cordyceps sinensis: pharmacology and clinical applications review (2013)*

50. Yunnan Baiyao 云南白药 (proprietary powder)

- **Benefit:** Bleeding, trauma, bruises.
- **Recipe:** Topical: thin layer sprinkled on clean wound, cover. Oral: 1 capsule (0.25 g) 2–3× daily for 1–3 days per package insert; the emergency red pill per acute trauma instructions.
- **Sourcing:** All Chinese pharmacies.

Extended Reference — China

The following entries are sourced from the structured JSON dataset that backs the Remedia site encyclopedia. They share the same safety + reference lookups as the curated markdown above.

51. Huang Qi (Astragalus) (*Astragalus membranaceus*)

Safety Pregnancy: **caution**. Lactation: **insufficient data**. 4 drug interactions documented — see monograph.

- **Benefit:** Qi tonic; strengthens wei qi (immune defense), used in fatigue and recurrent illness.
- **Recipe:** 10–15 g root in decoction daily; or sliced root simmered in soups.
- **Sourcing:** Root of astragalus; northern China primary source.

Modern sources: [NCCIH — Astragalus](#) · [PubMed — Astragalus membranaceus: pharmacology and clinical review \(2014\)](#)

52. Dang Gui (*Angelica sinensis*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 3 drug interactions documented — see monograph.

- **Benefit:** Chief blood-tonifying herb for women; menstrual regulation and postpartum recovery.
- **Recipe:** 6–12 g in decoction; commonly in Si Wu Tang formula.
- **Sourcing:** Root; Gansu and Yunnan provinces prized.

Modern sources: [PubMed — Angelica sinensis: pharmacological and clinical review \(2013\)](#)

53. Goji (Gou Qi Zi) (*Lycium barbarum*)

Safety Pregnancy: **AVOID**. Lactation: **insufficient data**. 3 drug interactions documented — see monograph.

- **Benefit:** Yin tonic for liver and kidney; eye health, longevity, blood building.
- **Recipe:** 10–15 g dried berries daily — in tea, porridge, or soup.
- **Sourcing:** Ningxia goji prized; pesticide-testing important.

Modern sources: [PubMed — Lycium barbarum: pharmacological effects review \(2015\)](#)

54. Chinese Yam (Shan Yao) (*Dioscorea opposita*)

- **Benefit:** Spleen and lung tonic; mild and nourishing.
- **Recipe:** 15–30 g in soups and congees.
- **Sourcing:** Fresh tuber or dried slices; Henan prized.

55. Lily Bulb (Bai He) (*Lilium lancifolium*)

- **Benefit:** Moistens lung yin, calms shen (spirit); dry cough and insomnia.
- **Recipe:** 9–30 g in congee or decoction.
- **Sourcing:** Dried lily bulb scales.

56. Jujube (Da Zao) (*Ziziphus jujuba*)

- **Benefit:** Tonifies spleen qi, calms spirit, harmonizes formulas.
- **Recipe:** 3–10 pieces in soups or decoctions.
- **Sourcing:** Red dates; Shanxi prized.

57. Schisandra (Wu Wei Zi) (*Schisandra chinensis*)

Safety Pregnancy: **AVOID**. Lactation: **insufficient data**. 3 drug interactions documented — see monograph.

- **Benefit:** Five-flavor berry; adaptogen, liver protective, astringent.
- **Recipe:** 2–6 g berries in tea or decoction.
- **Sourcing:** Dried berries; Northeast China and Russia.

Modern sources: [PubMed](#) — *Schisandra chinensis: CYP-mediated drug interactions review (2014)*

58. Eleuthero (*Eleutherococcus senticosus*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 4 drug interactions documented — see monograph.

- **Benefit:** Adaptogen; improves stamina and stress resilience. Formerly 'Siberian ginseng.'
- **Recipe:** 2–4 g root or standardized tincture daily.
- **Sourcing:** Root; Siberian/Northeast Chinese origin.

Modern sources: [PubMed](#) — *Eleutherococcus senticosus: a pharmacological review (2010)*

59. Licorice (Gan Cao) (*Glycyrrhiza uralensis*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 5 drug interactions documented — see monograph.

- **Benefit:** Harmonizes formulas, tonifies qi, soothes. Most-used herb in TCM.
- **Recipe:** 3–10 g in most decoctions. Caution with hypertension.
- **Sourcing:** Root of Chinese licorice.

Modern sources: [NCCIH](#) — *Licorice Root* · [PubMed](#) — *Glycyrrhizin-induced pseudoaldosteronism: review (2019)*

60. Ginger (Sheng Jiang) (*Zingiber officinale*)

Safety Pregnancy: **generally safe**. Lactation: **generally safe**. 2 drug interactions documented — see monograph.

- **Benefit:** Warms middle jiao, resolves wind-cold, anti-nausea. See main ginger entry.

Modern sources: [NCCIH — Ginger](#) · [PubMed — Ginger for nausea and vomiting in pregnancy: systematic review \(2014\)](#) · [WHO — WHO monograph — Rhizoma Zingiberis](#) · [POWO — Zingiber officinale Roscoe](#)

61. Cinnamon Twig (Gui Zhi) (*Cinnamomum cassia*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 3 drug interactions documented — see monograph.

- **Benefit:** Warms channels, releases exterior wind-cold; cornerstone of Gui Zhi Tang.
- **Recipe:** 3–10 g twigs in decoction.
- **Sourcing:** Thin cinnamon twigs.

62. Cinnamon Bark (Rou Gui) (*Cinnamomum cassia*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 3 drug interactions documented — see monograph.

- **Benefit:** Tonifies kidney yang, warms interior; used in cold-deficient conditions.
- **Recipe:** 1–5 g powdered bark in formulas.
- **Sourcing:** Inner bark, prized Vietnamese/Chinese sources.

63. White Peony (Bai Shao) (*Paeonia lactiflora*)

- **Benefit:** Nourishes blood, calms liver yang, relieves cramps.
- **Recipe:** 6–15 g root in decoctions; often with licorice (Shao Yao Gan Cao Tang).
- **Sourcing:** Root of white peony.

64. Red Peony (Chi Shao) (*Paeonia rubra*)

- **Benefit:** Moves blood, clears heat, used in blood stasis conditions.
- **Recipe:** 6–12 g in decoctions.
- **Sourcing:** Wild red peony root.

65. Rehmannia Raw (Sheng Di Huang) (*Rehmannia glutinosa*)

- **Benefit:** Clears heat, cools blood, nourishes yin; fever conditions.
- **Recipe:** 9–15 g in decoctions.
- **Sourcing:** Unprocessed rehmannia root.

66. Rehmannia Prepared (Shu Di Huang) (*Rehmannia glutinosa* (processed))

- **Benefit:** Tonifies kidney yin and blood; cornerstone of Liu Wei Di Huang Wan.
- **Recipe:** 9–30 g in decoctions.
- **Sourcing:** Wine-processed rehmannia.

67. Cornus Fruit (Shan Zhu Yu) (*Cornus officinalis*)

- **Benefit:** Tonifies and secures kidney and liver; night sweats, spermatorrhea.
- **Recipe:** 6–12 g in decoctions.
- **Sourcing:** Dogwood fruit, China.

68. Poria (Fu Ling) (*Wolfiporia cocos*)

- **Benefit:** Drains dampness, strengthens spleen, calms spirit.
- **Recipe:** 9–15 g in decoctions; widely used.
- **Sourcing:** Underground sclerotium of pine mushroom.

69. Atractylodes White (Bai Zhu) (*Atractylodes macrocephala*)

- **Benefit:** Tonifies spleen qi, dries dampness; Si Jun Zi Tang.
- **Recipe:** 6–12 g in decoctions.
- **Sourcing:** Rhizome; widely cultivated.

70. Codonopsis (Dang Shen) (*Codonopsis pilosula*)

- **Benefit:** Mild qi tonic; often substituted for ren shen (ginseng) in formulas.
- **Recipe:** 9–30 g root in decoctions.
- **Sourcing:** Root, Northern China.

71. American Ginseng (Xi Yang Shen) (*Panax quinquefolius*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 5 drug interactions documented — see monograph.

- **Benefit:** Cooling qi and yin tonic; for yin-deficiency heat with fatigue.
- **Recipe:** 3–6 g sliced root steeped or decocted.
- **Sourcing:** Cultivated in North America, prized Wisconsin.

72. Ren Shen (Asian Ginseng) (*Panax ginseng*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 5 drug interactions documented — see monograph.

- **Benefit:** See main ginseng entry.

Modern sources: [NCCIH — Asian Ginseng](#) · [WHO — WHO monograph — Radix Ginseng](#) · [PubMed — Ginseng for cognition: Cochrane review \(2010\)](#)

73. San Qi (Notoginseng) (*Panax notoginseng*)

- **Benefit:** Stops bleeding, moves blood, used in trauma and cardiovascular support.
- **Recipe:** 1–3 g powder daily; or in Yunnan Bai Yao formula.

- **Sourcing:** Root from Yunnan.

74. Salvia Root (Dan Shen) (*Salvia miltiorrhiza*)

- **Benefit:** Moves blood, treats angina; extensively studied in cardiovascular trials.
- **Recipe:** 9–30 g in decoctions; or standardized tablets.
- **Sourcing:** Red-sage root.

75. Chuan Xiong (*Ligusticum chuanxiong*)

- **Benefit:** Moves blood and qi; classical herb for headaches and menstrual pain.
- **Recipe:** 3–9 g in decoctions.
- **Sourcing:** Rhizome, Sichuan prized.

76. Safflower (Hong Hua) (*Carthamus tinctorius*)

- **Benefit:** Invigorates blood, resolves stasis; amenorrhea, trauma.
- **Recipe:** 3–10 g in decoctions. Avoid in pregnancy.
- **Sourcing:** Flower petals.

77. Peach Seed (Tao Ren) (*Prunus persica*)

- **Benefit:** Breaks blood stasis, moistens intestines.
- **Recipe:** 6–10 g crushed seed in decoctions.
- **Sourcing:** Peach kernel; must be processed.

78. Mulberry Leaf (Sang Ye) (*Morus alba*)

- **Benefit:** Clears lung heat, cools liver; early-stage colds and dry cough.
- **Recipe:** 5–10 g leaves in tea.
- **Sourcing:** Dried mulberry leaves.

79. Chrysanthemum (Ju Hua) (*Chrysanthemum morifolium*)

- **Benefit:** Clears liver heat, brightens eyes; headaches and red eyes.
- **Recipe:** 6–12 g flowers as tea.
- **Sourcing:** Yellow or white chrysanthemum flowers.

80. Honeysuckle (Jin Yin Hua) (*Lonicera japonica*)

- **Benefit:** Clears heat and toxins; wind-heat colds and sore throats.
- **Recipe:** 10–20 g flowers in decoction.
- **Sourcing:** Dried honeysuckle flower buds.

81. Forsythia (Lian Qiao) (*Forsythia suspensa*)

- **Benefit:** Clears heat and toxins; paired with honeysuckle in Yin Qiao San.
- **Recipe:** 6–15 g fruit in decoction.
- **Sourcing:** Dried forsythia fruit.

82. Ban Lan Gen (*Isatis indigotica* root)

- **Benefit:** Clears heat and toxins; widely used for sore throat and viral colds.
- **Recipe:** 9–15 g in decoction; or granules.
- **Sourcing:** Root of woad plant.

83. Da Qing Ye (*Isatis indigotica* leaf)

- **Benefit:** Stronger antiviral and anti-heat than Ban Lan Gen; mumps, sore throat.
- **Recipe:** 9–15 g in decoction.
- **Sourcing:** Leaves of woad.

84. Huang Lian (*Coptis chinensis*)

- **Benefit:** Clears damp-heat; gastrointestinal infections, berberine-rich.
- **Recipe:** 1.5–3 g in decoctions — very bitter.
- **Sourcing:** Rhizome; increasingly scarce — verify sustainable.

85. Huang Qin (*Scutellaria baicalensis*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 3 drug interactions documented — see monograph.

- **Benefit:** Clears heat and fire; baicalin-rich, anti-inflammatory.
- **Recipe:** 3–10 g root in decoctions.
- **Sourcing:** Chinese skullcap root.

Modern sources: [PubMed](#) — *Scutellaria baicalensis: flavonoids and pharmacology review (2017)*

86. Huang Bai (*Phellodendron chinense*)

- **Benefit:** Clears damp-heat from lower jiao; urinary tract and skin infections.
- **Recipe:** 3–12 g bark in decoction.
- **Sourcing:** Bark of cork tree.

87. Xuan Shen (*Scrophularia ningpoensis*)

- **Benefit:** Nourishes yin, clears heat from blood; throat and skin inflammation.
- **Recipe:** 9–15 g root in decoction.

- **Sourcing:** Figwort root.

88. Mai Men Dong (*Ophiopogon japonicus*)

- **Benefit:** Moistens lung and stomach yin; dry cough, constipation from dryness.
- **Recipe:** 6–15 g root in decoction.
- **Sourcing:** Tuberous roots.

89. Sha Shen (*Adenophora* or *Glehnia*)

- **Benefit:** Moistens lung yin; dry cough and thirst after illness.
- **Recipe:** 9–15 g in decoction.
- **Sourcing:** Two species used; root.

90. Tian Men Dong (*Asparagus cochinchinensis*)

- **Benefit:** Nourishes kidney and lung yin; chronic dry cough.
- **Recipe:** 6–15 g in decoction.
- **Sourcing:** Tuberous root.

91. Yu Zhu (*Polygonatum odoratum*)

- **Benefit:** Nourishes stomach yin and moistens dryness; dry mouth, chronic cough.
- **Recipe:** 6–12 g rhizome in decoction.
- **Sourcing:** Solomon's seal rhizome.

92. Huang Jing (*Polygonatum sibiricum*)

- **Benefit:** Tonifies qi, yin, and essence; longevity herb in Taoism.
- **Recipe:** 9–15 g steamed rhizome in tonics.
- **Sourcing:** Prepared (nine-times-steamed).

93. He Shou Wu (*Polygonum multiflorum*)

- **Benefit:** Tonifies blood and essence; traditional hair-blackening herb. Prepared form only.
- **Recipe:** 9–15 g prepared root in decoction. Raw form toxic.
- **Sourcing:** Must be properly processed (wine-steamed).
- **Note:** Hepatotoxicity reports with raw form

94. Du Zhong (*Eucommia ulmoides*)

- **Benefit:** Tonifies kidney and liver; lower-back pain, hypertension.
- **Recipe:** 6–15 g bark in decoction.

- **Sourcing:** Bark of eucommia tree.

95. Xu Duan (*Dipsacus asper*)

- **Benefit:** Tonifies liver and kidney; strengthens bones and sinews.
- **Recipe:** 9–15 g root in decoction.
- **Sourcing:** Teasel root.

96. Dang Shen (*Codonopsis pilosula*)

- **Benefit:** Duplicate of Codonopsis.

97. Chen Pi (Aged Tangerine Peel) (*Citrus reticulata*)

- **Benefit:** Regulates qi, dries dampness, aids digestion.
- **Recipe:** 3–9 g aged peel in decoctions or teas.
- **Sourcing:** Aged peel — older is better; Xinhui prized.

98. Zhi Shi (*Citrus aurantium (immature)*)

- **Benefit:** Strongly moves qi and resolves food stagnation.
- **Recipe:** 3–10 g in decoctions.
- **Sourcing:** Immature bitter orange fruit.

99. Magnolia Bark (Hou Po) (*Magnolia officinalis*)

- **Benefit:** Moves qi, dries dampness, relieves anxiety and fullness.
- **Recipe:** 3–10 g bark in decoctions.
- **Sourcing:** Bark of magnolia tree.

100. Pinellia (Ban Xia) (*Pinellia ternata*)

- **Benefit:** Transforms phlegm, descends stomach qi; must be processed.
- **Recipe:** 3–9 g prepared in decoctions.
- **Sourcing:** Ginger/alum-processed rhizome only.
- **Note:** Raw form toxic — processed only

101. Platycodon (Jie Geng) (*Platycodon grandiflorus*)

- **Benefit:** Opens lungs, guides herbs upward; sore throat and cough.
- **Recipe:** 3–9 g root in decoctions.
- **Sourcing:** Balloon flower root.

102. Bei Mu (Fritillaria) (*Fritillaria cirrhosa* / *thunbergii*)

- **Benefit:** Transforms phlegm and stops cough; dry and productive cough.
- **Recipe:** 3–10 g bulb in decoctions.
- **Sourcing:** Bulb; Chuan Bei Mu prized.

103. Bitter Apricot (Xing Ren) (*Prunus armeniaca*)

- **Benefit:** Stops cough, moistens intestines.
- **Recipe:** 3–10 g processed seed in decoctions.
- **Sourcing:** Bitter apricot kernel — must be processed.

104. Loquat Leaf (Pi Pa Ye) (*Eriobotrya japonica*)

- **Benefit:** Clears lung heat, stops cough; used in classic Pi Pa Gao syrup.
- **Recipe:** 6–12 g leaves in decoction or syrup.
- **Sourcing:** Dried loquat leaves.

105. Ma Huang (*Ephedra sinica*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 4 drug interactions documented — see monograph.

- **Benefit:** Releases exterior wind-cold, warms lungs; classical asthma herb.
- **Recipe:** 3–10 g in formulas only; professional use.
- **Sourcing:** Stem; banned as supplement in US/EU.
- **Note:** Ephedrine — severely regulated, cardiovascular risk

Modern sources: [FDA — FDA Ephedra final rule \(2004\)](#) · [PubMed — Adverse events from ephedra-containing supplements \(2000\)](#)

106. Zi Su Ye (Perilla) (*Perilla frutescens*)

- **Benefit:** Releases exterior wind-cold, regulates qi; mild cold with cough.
- **Recipe:** 3–9 g leaves in decoction.
- **Sourcing:** Purple perilla leaf.

107. Bo He (Field Mint) (*Mentha haplocalyx*)

- **Benefit:** Releases wind-heat, clears head; sore throat with fever.
- **Recipe:** 3–6 g late in decoction (brief simmer).
- **Sourcing:** Chinese mint.

108. Bai Zhi (*Angelica dahurica*)

-
- **Benefit:** Opens nasal passages, relieves sinus pain; wind-cold with headache.
 - **Recipe:** 3–9 g root in decoction.
 - **Sourcing:** Root of Dahurian angelica.

109. Ge Gen (Kudzu) (*Pueraria lobata*)

-
- **Benefit:** Releases muscles, raises yang; hangover, neck tension, diarrhea.
 - **Recipe:** 6–15 g root in decoction.
 - **Sourcing:** Kudzu root; invasive in US.

110. Chai Hu (*Bupleurum chinense*)

-
- **Benefit:** Spreads liver qi, harmonizes shao yang; depression, alternating chills/fever.
 - **Recipe:** 3–12 g root in decoctions.
 - **Sourcing:** Bupleurum root.

111. Bai Guo (Ginkgo) (*Ginkgo biloba* seed)

-
- **Benefit:** Astringes lung, stops wheezing; seed toxic in excess, leaf more commonly used.
 - **Recipe:** 5–10 g processed seed; or standardized leaf extract 120–240 mg.
 - **Sourcing:** Seed or leaf; leaf extract most used.

112. Mu Xiang (*Aucklandia lappa*)

-
- **Benefit:** Regulates qi, relieves abdominal pain; cornerstone digestive herb.
 - **Recipe:** 1.5–6 g root in decoctions.
 - **Sourcing:** Costus root.

113. Yi Yi Ren (Job's Tears) (*Coix lacryma-jobi*)

-
- **Benefit:** Drains dampness, strengthens spleen; food and medicine.
 - **Recipe:** 9–30 g seeds in porridge or decoction.
 - **Sourcing:** Seed — like barley.

114. Mung Bean (Lu Dou) (*Vigna radiata*)

-
- **Benefit:** Clears summer heat and toxins; cooling food-medicine.
 - **Recipe:** Mung bean soup with rock sugar for summer heat.
 - **Sourcing:** Common legume.

115. Lotus Seed (Lian Zi) (*Nelumbo nucifera*)

-
- **Benefit:** Tonifies spleen, calms shen; chronic diarrhea, insomnia, spermatorrhea.

- **Recipe:** 6–15 g seed in soups and porridges.
- **Sourcing:** Dried lotus seed.

116. Reishi (Ling Zhi) (*Ganoderma lucidum*)

Safety Pregnancy: **insufficient data**. Lactation: **insufficient data**. 3 drug interactions documented — see monograph.

- **Benefit:** See main reishi entry.

Modern sources: [PubMed](#) — *Ganoderma lucidum* (Reishi) for cancer treatment: Cochrane review (2016) · [Examine](#) — *Reishi evidence summary*

117. Cordyceps (Dong Chong Xia Cao) (*Cordyceps sinensis* / *militaris*)

- **Benefit:** Tonifies lung and kidney, enhances stamina.
- **Recipe:** 1–3 g cultivated strain powder daily.
- **Sourcing:** Wild is extremely expensive; *militaris* cultivated strain reliable.

118. Turkey Tail (Yun Zhi) (*Trametes versicolor*)

- **Benefit:** Polysaccharide-rich immune modulator; oncology-adjunct studied.
- **Recipe:** 2–3 g dried mushroom powder or PSK/PSP extracts.
- **Sourcing:** Common bracket fungus; wild-crafted widely.

119. Lion's Mane (Hou Tou Gu) (*Hericium erinaceus*)

Safety Pregnancy: **insufficient data**. Lactation: **insufficient data**. 2 drug interactions documented — see monograph.

- **Benefit:** Neurotrophic; cognition and nerve regeneration studies.
- **Recipe:** 1–3 g dried fruiting body extract daily.
- **Sourcing:** Culinary and medicinal mushroom.

Modern sources: [PubMed](#) — *Hericium erinaceus*: neuroprotective and cognitive effects review (2019)

120. Maitake (*Grifella frondosa*)

- **Benefit:** Beta-glucan-rich immune modulator; blood-sugar support.
- **Recipe:** 1–3 g daily in capsules or culinary use.
- **Sourcing:** Wild or cultivated.

121. Shiitake (*Lentinula edodes*)

- **Benefit:** Lentinan polysaccharide; immune and cardiovascular support.
- **Recipe:** 3–5 dried caps in soups several times weekly.

- **Sourcing:** Culinary mushroom widely available.

122. Gui Ban (Tortoise Plastron) (*Chinemys reevesii*)

- **Benefit:** Nourishes yin; traditional strong yin tonic. CITES concerns.
- **Sourcing:** Endangered — use plant-based alternatives.
- **Note:** CITES-restricted; seek substitutes

123. Wu Ling San (Classical 5-herb formula)

- **Benefit:** Classical diuretic; edema, urinary dysfunction.
- **Recipe:** 6–12 g granules or decoction as directed.
- **Sourcing:** Pharmacy blend.

124. Si Jun Zi Tang (Four-Gentlemen decoction)

- **Benefit:** Foundational spleen qi tonic: Ren Shen, Bai Zhu, Fu Ling, Gan Cao.
- **Recipe:** Decoct per practitioner direction.
- **Sourcing:** Pharmacy blend or individual herbs.

125. Liu Wei Di Huang Wan (Six-Flavor Rehmannia pill)

- **Benefit:** Foundational kidney-yin tonic; tinnitus, night sweats, vertigo.
- **Recipe:** Patent pills per label dosage.
- **Sourcing:** TCM pharmacies.

126. Xiao Yao San (Rambling Powder)

- **Benefit:** Classical liver-qi regulating formula; PMS, mood swings, fatigue with frustration.
- **Recipe:** Granules or tablets per practitioner.
- **Sourcing:** TCM pharmacies.

127. Gui Pi Tang (Restore Spleen decoction)

- **Benefit:** Tonifies qi and blood, calms spirit; insomnia with rumination, fatigue.
- **Recipe:** Granules per practitioner.
- **Sourcing:** TCM pharmacies.

128. Yin Qiao San (Honeysuckle-Forsythia Powder)

- **Benefit:** Wind-heat release; early-stage sore throat with fever. Famous cold formula.
- **Recipe:** Tablets taken at first symptom onset, every 2–4 hr.
- **Sourcing:** Widely available patent medicine.

129. Yunnan Baiyao (*Traditional bleeding formula*)

- **Benefit:** Stops bleeding, resolves stasis; trauma, surgery adjunct.
- **Recipe:** 0.25–0.5 g oral; or topical sprinkle on wounds.
- **Sourcing:** Patent formula from Yunnan.

Cross-Cultural Symptom Index

Remedies from all five regions grouped by condition. Abbreviations: **[IN]** India, **[PE]** Peru/Andes/Spanish, **[CN]** China, **[JP]** Japan, **[GL]** Other Global.

Educational cross-reference only. Confirm suitability, dose, and interactions for your situation before use.

Respiratory — cough, bronchitis, sore throat

- **[IN]** Tulsi, Vasaka, Mulethi, Sitopaladi churna, Pippali, Turmeric + honey, Chyawanprash
- **[PE]** Huamanripa, Matico, Eucalipto (folk), Thyme (tomillo), Malva
- **[CN]** Pi Pa Ye (loquat), Bai He (lily bulb), Xing Ren, Bakumondō herbs, Jin Yin Hua, Nin Jiom Pei Pa Koa
- **[JP]** Bakumondō-tō, Biwa-ha, Karin syrup, Kinkan honey, Daikon-ame, Renkon juice, Kakkon-tō
- **[GL]** Thyme, Mullein, Elderberry syrup, Marshmallow/Slippery elm, Oregano steam, Sage gargle, Honey + lemon

Cold, flu, fever

- **[IN]** Tulsi-ginger kadha, Giloy, Kalmegh, Turmeric-milk, Trikatu
- **[PE]** Muña, Eucalipto vapor, Coca (altitude), Manzanilla
- **[CN]** Yin Qiao San, Ban Lan Gen, Gan Mao Ling, Kakkon-tō
- **[JP]** Kakkon-tō, Shōga-yu (ginger hot drink), Umeboshi bancha, Yuzu bath
- **[GL]** Echinacea, Elderberry, Yarrow tea (diaphoretic), Garlic-honey, Linden flower

Sleep & insomnia

- **[IN]** Ashwagandha milk, Jatamansi, Brahmi, Tagara, Nutmeg-milk
- **[PE]** Valeriana, Pasiflora, Tilo, Manzanilla, Hierba Luisa
- **[CN]** Suan Zao Ren, Bai Zi Ren, Long Yan Rou, Yuan Zhi, Gui Pi Tang
- **[JP]** Yokukansan, Sansō'nin-tō, Hōjicha, Lavender sachet (folk import)
- **[GL]** Valerian, Hops, Passionflower, Lavender, Chamomile, Kava (noble)

Anxiety & stress

- **[IN]** Ashwagandha, Brahmi, Jatamansi, Shankpushpi, Saraswatarishta
- **[PE]** Pasiflora, Valeriana, Hierba Luisa, Manzanilla, Tilo
- **[CN]** Suan Zao Ren, He Huan Pi, Gan Mai Da Zao Tang, Xiao Yao San
- **[JP]** Yokukansan, Kamishoyōsan, Matcha (L-theanine), Hōjicha
- **[GL]** Lemon balm, Passionflower, Rhodiola, Kava, Lavender, St John's Wort

Depression, low mood

- **[IN]** Ashwagandha, Brahmi, Saffron-milk, Mucuna
- **[PE]** Maca, Pasiflora, Aguaymanto
- **[CN]** Xiao Yao San, Chai Hu Shu Gan San, Gan Mai Da Zao Tang
- **[JP]** Kamishoyōsan, Hangekōbokutō
- **[GL]** St John's Wort, Saffron, Rhodiola, Lemon balm

Memory & cognition

- **[IN]** Brahmi, Shankpushpi, Mandukaparni (gotu kola), Ashwagandha, Saraswatarishta
- **[CN]** Yuan Zhi, Shi Chang Pu, Tian Wang Bu Xin Dan
- **[JP]** Yokukansan (dementia behaviors), Chōtōsan
- **[GL]** Ginkgo, Rosemary, Bacopa, Lion's mane mushroom

Digestion / bloating / gas

- **[IN]** Hingvastak churna, Trikatu, Ajwain, Jeera-saunf, Hing in ghee
- **[PE]** Muña, Manzanilla, Hierba Luisa, Paico, Boldo
- **[CN]** Bao He Wan, Xiang Sha Liu Jun Zi, Chen Pi tea, Shan Zha
- **[JP]** Rikkunshītō, Ume-shō-bancha, Shōga-yu, Sanshō
- **[GL]** Fennel, Peppermint (IBS), Chamomile, Caraway, Artichoke leaf

Constipation

- **[IN]** Triphala, Haritaki, Isabgol (psyllium), Castor oil, Avipattikar
- **[PE]** Linaza (flax), Sen (senna), Cascara sagrada, Malva
- **[CN]** Ma Ren Wan, Da Huang (short term), Run Chang Wan
- **[JP]** Mashiningan, Kanten (agar), Gobō fiber
- **[GL]** Psyllium, Senna (short-term), Prunes, Flaxseed

Diarrhea

- **[IN]** Bilva, Kutaja, Musta, Pomegranate peel tea
- **[PE]** Guayaba leaf, Manzanilla, Llantén
- **[CN]** Shen Ling Bai Zhu San, Huang Lian, Che Qian Zi
- **[JP]** Hangeshashintō, Umeboshi, Kuzu-yu
- **[GL]** BRAT diet, Blackberry root, Agrimony, Slippery elm

Acid reflux / gastritis / ulcers

- **[IN]** Yashtimadhu (licorice DGL), Amla, Shatavari, Avipattikar
- **[PE]** Matico, Manzanilla, Malva, Llantén
- **[CN]** Hai Piao Xiao (cuttlebone), Wu Bei Zi, Huang Lian for heat
- **[JP]** Rikkunshītō, Hangeshashintō, Anchūsan

- **[GL]** Slippery elm, DGL licorice, Marshmallow root, Cabbage juice

Nausea & motion sickness

- **[IN]** Ginger, Pippali, Ajwain
- **[PE]** Jengibre, Muña, Manzanilla
- **[CN]** Sheng Jiang, Ban Xia (processed), Huo Xiang Zheng Qi San
- **[JP]** Shōga-yu, Hangeshashintō
- **[GL]** Ginger, Peppermint, Acupressure P6

Liver support / detox

- **[IN]** Bhumyamalaki, Kutki, Punarnava, Kalmegh, Bhringraj, Triphala
- **[PE]** Boldo, Hercampuri, Chancapiedra, Diente de león
- **[CN]** Yin Chen Hao, Xiao Chai Hu Tang, Wu Wei Zi
- **[JP]** Shōsaikotō (under guidance), Ukon (turmeric)
- **[GL]** Milk thistle, Dandelion root, Schisandra, Artichoke

Kidney / urinary / stones

- **[IN]** Gokshura, Varuna, Punarnava, Pashanabheda
- **[PE]** Chancapiedra, Cola de caballo, Manayupa
- **[CN]** Che Qian Zi, Jin Qian Cao, Liu Wei Di Huang Wan
- **[JP]** Chorei-to, Hachimijiogan
- **[GL]** Cornsilk, Uva ursi (short-term), Nettle, Parsley

Menstrual pain & PMS

- **[IN]** Ashoka, Shatavari, Dashamoola, Turmeric, Cinnamon
- **[PE]** Orégano peruano, Manzanilla, Ruda (folk — avoid pregnancy)
- **[CN]** Si Wu Tang, Xiao Yao San, Dang Gui, Yi Mu Cao
- **[JP]** Tōki-shakuyaku-san, Kamishoyōsan, Keishibukuryōgan
- **[GL]** Chasteberry (Vitex), Cramp bark, Ginger, Raspberry leaf

Menopause

- **[IN]** Shatavari, Ashwagandha, Saffron
- **[CN]** Zhi Bai Di Huang Wan, Er Xian Tang
- **[JP]** Kamishoyōsan, Keishibukuryōgan, Tōki-shakuyaku-san
- **[GL]** Black cohosh, Sage, Red clover, Honeybush, Maca

Male vitality / fertility

- **[IN]** Ashwagandha, Kapikacchu, Safed musli, Gokshura, Shilajit

- **[PE]** Maca (black), Huanarpo macho, Chuchuhuasi
- **[CN]** Lu Rong (antler), Yin Yang Huo, You Gui Wan, Cordyceps
- **[JP]** Hachimijiogan, Gosha-jinki-gan
- **[GL]** Tribulus, Tongkat ali, Fenugreek, Pine pollen

Joint pain, arthritis

- **[IN]** Guggul (Yogaraj/Kaishore), Ashwagandha, Shallaki, Mahanarayan oil
- **[PE]** Uña de gato, Chuchuhuasi, Cola de caballo
- **[CN]** Du Huo Ji Sheng Tang, Fang Feng, Wei Ling Xian
- **[JP]** Goshajinkigan, Keishi-ka-jutsubu-tō
- **[GL]** Boswellia, Turmeric-piperine, Nettle, Devil's claw, Willow bark

Skin — eczema, acne, psoriasis

- **[IN]** Neem, Manjistha, Turmeric paste, Sandalwood, Aloe
- **[PE]** Sangre de grado, Sábila, Matico
- **[CN]** Jin Yin Hua, Pu Gong Ying, Xiao Feng San
- **[JP]** Dokudami, Yomogi bath, Jumihaidokutō
- **[GL]** Calendula, Chamomile, Oregon grape root, Tea tree, Chickweed

Wound healing

- **[IN]** Turmeric + honey, Neem, Aloe gel, Jatyadi taila
- **[PE]** Sangre de grado, Matico poultice, Miel de abeja
- **[CN]** Yunnan Baiyao, San Qi, Zi Cao oil
- **[JP]** Shiunkō ointment, Yomogi poultice
- **[GL]** Manuka honey, Calendula, Plantain, Yarrow, Comfrey (external only)

Headache & migraine

- **[IN]** Shadbindu, Anu taila nasya, Brahmi, Jatamansi
- **[CN]** Chuan Xiong Cha Tiao San, Tian Ma, Gou Teng
- **[JP]** Goshuyū-tō, Chōtōsan
- **[GL]** Feverfew, Butterbur, Peppermint oil temple, Ginger

Blood pressure

- **[IN]** Sarpagandha (Rx only), Arjuna, Ashwagandha
- **[CN]** Gou Teng, Du Zhong, Tian Ma
- **[JP]** Daisaikotō, Oren-gedoku-tō
- **[GL]** Hawthorn, Hibiscus, Garlic, Olive leaf

Cholesterol

-
- **[IN]** Guggul, Arjuna, Fenugreek, Amla
 - **[CN]** Shan Zha, He Ye, Jue Ming Zi
 - **[GL]** Red yeast rice (with CoQ10), Artichoke, Oats, Psyllium

Blood sugar / diabetes support

- **[IN]** Gurmar (Gymnema), Jamun seed, Karela, Methi, Turmeric, Neem
- **[PE]** Yacón, Pasuchaca, Hercampuri
- **[CN]** Yu Mi Xu (cornsilk), Xiao Ke formulas, Bitter melon
- **[JP]** Bakumondō-tō for dry diabetes thirst
- **[GL]** Berberine, Bitter melon, Cinnamon, Fenugreek

Immunity (general, chronic)

- **[IN]** Chyawanprash, Guduchi, Amla, Ashwagandha
- **[PE]** Uña de gato, Camu camu, Maca
- **[CN]** Yu Ping Feng San (Astragalus + Bai Zhu + Fang Feng), Ling Zhi, Cordyceps
- **[JP]** Hochu-ekki-tō, Jūzen-taiho-tō
- **[GL]** Elderberry, Astragalus, Echinacea (short), Reishi, Vitamin D + Zn

Fatigue / adrenal

- **[IN]** Ashwagandha, Shatavari, Chyawanprash, Shilajit
- **[PE]** Maca, Suma
- **[CN]** Ren Shen, Huang Qi, Dang Shen
- **[JP]** Hochu-ekki-tō, Jūzen-taiho-tō
- **[GL]** Rhodiola, Eleuthero, Schisandra, Licorice (short), Cordyceps

Eyes / vision

- **[IN]** Triphala eyewash, Amla, Saptamrita lauha
- **[CN]** Gou Qi Zi + Ju Hua tea, Mi Meng Hua, Qi Ju Di Huang Wan
- **[GL]** Bilberry, Lutein-rich greens

Hair loss, graying

- **[IN]** Bhringraj oil, Amla, Neelibhringadi, Brahmi oil
- **[CN]** Zhi He Shou Wu, Nu Zhen Zi, Han Lian Cao
- **[JP]** Camellia oil (tsubaki), Kombu rinse
- **[GL]** Rosemary oil, Nettle, Horsetail

Oral / dental

- **[IN]** Neem twig (datun), Triphala gargle, Clove oil

- **[MENA]** Miswak stick, Myrrh rinse
- **[CN]** Wu Bei Zi mouthwash
- **[JP]** Salt + green tea rinse
- **[GL]** Tea tree diluted, Propolis, Clove oil for toothache

Ear

- **[IN]** Bilva taila drops, Garlic-ajwain oil
- **[GL]** Mullein-garlic oil (intact eardrum only)

Antiparasitic

- **[IN]** Vidanga, Palasha seed, Neem
- **[PE]** Paico, Epazote, Papaya seeds
- **[CN]** Bing Lang (betel nut), Shi Jun Zi
- **[GL]** Black walnut hull, Wormwood, Clove, Pumpkin seeds

Weight management (supportive)

- **[IN]** Triphala, Guggul, Medohar Vati
- **[CN]** Shan Zha, He Ye (lotus leaf), Pu-erh tea
- **[JP]** Bōfutsūshōsan, Dai-saiko-tō
- **[GL]** Green tea catechins, Glucomannan, Psyllium

Pregnancy quick reference

One-page summary of every remedy in this compendium with a structured safety flag for pregnancy. Always consult a qualified practitioner — this is a starting point, not a complete list.

Avoid in pregnancy

American Ginseng (Xi Yang Shen) — <i>Panax quinquefolius</i>	p.22
Dang Gui — <i>Angelica sinensis</i>	p.19
Dang Gui 当归 — <i>Angelica sinensis</i>	p.11
Eleuthero — <i>Eleutherococcus senticosus</i>	p.20
Ginseng / Ren Shen 人参 — <i>Panax ginseng</i>	p.10
Goji (Gou Qi Zi) — <i>Lycium barbarum</i>	p.19
Goji / Gou Qi Zi 枸杞子 — <i>Lycium barbarum</i>	p.11
Hawthorn / Shan Zha 山楂 — <i>Crataegus pinnatifida</i>	p.12
Huang Qin — <i>Scutellaria baicalensis</i>	p.24
Huang Qin 黄芩 — <i>Scutellaria baicalensis</i>	p.14
Licorice (Gan Cao) — <i>Glycyrrhiza uralensis</i>	p.20
Licorice / Gan Cao 甘草 — <i>Glycyrrhiza uralensis</i>	p.11
Ma Huang — <i>Ephedra sinica</i>	p.27
Ma Huang 麻黄 — <i>Ephedra</i>	p.17
Ren Shen (Asian Ginseng) — <i>Panax ginseng</i>	p.22
Schisandra (Wu Wei Zi) — <i>Schisandra chinensis</i>	p.20

Use only with caution

Astragalus / Huang Qi 黄芪 — <i>Astragalus membranaceus</i>	p.10
Cinnamon Bark (Rou Gui) — <i>Cinnamomum cassia</i>	p.21
Cinnamon Twig (Gui Zhi) — <i>Cinnamomum cassia</i>	p.21
Huang Qi (Astragalus) — <i>Astragalus membranaceus</i>	p.19

Symptom cross-reference

Every remedy grouped by the concern it traditionally addresses, with page number. Region codes: IN = India, PE = Peru/Andes, CN = China, JP = Japan, GL = Global.

Blood Sugar

Bai Mu Er 白木耳	CN	p.16
Fresh ginger / Sheng Jiang 生姜	CN	p.11
Shan Yao 山药 (Chinese yam, Dioscorea opposita)	CN	p.15

Cough & Respiratory

Bai He 百合	CN	p.15
Bai Mu Er 白木耳	CN	p.16
Ban Lan Gen 板蓝根	CN	p.13
Bo He 薄荷 (Chinese mint, Mentha haplocalyx)	CN	p.14
Cordyceps / Dong Chong Xia Cao 冬虫夏草	CN	p.18
Ginseng / Ren Shen 人参	CN	p.10
Gui Zhi 桂枝	CN	p.16
Hei Mu Er 黑木耳	CN	p.16
Huang Qin 黄芩	CN	p.14
Jin Yin Hua 金银花 (Lonicera japonica , honeysuckle)	CN	p.13
Lian Qiao 连翘	CN	p.13
Licorice / Gan Cao 甘草	CN	p.11
Mai Men Dong 麦门冬	CN	p.15
Pi Pa Ye 枇杷叶	CN	p.17
Rou Gui 肉桂	CN	p.16
Sha Shen 沙参 (Glehnia / Adenophora)	CN	p.15
Shan Yao 山药 (Chinese yam, Dioscorea opposita)	CN	p.15
Xing Ren 杏仁 (bitter apricot kernel) — processed	CN	p.17

Digestion

Bai Zhu 白术	CN	p.12
Ban Xia 半夏 (Pinellia ternata) — processed	CN	p.13
Chen Pi 陈皮	CN	p.13
Fresh ginger / Sheng Jiang 生姜	CN	p.11
Hawthorn / Shan Zha 山楂	CN	p.12
Huang Lian 黄连	CN	p.13
Ju Hong / Hong Pao 红茶 — pu-erh tea	CN	p.14
Xing Ren 杏仁 (bitter apricot kernel) — processed	CN	p.17

Heart & BP

Dried longan / Long Yan Rou 龙眼肉	CN	p.14
Hawthorn / Shan Zha 山楂	CN	p.12
Ju Hong / Hong Pao 红茶 — pu-erh tea	CN	p.14

Lian Zi 莲子	CN	p.16
Ma Huang 麻黄	CN	p.17

Immunity & Fatigue

Astragalus / Huang Qi 黄芪	CN	p.10
Ginseng / Ren Shen 人参	CN	p.10
Reishi / Ling Zhi 灵芝	CN	p.12

Joints & Pain

Du Zhong 杜仲	CN	p.17
-------------	----	------

Liver & Detox

Chrysanthemum / Ju Hua 菊花	CN	p.12
Goji / Gou Qi Zi 枸杞子	CN	p.11
Gou Teng 钩藤	CN	p.17
He Shou Wu 何首乌 (Polygonum multiflorum) — prepared only	CN	p.12
Nu Zhen Zi 女贞子	CN	p.17
Reishi / Ling Zhi 灵芝	CN	p.12
White peony / Bai Shao 白芍	CN	p.11

Skin

Astragalus / Huang Qi 黄芪	CN	p.10
Bai Mu Er 白木耳	CN	p.16
Yi Yi Ren 薏苡仁	CN	p.15
Yunnan Baiyao 云南白药	CN	p.18

Sleep & Anxiety

Bai He 百合	CN	p.15
Dried longan / Long Yan Rou 龙眼肉	CN	p.14
Fu Ling 茯苓	CN	p.13
Hong Zao / Red dates 红枣	CN	p.14
Lian Zi 莲子	CN	p.16
Reishi / Ling Zhi 灵芝	CN	p.12
Suan Zao Ren 酸枣仁	CN	p.15
Yuan Zhi 远志	CN	p.15

Latin binomial index

Every remedy cross-referenced to its correct botanical binomial. Always confirm identification by Latin name — common names collide. Page numbers resolve to the canonical entry.

A

<i>Adenophora</i> or <i>Glehnia</i> — Sha Shen · China	p.25
<i>adzuki</i> — Chi Xiao Dou 赤小豆 · China	p.15
<i>aged tangerine peel</i> — Chen Pi 陈皮 · China	p.13
<i>Angelica dahurica</i> — Bai Zhi · China	p.27
<i>Angelica sinensis</i> — Dang Gui 当归 · China	p.11
<i>Asparagus cochinchinensis</i> — Tian Men Dong · China	p.25
<i>Astragalus membranaceus</i> — Huang Qi (Astragalus) · China	p.19
<i>Atractylodes macrocephala</i> — Bai Zhu 白术 · China	p.12
<i>Aucklandia lappa</i> — Mu Xiang · China	p.28

B

<i>black wood ear</i> — Hei Mu Er 黑木耳 · China	p.16
<i>Bupleurum chinense</i> — Chai Hu · China	p.28

C

<i>Camellia sinensis</i> — Ju Hong / Hong Pao 红茶 — pu-erh tea · China	p.14
<i>Carthamus tinctorius</i> — Safflower (Hong Hua) · China	p.23
<i>Chinemys reevesii</i> — Gui Ban (Tortoise Plastron) · China	p.30
<i>Chrysanthemum morifolium</i> — Chrysanthemum (Ju Hua) · China	p.23
<i>Cinnamomum cassia</i> — Cinnamon Bark (Rou Gui) · China	p.21
<i>cinnamon bark</i> — Rou Gui 肉桂 · China	p.16
<i>cinnamon twig</i> — Gui Zhi 桂枝 · China	p.16
<i>Citrus reticulata</i> — Chen Pi (Aged Tangerine Peel) · China	p.26
<i>Classical 5-herb formula</i> — Wu Ling San · China	p.30
<i>Codonopsis pilosula</i> — Codonopsis (Dang Shen) · China	p.22
<i>Coix lacryma-jobi</i> — Yi Yi Ren (Job's Tears) · China	p.28
<i>Coptis chinensis</i> — Huang Lian · China	p.24
<i>Cordyceps sinensis</i> / <i>militaris</i> — Cordyceps (Dong Chong Xia Cao) · China	p.29
<i>Cornus officinalis</i> — Cornus Fruit (Shan Zhu Yu) · China	p.22
<i>Crataegus pinnatifida</i> — Hawthorn / Shan Zha 山楂 · China	p.12

D

<i>Dioscorea opposita</i> — Chinese Yam (Shan Yao) · China	p.19
<i>Dipsacus asper</i> — Xu Duan · China	p.26

E

<i>Eleutherococcus senticosus</i> — Eleuthero · China	p.20
<i>Ephedra</i> — Ma Huang 麻黄 · China	p.17
<i>Ephedra sinica</i> — Ma Huang · China	p.27
<i>Eriobotrya japonica</i> — Loquat Leaf (Pi Pa Ye) · China	p.27
<i>Eucommia ulmoides</i> — Du Zhong · China	p.25

F

<i>Forsythia suspensa</i> — Lian Qiao 连翘 · China	p.13
<i>Four-Gentlemen decoction</i> — Si Jun Zi Tang · China	p.30
<i>Fritillaria cirrhosa</i> / <i>thunbergii</i> — Bei Mu (Fritillaria) · China	p.27

G

<i>Ganoderma lucidum</i> — Reishi / Ling Zhi 灵芝 · China	p.12
<i>Gastrodia elata</i> — Tian Ma 天麻 · China	p.18
<i>Ginkgo biloba seed</i> — Bai Guo (Ginkgo) · China	p.28
<i>Glycyrrhiza uralensis</i> — Licorice / Gan Cao 甘草 · China	p.11
<i>Grifella frondosa</i> — Maitake · China	p.29

H

<i>Hericium erinaceus</i> — Lion's Mane (Hou Tou Gu) · China	p.29
<i>Honeysuckle-Forsythia Powder</i> — Yin Qiao San · China	p.30

I

<i>Isatis</i> — Ban Lan Gen 板蓝根 · China	p.13
<i>Isatis indigotica leaf</i> — Da Qing Ye · China	p.24
<i>Isatis indigotica root</i> — Ban Lan Gen · China	p.24

J

<i>Job's tears</i> / <i>Coix</i> — Yi Yi Ren 薏苡仁 · China	p.15
--	------

L

<i>Lentinula edodes</i> — Shiitake · China	p.29
<i>Ligusticum chuanxiong</i> — Chuan Xiong · China	p.23
<i>Ligustrum lucidum</i> — Nu Zhen Zi 女贞子 · China	p.17
<i>Lilium lancifolium</i> — Lily Bulb (Bai He) · China	p.19
<i>lily bulb</i> — Bai He 百合 · China	p.15
<i>Lonicera japonica</i> — Honeysuckle (Jin Yin Hua) · China	p.23
<i>loquat leaf</i> — Pi Pa Ye 枇杷叶 · China	p.17
<i>lotus seed</i> — Lian Zi 莲子 · China	p.16
<i>Lycium barbarum</i> — Goji (Gou Qi Zi) · China	p.19

M

<i>Magnolia officinalis</i> — Magnolia Bark (Hou Po) · China	p.26
<i>Mentha haplocalyx</i> — Bo He (Field Mint) · China	p.27
<i>Morus alba</i> — Mulberry Leaf (Sang Ye) · China	p.23

N

<i>Nelumbo nucifera</i> — Lotus Seed (Lian Zi) · China	p.28
--	------

O

<i>Ophiopogon</i> — Mai Men Dong 麦门冬 · China	p.15
<i>Ophiopogon japonicus</i> — Mai Men Dong · China	p.25

P

<i>Paeonia lactiflora</i> — White peony / Bai Shao 白芍 · China	p.11
<i>Paeonia rubra</i> — Red Peony (Chi Shao) · China	p.21
<i>Panax ginseng</i> — Ren Shen (Asian Ginseng) · China	p.22
<i>Panax notoginseng</i> — San Qi (Notoginseng) · China	p.22
<i>Panax quinquefolius</i> — American Ginseng (Xi Yang Shen) · China	p.22
<i>Perilla frutescens</i> — Zi Su Ye (Perilla) · China	p.27
<i>Phellodendron amurense</i> — Huang Bai 黄柏 · China	p.14
<i>Phellodendron chinense</i> — Huang Bai · China	p.24
<i>Pinellia ternata</i> — Pinellia (Ban Xia) · China	p.26
<i>Platycodon grandiflorus</i> — Platycodon (Jie Geng) · China	p.26
<i>Polygala</i> — Yuan Zhi 远志 · China	p.15
<i>Polygonatum odoratum</i> — Yu Zhu · China	p.25
<i>Polygonatum sibiricum</i> — Huang Jing · China	p.25
<i>Polygonum multiflorum</i> — He Shou Wu · China	p.25
<i>Poria cocos</i> — Fu Ling 茯苓 · China	p.13
<i>proprietary powder</i> — Yunnan Baiyao 云南白药 · China	p.18
<i>Prunus armeniaca</i> — Bitter Apricot (Xing Ren) · China	p.27
<i>Prunus persica</i> — Peach Seed (Tao Ren) · China	p.23
<i>Pueraria lobata</i> — Ge Gen (Kudzu) · China	p.28

R

<i>Rambling Powder</i> — Xiao Yao San · China	p.30
<i>Rehmannia glutinosa</i> — Rehmannia Raw (Sheng Di Huang) · China	p.21
<i>Restore Spleen decoction</i> — Gui Pi Tang · China	p.30
<i>rhubarb root</i> — Da Huang 大黄 · China	p.16

S

<i>Salvia miltiorrhiza</i> — Salvia Root (Dan Shen) · China	p.23
<i>Schisandra chinensis</i> — Schisandra (Wu Wei Zi) · China	p.20
<i>Scrophularia ningpoensis</i> — Xuan Shen · China	p.24
<i>Scutellaria baicalensis</i> — Huang Qin 黄芩 · China	p.14
<i>Six-Flavor Rehmannia pill</i> — Liu Wei Di Huang Wan · China	p.30
<i>sour jujube seed</i> — Suan Zao Ren 酸枣仁 · China	p.15

T

Traditional bleeding formula — Yunnan Baiyao · China

p.31

Trametes versicolor — Turkey Tail (Yun Zhi) · China

p.29

U

Uncaria rhynchophylla — Gou Teng 钩藤 · China

p.17

V

Vigna radiata — Mung Bean (Lu Dou) · China

p.28

W

white fungus / tremella — Bai Mu Er 白木耳 · China

p.16

Wolfiporia cocos — Poria (Fu Ling) · China

p.22

Z

Zingiber officinale — Ginger (Sheng Jiang) · China

p.20

Ziziphus jujuba — Jujube (Da Zao) · China

p.20

Colophon

Edition	Living document — rebuilt on every commit.
Built	2026-05-04 11:21
Entries	129 remedies across five traditions
Structured safety	25 entries with pregnancy, lactation, and drug-interaction flags
Typography	Serif: system default (Segoe UI / Arial). Monospace: Consolas.
Taxonomy	Latin binomials verified against Kew POWO (powo.science.kew.org).
Safety sources	WHO monographs, NCCIH, NIH LactMed, Cochrane systematic reviews, PubMed.
Build tools	Pandoc → Typst. Layout template: <code>_pdf_template.typ</code> .
License	Educational use. Content reflects traditional practice; not medical advice.

Corrections, missing references, and new entries are welcome. This book is a work in progress by design — traditional medicine is a living archive, not a fixed canon.