
COMPENDIUM · EDITION 1.0

Remedia

Traditional & Herbal Remedies

FROM FIVE LIVING TRADITIONS

●
India
भारत

●
Peru & Andes
Ande

●
China
中药

●
Japan
漢方

●
Global
Mundus

580
REMEDIES

5
TRADITIONS

250
SAFETY ENTRIES

A cross-referenced reference work gathering the materia medica of Ayurveda, Andean & Iberian folk medicine, Traditional Chinese Medicine, Japanese Kampo, and the wider global herbal canon — with preparation recipes, structured safety flags, and modern pharmacological citations.

REMEDIA · EDITORIAL

Compiled May 04, 2026

Safety Disclaimer

This is educational material. It is not medical advice.

Traditional remedies and herbs can interact with prescription medications and have real contraindications — particularly in pregnancy, breastfeeding, paediatric use, chronic disease, and the perioperative period. Before acting on anything in this compendium:

- Confirm correct botanical identification by Latin binomial. Common names collide across regions; several plants listed here share vernacular names with unrelated and potentially toxic species.
- Start at the lowest typical dose. Observe for 24–72 hours. Discontinue at the first sign of allergy, rash, gastrointestinal upset, jaundice, dark urine, palpitations, or breathing difficulty.
- Avoid long-term high-dose use of any single herb without supervision. “Natural” is not a synonym for “safe” and is not a synonym for “benign at any dose.”
- Check the legal status of each herb in your jurisdiction. Several entries (e.g. coca leaf, ephedra, kava, kratom, areca) are regulated or prohibited in some countries.
- Consult a licensed practitioner — MD, pharmacist, registered herbalist, Ayurvedic doctor, TCM practitioner, or Kampo physician — before combining herbs with any medication or before use during pregnancy, breastfeeding, or for children.

The authors and publishers accept no liability for outcomes resulting from use of this material. By continuing to read you acknowledge that the content is for study and reference only.

Preparation & Measurement

Recipes throughout this compendium use the shorthand below. Where an entry gives only a preparation type (e.g. "infusion", "decoction", "tincture") the standard dose here applies unless the entry states otherwise.

Infusion (tea)	Leaves, flowers, soft aerals. 1 tbsp dried (≈ 3 g) per 240 ml just-off-the-boil water. Cover. Steep 8–10 min. Strain. 1–3 cups/day.
Decoction	Roots, bark, seeds, tough material. 1 tsp dried (≈ 3–5 g) per 240 ml cold water. Simmer covered 15–30 min. Strain. 1–2 cups/day. TCM formulas often double-boil 45–90 min.
Cold infusion	Mucilaginous or aromatic herbs (marshmallow, lemon balm). 1 tbsp per 250 ml cold water, 4–8 hr. Strain.
Powder (churna / fine powder)	¼–½ tsp (≈ 1–3 g) in warm water, milk, ghee, or honey, 1–3× daily. Start at the lower end.
Tincture (1:5 in 40 % alcohol)	2–4 ml (≈ 40–80 drops), 2–3× daily , diluted in a little water. Acute doses up to every 2 hours short-term.
Glycerite	Alcohol-free tincture for children or sensitive users. 2.5–5 ml, 2–3× daily .
Capsules / tablets	Follow label. Typical range 300–1000 mg of dried herb per capsule , 1–3× daily with food.
Kampo / TCM granule sachets	One sachet (typically 2.5–3 g) 2–3× daily before meals, dissolved in warm water, unless a doctor directs otherwise.
Syrup / honey preparation	1 tsp (5 ml), 1–3× daily . Refrigerate and use within 4–6 weeks.
Essential oil	Topical: 1–3 drops per 5 ml carrier (2–6 % dilution for adults). Do not ingest without professional guidance. Skin-test first.
Poultice / compress	Fresh or rehydrated herb, crushed, applied to clean skin 15–30 min. Repeat 1–3× daily.
Food-as-medicine	Culinary quantities. "Add to soup / grate over rice" means a normal kitchen amount (≈ 5–15 g fresh, 1–3 g dried per serving). Therapeutic effect is cumulative and mild.

Unit quick reference. 1 tsp ≈ 5 ml ≈ 3–5 g dried herb (varies by density — ginger powder is denser than chamomile). 1 tbsp ≈ 15 ml ≈ 10–15 g dried herb. 1 cup ≈ 240 ml. 1 fluid oz ≈ 30 ml. Drops per ml varies by dropper; 20 drops ≈ 1 ml is a safe default.

Always start at the lowest dose in the range. Children, elderly, pregnant or breastfeeding individuals, and those on medication should reduce by half or consult a practitioner first.

Contents

Traditional & Herbal Remedies — 500+ Entry Reference	9
How each entry is structured	9
Safety disclaimer	9
Requested follow-ups (addressed in appendix file)	9
Building the PDF	9
Preparation glossary	10
50 Other Global Ancient & Herbal Remedies	11
Europe & Mediterranean	11
1. Echinacea (<i>Echinacea purpurea</i>) — Native American / Europe	11
2. Elderberry / Sambucus (<i>Sambucus nigra</i>)	11
3. Garlic (<i>Allium sativum</i>) — Mediterranean/Egyptian	11
4. Oregano (<i>Origanum vulgare</i>)	12
5. Thyme (<i>Thymus vulgaris</i>)	12
6. Rosemary (<i>Salvia rosmarinus</i>)	12
7. Sage (<i>Salvia officinalis</i>)	12
8. Lavender (<i>Lavandula angustifolia</i>)	12
9. Chamomile (<i>Matricaria chamomilla</i>)	13
10. Peppermint (<i>Mentha × piperita</i>)	13
11. Fennel (<i>Foeniculum vulgare</i>)	13
12. Calendula (<i>Calendula officinalis</i>)	13
13. St John's Wort (<i>Hypericum perforatum</i>)	14
14. Valerian (<i>Valeriana officinalis</i>)	14
15. Hops (<i>Humulus lupulus</i>)	14
16. Milk thistle (<i>Silybum marianum</i>)	14
17. Dandelion (<i>Taraxacum officinale</i>)	14
18. Nettle (<i>Urtica dioica</i>)	15
19. Yarrow (<i>Achillea millefolium</i>)	15
20. Linden flower / Tilia	15
21. Hawthorn (<i>Crataegus</i>) — European	15
22. Ginkgo (<i>Ginkgo biloba</i>) — China/Europe	15
23. Bilberry (<i>Vaccinium myrtillus</i>)	16
24. Mullein (<i>Verbascum thapsus</i>)	16
Middle East & North Africa	16
25. Black seed / Habbat al-Barakah (<i>Nigella sativa</i>)	16
26. Frankincense / Luban (<i>Boswellia sacra / serrata</i>)	16
27. Myrrh (<i>Commiphora myrrha</i>)	16
28. Henna (<i>Lawsonia inermis</i>)	16
29. Date + milk (traditional)	17
30. Za'atar blend (thyme + sumac + sesame)	17
Sub-Saharan Africa	17
31. Rooibos (<i>Aspalathus linearis</i>) — South Africa	17
32. Honeybush (<i>Cyclopia</i>)	17
33. African potato (<i>Hypoxis hemerocallidea</i>)	17
34. Sutherlandia / Cancer bush (<i>Lessertia frutescens</i>)	17
35. Moringa (<i>Moringa oleifera</i>) — Africa/India	18
36. Baobab fruit (<i>Adansonia digitata</i>)	18

37. Shea butter (<i>Vitellaria paradoxa</i>)	18
38. Hibiscus / Bissap / Karkadé (<i>Hibiscus sabdariffa</i>)	18
Native American / North America	18
39. Sage smudge / White sage (<i>Salvia apiana</i>)	18
40. Sweetgrass / Cedar / Tobacco — Four Sacred Medicines	18
41. Slippery elm (<i>Ulmus rubra</i>)	19
42. Goldenseal (<i>Hydrastis canadensis</i>)	19
Pacific & Oceania	19
43. Kava (<i>Piper methysticum</i>)	19
44. Manuka honey (<i>Leptospermum scoparium</i>) — NZ	19
45. Kawakawa (<i>Piper excelsum</i>) — Māori	19
Southeast Asia	20
46. Lemongrass / Sereh (<i>Cymbopogon citratus</i>)	20
47. Pandan (<i>Pandanus amaryllifolius</i>)	20
48. Kratom (<i>Mitragyna speciosa</i>) — Thailand/Indonesia	20
49. Galangal / Lengkuas (<i>Alpinia galanga</i>)	20
50. Betel leaf (<i>Piper betle</i>) — South/SE Asia	20
51. Cleavers (<i>Galium aparine</i>) — Global weed	20
52. Chickweed (<i>Stellaria media</i>) — Global weed	21
53. Fig (<i>Ficus carica</i>) — Mediterranean	21
54. Rosehip (<i>Rosa canina</i>) — Global	21
55. Turkey Tail (<i>Trametes versicolor</i>) — Global mushroom	21
56. Chaga (<i>Inonotus obliquus</i>) — Northern hemisphere	21
57. Clove (<i>Syzygium aromaticum</i>) — Indonesia	21
Extended Reference — Global	22
58. St. John's Wort (<i>Hypericum perforatum</i>)	22
59. Passionflower (<i>Passiflora incarnata</i>)	22
60. Lemon Balm (<i>Melissa officinalis</i>)	22
61. Skullcap (<i>Scutellaria lateriflora</i>)	23
62. California Poppy (<i>Eschscholzia californica</i>)	23
63. Rhodiola (<i>Rhodiola rosea</i>)	23
64. Holy Basil (Tulsi) (<i>Ocimum tenuiflorum</i>)	23
65. Ginkgo (<i>Ginkgo biloba</i>)	23
66. Burdock (<i>Arctium lappa</i>)	24
67. Yellow Dock (<i>Rumex crispus</i>)	24
68. Red Raspberry Leaf (<i>Rubus idaeus</i>)	24
69. Vitex (Chaste Tree) (<i>Vitex agnus-castus</i>)	24
70. Black Cohosh (<i>Actaea racemosa</i>)	24
71. Red Clover (<i>Trifolium pratense</i>)	25
72. Evening Primrose (<i>Oenothera biennis</i>)	25
73. Borage (<i>Borago officinalis</i>)	25
74. Dong Quai (Dang Gui) (<i>Angelica sinensis</i>)	25
75. Saw Palmetto (<i>Serenoa repens</i>)	25
76. Pygeum (<i>Prunus africana</i>)	25
77. Nettle Root (<i>Urtica dioica radix</i>)	25
78. Tribulus (<i>Tribulus terrestris</i>)	26
79. Horny Goat Weed (<i>Epimedium spp</i>)	26
80. Fenugreek (Men's) (<i>Trigonella foenum-graecum</i>)	26
81. Gotu Kola (<i>Centella asiatica</i>)	26
82. Comfrey (<i>Symphytum officinale</i>)	26
83. Arnica (<i>Arnica montana</i>)	27

84. Witch Hazel (<i>Hamamelis virginiana</i>)	27
85. Chickweed (<i>Stellaria media</i>)	27
86. Plantain (<i>Plantago major</i>)	27
87. Marshmallow Root (<i>Althaea officinalis</i>)	27
88. Caraway (<i>Carum carvi</i>)	27
89. Dill (<i>Anethum graveolens</i>)	27
90. Anise (<i>Pimpinella anisum</i>)	28
91. Angelica (<i>Angelica archangelica</i>)	28
92. Gentian (<i>Gentiana lutea</i>)	28
93. Artichoke Leaf (<i>Cynara scolymus</i>)	28
94. Bitters blend (<i>Traditional blend</i>)	28
95. Hawthorn (<i>Crataegus monogyna / oxyacantha</i>)	28
96. Motherwort (<i>Leonurus cardiaca</i>)	29
97. Olive Leaf (<i>Olea europaea</i>)	29
98. Garlic (<i>Allium sativum</i>)	29
99. Onion (<i>Allium cepa</i>)	29
100. Horseradish (<i>Armoracia rusticana</i>)	29
101. Mustard (<i>Sinapis alba</i>)	29
102. Capsaicin / Chili (<i>Capsicum annuum</i>)	29
103. Black Pepper (<i>Piper nigrum</i>)	30
104. Cinnamon (<i>Cinnamomum verum (Ceylon)</i>)	30
105. Cloves (<i>Syzygium aromaticum</i>)	30
106. Cardamom (<i>Elettaria cardamomum</i>)	30
107. Nutmeg (<i>Myristica fragrans</i>)	30
108. Saffron (<i>Crocus sativus</i>)	30
109. Green Tea (<i>Camellia sinensis</i>)	31
110. Black Tea (<i>Camellia sinensis</i>)	31
111. Rooibos (<i>Aspalathus linearis</i>)	31
112. Devil's Claw (<i>Harpagophytum procumbens</i>)	31
113. White Willow (<i>Salix alba</i>)	31
114. Meadowsweet (<i>Filipendula ulmaria</i>)	31
115. Feverfew (<i>Tanacetum parthenium</i>)	32
116. Butterbur (<i>Petasites hybridus</i>)	32
117. Cranberry (<i>Vaccinium macrocarpon</i>)	32
118. Elder Flower (<i>Sambucus nigra</i>)	32
119. Linden / Lime Flower (<i>Tilia cordata</i>)	32
120. Horehound (<i>Marrubium vulgare</i>)	32
121. Eucalyptus (<i>Eucalyptus globulus</i>)	33
122. Cleavers (<i>Galium aparine</i>)	33
123. Chickweed (<i>Stellaria media</i>)	33
124. Fig (<i>Ficus carica</i>)	33
125. Rosehip (<i>Rosa canina</i>)	33
126. Turkey Tail (<i>Trametes versicolor</i>)	33
127. Chaga (<i>Inonotus obliquus</i>)	33
128. Clove (<i>Syzygium aromaticum</i>)	34
129. Tea Tree (<i>Melaleuca alternifolia</i>)	34
130. Oregon Grape (<i>Mahonia aquifolium</i>)	34
131. Barberry (<i>Berberis vulgaris</i>)	34
132. Berberine (isolated) (<i>Various sources</i>)	34
133. Ivy Leaf (<i>Hedera helix</i>)	34
134. Agrimony (<i>Agrimonia eupatoria</i>)	34

135. Hyssop (<i>Hyssopus officinalis</i>)	35
136. Rose (<i>Rosa damascena / gallica</i>)	35
137. Hibiscus (<i>Hibiscus sabdariffa</i>)	35
138. Cordyceps (<i>Cordyceps spp</i>)	35
139. Astragalus (<i>Astragalus membranaceus</i>)	35
140. Schisandra (<i>Schisandra chinensis</i>)	35
141. Rhaponticum (Maral Root) (<i>Rhaponticum carthamoides</i>)	36
142. Spirulina (<i>Arthrospira platensis</i>)	36
143. Chlorella (<i>Chlorella vulgaris</i>)	36
144. Spearmint (<i>Mentha spicata</i>)	36
145. Damiana (<i>Turnera diffusa</i>)	36
146. Muira Puama (<i>Ptychopetalum olacoides</i>)	36
147. Catuaba (<i>Trichilia catigua</i>)	36
148. Yohimbe (<i>Pausinystalia johimbe</i>)	37
149. Kratom (<i>Mitragyna speciosa</i>)	37
150. Blue Lotus (<i>Nymphaea caerulea</i>)	37
151. Mugwort (<i>Artemisia vulgaris</i>)	37
152. Wormwood (<i>Artemisia absinthium</i>)	37
153. Artemisia annua (Sweet wormwood)	38
154. Neem (<i>Azadirachta indica</i>)	38
155. Tongkat Ali (<i>Eurycoma longifolia</i>)	38
156. Kudzu (<i>Pueraria lobata</i>)	38
157. Pine Bark (<i>Pinus pinaster</i> (Pycnogenol))	38
158. Grape Seed Extract (<i>Vitis vinifera</i>)	38
159. Resveratrol (<i>Polygonum cuspidatum</i>)	39
160. Olive Oil (EVOO) (<i>Olea europaea</i>)	39
161. Flaxseed (<i>Linum usitatissimum</i>)	39
162. Chia Seed (<i>Salvia hispanica</i>)	39
163. Hemp Seed (<i>Cannabis sativa</i> (fiber type))	39
164. Nigella / Black Seed (<i>Nigella sativa</i>)	39
165. Propolis (Bee-collected resin)	40
166. Raw Honey (<i>Apis mellifera</i> product)	40
167. Royal Jelly (Bee queen food)	40
168. Bee Pollen (Flower pollen collected by bees)	40
169. Spilanthes (<i>Acmella oleracea</i>)	40
170. Bladderwrack (<i>Fucus vesiculosus</i>)	40
171. Irish Moss (<i>Chondrus crispus</i>)	40
172. Colloidal Oatmeal (<i>Avena sativa</i>)	41
173. Oat Straw / Milky Oat (<i>Avena sativa</i>)	41
Cross-Cultural Symptom Index	42
Respiratory — cough, bronchitis, sore throat	42
Cold, flu, fever	42
Sleep & insomnia	42
Anxiety & stress	42
Depression, low mood	43
Memory & cognition	43
Digestion / bloating / gas	43
Constipation	43
Diarrhea	43
Acid reflux / gastritis / ulcers	43
Nausea & motion sickness	44

Liver support / detox	44
Kidney / urinary / stones	44
Menstrual pain & PMS	44
Menopause	44
Male vitality / fertility	44
Joint pain, arthritis	45
Skin — eczema, acne, psoriasis	45
Wound healing	45
Headache & migraine	45
Blood pressure	45
Cholesterol	45
Blood sugar / diabetes support	46
Immunity (general, chronic)	46
Fatigue / adrenal	46
Eyes / vision	46
Hair loss, graying	46
Oral / dental	46
Ear	47
Antiparasitic	47
Weight management (supportive)	47
Pregnancy quick reference	48
Avoid in pregnancy	48
Use only with caution	48
Symptom cross-reference	50
Latin binomial index	51
Colophon	55

Traditional & Herbal Remedies — 500+ Entry Reference

A structured reference of 500+ traditional/ancient herbal remedies across five regions. The compendium is sourced from two layers:

1. **Curated markdown** (250 foundational entries, 50 per region) — the original hand-authored corpus.
2. **Extended JSON datasets** (site/data/extended/*.json, ~330 additional entries) — the structured data that also powers the Remedia site's /encyclopedia. These are merged into the master PDF so the book and the site stay in sync.

Regions:

- 01_Indian_Ayurvedic.md + ayurveda.json — India / Ayurveda
- 02_Peruvian_Andean_Spanish.md + andean.json — Peru, Andes, Amazon, Spanish folk
- 03_Chinese_TCM.md + tcm.json — China / Traditional Chinese Medicine
- 04_Japanese_Kampo.md + kampo.json — Japan / Kampo & folk
- 05_Other_Global.md + global.json — Europe, Africa, Middle East, Americas, Pacific, SE Asia

How each entry is structured

- **Benefit** — traditional use(s) and, where relevant, modern evidence direction.
- **Preparation / Recipe** — typical home preparation (decoction, infusion, powder, tincture, topical).
- **Local Sourcing** — where the plant/product is typically bought in its country of origin.

Safety disclaimer

This is educational material, not medical advice. Herbs can interact with medications and have contraindications in pregnancy, breastfeeding, pediatric use, or with chronic disease. Always:

1. Verify correct botanical identification (Latin binomial).
2. Start with low doses, watch for allergy.
3. Avoid long-term high-dose use without supervision.
4. Check legality in your jurisdiction (e.g., coca leaf, ephedra, kava, kratom).
5. Consult a licensed herbalist, Ayurvedic doctor, TCM practitioner, Kampo doctor, or MD.

Requested follow-ups (addressed in appendix file)

- A1_Triphala_Home_Recipe.md — detailed home Triphala preparation.
- A2_Ashwagandha_Safety.md — safety, side effects, and interactions.

Building the PDF

The canonical compendium PDF is produced by:

Master compendium – all regions, includes extended JSON (~500+ entries)

```
pwsh ./_build_pdf_typst.ps1
```

Single-region PDF – ships only one tradition

```
pwsh ./_build_pdf_typst.ps1 -Region India
```

```
pwsh ./_build_pdf_typst.ps1 -Region Peru
```

```
pwsh ./_build_pdf_typst.ps1 -Region China
```

```
pwsh ./_build_pdf_typst.ps1 -Region Japan
```

```
pwsh ./_build_pdf_typst.ps1 -Region Global
```

Markdown-only (fast, 250 entries, no JSON merge)

```
pwsh ./_build_pdf_typst.ps1 -NoExtended
```

Build master + every regional variant

```
pwsh ./_build_pdf_typst.ps1 -All
```

Outputs:

- Traditional_Herbal_Remedies_Compendium.pdf — master (all regions)
- Traditional_Herbal_Remedies_India.pdf / _Peru.pdf / _China.pdf / _Japan.pdf / _Global.pdf — per-region editions

All variants share the same pipeline: [Typst](#) via pandoc and `_pdf_template.typ` to produce a cover page, safety disclaimer, TOC with running headers, regional chapters with per-entry safety badges + modern-sources citations, a cross-referenced **Latin binomial index** (A–Z), a **symptom cross-reference**, a **pregnancy quick-reference**, and a colophon with dynamic entry counts.

`_build_pdf.ps1` (Edge-headless) is kept only as a fallback if Typst is not installed.

Preparation glossary

- **Decoction** — simmer hard plant parts (root, bark, berries) 15–30 min covered.
- **Infusion / Tea** — pour hot water on leaves/flowers, steep 5–10 min covered.
- **Tincture** — 1 part dried herb : 5 parts 40–60% alcohol, macerate 2–6 weeks, strain.
- **Poultice** — crushed fresh herb applied to skin, covered with cloth.
- **Oil infusion** — dried herb in olive/coconut oil, warm 2–4 hours double-boiler or 2–6 weeks sun.
- **Syrup** — strong decoction + equal weight honey/sugar, refrigerate.

CHAPTER

50 Other Global Ancient & Herbal Remedies

Every landscape carries its own pharmacy.

Remedies from Europe, Africa, the Middle East, the Americas, the Pacific, and South-east Asia that do not belong to the four anchor traditions. Regulatory status varies widely — legality and sourcing notes are flagged where known.

Covers Europe, Middle East, Africa, North America, Pacific, and Southeast Asia.

Europe & Mediterranean

1. Echinacea (*Echinacea purpurea*) — Native American / Europe

- **Benefit:** Immune, colds, wound healing.
- **Recipe:** Tincture 2–4 ml 3×/day at onset of cold; max 10 days.
- **Sourcing:** Health stores US/Europe; A. Vogel Echinaforce common.

2. Elderberry / Sambucus (*Sambucus nigra*)

Safety Pregnancy: **caution**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Antiviral, flu severity reduction.
- **Recipe:** Syrup — 500 g berries + 1 L water simmer 30 min, strain, add equal honey. 1 tbsp daily.
- **Sourcing:** Wild hedges; health stores.

Modern sources: [NCCIH — European Elder](#) · [Cochrane — Sambucus nigra for upper respiratory tract infections \(2019\)](#)

3. Garlic (*Allium sativum*) — Mediterranean/Egyptian

- **Benefit:** Antimicrobial, BP, cholesterol.

- **Recipe:** Crush 1–2 cloves, rest 10 min, swallow with honey or in food.
- **Sourcing:** Any grocer.

4. Oregano (*Origanum vulgare*)

- **Benefit:** Antimicrobial, respiratory.
- **Recipe:** Steam inhalation with oregano; oil 1 drop in capsule with olive oil.
- **Sourcing:** Supermarkets, herbolarios.

5. Thyme (*Thymus vulgaris*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 2 drug interactions documented — see monograph.

- **Benefit:** Cough, bronchitis, antibacterial.
- **Recipe:** Infusion 1 tsp + honey + lemon 3×/day.
- **Sourcing:** Supermarkets.

Modern sources: [PubMed](#) — *Thymol and thyme essential oil: pharmacological review (2018)* · [POWO](#) — *Thymus vulgaris L.*

6. Rosemary (*Salvia rosmarinus*)

Safety Pregnancy: **AVOID**. Lactation: **generally safe**. 4 drug interactions documented — see monograph.

- **Benefit:** Memory, circulation, hair.
- **Recipe:** Infusion: 1 tsp dried leaf in 240 ml hot water, 8–10 min; 1–2 cups/day. Vinegar hair rinse: 2 tbsps dried in 500 ml apple-cider vinegar 2 weeks; dilute 1:4 with water before use.
- **Sourcing:** Mediterranean gardens; supermarkets.

Modern sources: [PubMed](#) — *Rosmarinus officinalis: pharmacological profile review (2020)* · [POWO](#) — *Salvia rosmarinus Spenn.*

7. Sage (*Salvia officinalis*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 3 drug interactions documented — see monograph.

- **Benefit:** Sore throat, sweating, menopause.
- **Recipe:** Gargle: 1 tsp dried sage in 240 ml hot water, cooled 10 min; gargle 30 sec 3–4× daily for sore throat. Hot flashes: 1 cup tea 1–2× daily, limit to 4 weeks.
- **Sourcing:** Herb shops.

Modern sources: [PubMed](#) — *Salvia officinalis: traditional and modern uses review (2017)* · [POWO](#) — *Salvia officinalis L.*

8. Lavender (*Lavandula angustifolia*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 2 drug interactions documented — see monograph.

- **Benefit:** Anxiety, sleep, burns.
- **Recipe:** Sachet under pillow; essential oil diluted 2% in carrier.
- **Sourcing:** Provence; everywhere.

Modern sources: [NCCIH — Lavender](#) · [PubMed — Lavender for anxiety: systematic review \(2019\)](#)

9. Chamomile (*Matricaria chamomilla*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 3 drug interactions documented — see monograph.

- **Benefit:** Sleep, colic, digestion, skin.
- **Recipe:** Infusion 1 tsp 5 min; cooled compress for eyes.
- **Sourcing:** Every pharmacy.

Modern sources: [NCCIH — Chamomile](#) · [PubMed — Chamomile \(*Matricaria recutita*\) review of medicinal properties \(2011\)](#)

10. Peppermint (*Mentha × piperita*)

Safety Pregnancy: **caution**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** IBS, nausea, headache.
- **Recipe:** IBS: 1 enteric-coated capsule (≈0.2 ml peppermint oil) 3× daily between meals, 4–12 weeks. Leaf tea: 1 tsp dried leaf in 240 ml hot water 8 min, 1–3 cups/day.
- **Sourcing:** Supermarkets.

Modern sources: [NCCIH — Peppermint Oil](#) · [PubMed — Peppermint oil for irritable bowel syndrome: systematic review \(2019\)](#) · [POWO — Mentha × piperita L.](#)

11. Fennel (*Foeniculum vulgare*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 3 drug interactions documented — see monograph.

- **Benefit:** Colic, bloating, lactation.
- **Recipe:** 1 tsp crushed seeds in hot water 10 min.
- **Sourcing:** Spice shops.

Modern sources: [LactMed — Fennel \(LactMed\)](#) · [PubMed — Foeniculum vulgare: review of phytochemistry and pharmacology \(2014\)](#)

12. Calendula (*Calendula officinalis*)

Safety Pregnancy: **AVOID**. Lactation: **generally safe**. 1 drug interaction documented — see monograph.

- **Benefit:** Wounds, eczema, skin.
- **Recipe:** Oil infusion: 1 cup dried flowers in 500 ml olive oil, 4–6 weeks low heat / windowsill; strain. Salve: 100 ml infused oil + 15 g beeswax melted together, poured into jars. Apply 2–3× daily to cuts, rashes, nappy-rash.
- **Sourcing:** Herb shops; Weleda creams.

Modern sources: [PubMed](#) — *Calendula officinalis* in wound healing: systematic review (2013) · [POWO](#) — *Calendula officinalis* L.

13. St John's Wort (*Hypericum perforatum*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 6 drug interactions documented — see monograph.

- **Benefit:** Mild depression; nerve pain (topical).
- **Recipe:** Red oil — flowers in olive oil, sun-macerated 4 weeks. Internal tincture under care.
- **Caution:** Interacts with many drugs (contraceptives, SSRIs, warfarin, HIV meds).
- **Sourcing:** Herb shops.

Modern sources: [NCCIH](#) — *St. John's Wort* · [Cochrane](#) — *St John's wort for major depression (Cochrane 2008)* · [PubMed](#) — *Hypericum perforatum* drug interactions (2014)

14. Valerian (*Valeriana officinalis*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 2 drug interactions documented — see monograph.

- **Benefit:** Sleep, anxiety.
- **Recipe:** Root decoction 1 hr before bed; capsules 400–600 mg.
- **Sourcing:** Pharmacies.

Modern sources: [NCCIH](#) — *Valerian* · [PubMed](#) — *Valerian for insomnia: systematic review (2010)*

15. Hops (*Humulus lupulus*)

- **Benefit:** Sleep, anxiety, menopause.
- **Recipe:** Sleep pillow: 50 g dried hop strobiles in a cotton pouch, placed near the head. Tea: 1 tsp dried strobile in 240 ml hot water, 8 min; 1 cup 30 min before bed.
- **Sourcing:** Brewing + herb shops.

16. Milk thistle (*Silybum marianum*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 2 drug interactions documented — see monograph.

- **Benefit:** Liver protection, hepatitis supportive.
- **Recipe:** Crushed seeds 1 tsp in smoothie; standardized silymarin capsules.
- **Sourcing:** Pharmacies.

Modern sources: [NCCIH](#) — *Milk Thistle* · [Cochrane](#) — *Milk thistle for alcoholic and/or hepatitis B or C liver diseases (2007)*

17. Dandelion (*Taraxacum officinale*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 5 drug interactions documented — see monograph.

- **Benefit:** Liver, diuretic, digestion.

- **Recipe:** Root decoction: 1 tsp dried root in 240 ml water simmered 15 min; 1 cup 1–2× daily. Salad: 1 handful young leaves. Roasted root “coffee”: 1 tsp roasted ground root in 240 ml hot water, 5 min steep.
- **Sourcing:** Wild; herb shops.

Modern sources: [PubMed](#) — *Taraxacum officinale: review of properties and human use (2011)* · [POWO](#) — *Taraxacum officinale F.H.Wigg.*

18. Nettle (*Urtica dioica*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 5 drug interactions documented — see monograph.

- **Benefit:** Allergies, iron, joints.
- **Recipe:** Food: 200 g fresh young nettle tops blanched 1 min, used like spinach. Tea: 1 tbsp dried leaf in 240 ml hot water 10 min; 1–3 cups/day.
- **Sourcing:** Wild (gloves); herb shops.

Modern sources: [PubMed](#) — *Urtica dioica: therapeutic indications review (2018)* · [POWO](#) — *Urtica dioica L.*

19. Yarrow (*Achillea millefolium*)

Safety Pregnancy: **AVOID**. Lactation: **generally safe**. 4 drug interactions documented — see monograph.

- **Benefit:** Wounds, fever (diaphoretic), menstrual.
- **Recipe:** Leaf poultice for cuts; infusion 1 tsp for fever.
- **Sourcing:** Wild; herb shops.

Modern sources: [PubMed](#) — *Achillea millefolium: phytochemistry and pharmacology review (2017)* · [POWO](#) — *Achillea millefolium L.*

20. Linden flower / Tilia

- **Benefit:** Fever, anxiety, sleep.
- **Recipe:** 1 tsp flowers infused 10 min.
- **Sourcing:** European pharmacies.

21. Hawthorn (*Crataegus*) — European

- **Benefit:** Mild heart failure, BP, anxiety.
- **Recipe:** Standardized extract 300–900 mg/day; flower + leaf tea.
- **Sourcing:** Pharmacies.

22. Ginkgo (*Ginkgo biloba*) — China/Europe

- **Benefit:** Circulation, cognitive support.
- **Recipe:** Standardized extract 120–240 mg/day (not raw leaves).
- **Sourcing:** Pharmacies.

23. Bilberry (*Vaccinium myrtillus*)

- **Benefit:** Night vision, capillaries.
- **Recipe:** Fresh: 1 handful (≈80 g) berries daily. Standardized extract: 80–160 mg (25% anthocyanins) 2× daily.
- **Sourcing:** Nordic/European markets.

24. Mullein (*Verbascum thapsus*)

- **Benefit:** Cough, bronchitis, ear oil.
- **Recipe:** Leaf tea: 1 tsp dried leaf in 240 ml hot water 10 min; strain through fine muslin to remove hairs; 1–3 cups/day. Ear oil: 2–3 drops warm flower-infused oil in the ear canal — intact eardrum only.
- **Sourcing:** Wild; herb shops.

Middle East & North Africa

25. Black seed / Habbat al-Barakah (*Nigella sativa*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 5 drug interactions documented — see monograph.

- **Benefit:** Immune, respiratory, blood sugar.
- **Recipe:** ½ tsp seeds or 1 tsp oil with honey daily.
- **Sourcing:** Middle Eastern groceries; spice souks.

Modern sources: [PubMed](#) — *Nigella sativa: clinical review (2013)*

26. Frankincense / Luban (*Boswellia sacra* / *serrata*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Joint inflammation, asthma; resin chewed for oral health.
- **Recipe:** Resin water: 2–3 pea-sized pieces (≈2 g) in 240 ml water overnight; drink on empty stomach. Standardized extract: 300–400 mg *Boswellia serrata* (60% boswellic acids) 2–3× daily with meals.
- **Sourcing:** Oman, Yemen souks; spice shops.

Modern sources: [PubMed](#) — *Boswellia serrata in osteoarthritis and inflammatory disease: review (2020)*

27. Myrrh (*Commiphora myrrha*)

- **Benefit:** Gum health, antimicrobial.
- **Recipe:** Mouth rinse: 1 ml myrrh tincture in 30 ml water; swish 30 sec, spit; 2–3× daily for gum inflammation. Short-term only.
- **Sourcing:** Middle Eastern souks.

28. Henna (*Lawsonia inermis*)

-
- **Benefit:** Hair/skin dye, cooling, antifungal.
 - **Recipe:** 100 g henna powder + 100 ml lemon juice or plain yogurt, rested 6–12 hr; apply to hair 2–4 hr then rinse. Topical only — never ingested; patch-test first.
 - **Sourcing:** Everywhere in MENA/South Asia.

29. Date + milk (traditional)

- **Benefit:** Anemia, energy, pregnancy support.
- **Recipe:** 3 dates soaked in warm milk overnight.
- **Sourcing:** Markets throughout MENA.

30. Za'atar blend (thyme + sumac + sesame)

- **Benefit:** Digestive, antimicrobial, antioxidant.
- **Recipe:** 1 tbsp with olive oil as bread dip.
- **Sourcing:** Middle Eastern groceries.

Sub-Saharan Africa

31. Rooibos (*Aspalathus linearis*) — South Africa

- **Benefit:** Antioxidant, caffeine-free, skin.
- **Recipe:** 1 tsp steeped 5 min.
- **Sourcing:** South African supermarkets worldwide.

32. Honeybush (*Cyclopia*)

- **Benefit:** Menopause, antioxidant.
- **Recipe:** Tea, 1 tsp 5 min.
- **Sourcing:** South African shops.

33. African potato (*Hypoxis hemerocallidea*)

- **Benefit:** Immune (traditional), prostate.
- **Recipe:** 1 tsp dried corm in 240 ml water simmered 15 min; 1 cup 1–2× daily, under practitioner guidance. Can interact with HIV antiretrovirals and anticoagulants.
- **Sourcing:** Muthi markets SA (e.g., Warwick, Durban).

34. Sutherlandia / Cancer bush (*Lessertia frutescens*)

- **Benefit:** Adaptogen, appetite, immune.
- **Recipe:** Leaf tea 1 tsp 5 min.

- **Sourcing:** SA herb shops.

35. Moringa (*Moringa oleifera*) — Africa/India

- **Benefit:** Nutrient-dense, blood sugar.
- **Recipe:** 1 tsp powder in water/soup.
- **Sourcing:** Markets across Africa.

36. Baobab fruit (*Adansonia digitata*)

- **Benefit:** Vitamin C, fiber, gut.
- **Recipe:** 1 tbsp powder in water/smoothies.
- **Sourcing:** West/Southern African markets.

37. Shea butter (*Vitellaria paradoxa*)

- **Benefit:** Skin, burns, eczema.
- **Recipe:** Neat: 1–2 tsp melted between palms, applied to skin 1–2× daily. With essential oils: 1 tbsp shea + 3–6 drops essential oil (2–4% dilution) blended.
- **Sourcing:** West African markets.

38. Hibiscus / Bissap / Karkadé (*Hibiscus sabdariffa*)

Safety Pregnancy: **AVOID**. Lactation: **generally safe**. 4 drug interactions documented — see monograph.

- **Benefit:** Blood pressure, vitamin C.
- **Recipe:** 2 tbsp dried calyces in 1 L water, steep 30 min.
- **Sourcing:** Sudan, Egypt, West Africa; markets globally.

Native American / North America

Modern sources: [PubMed](#) — *Hibiscus sabdariffa* for blood pressure: meta-analysis (2015)

39. Sage smudge / White sage (*Salvia apiana*)

- **Benefit:** Ceremonial cleansing; traditional respiratory use.
- **Recipe:** Small bundle burned briefly (5–10 sec); smoke wafted through space. Use ethically-harvested sources only — white sage is culturally sensitive; non-Indigenous users may prefer rosemary, garden sage, or cedar.
- **Sourcing:** Buy from Indigenous sources; wild populations are threatened.

40. Sweetgrass / Cedar / Tobacco — Four Sacred Medicines

- **Benefit:** Ceremonial across many First Nations.
- **Preparation:** Traditional protocols — learn from cultural knowledge keepers.
- **Sourcing:** First Nations cultural centers.

41. Slippery elm (*Ulmus rubra*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 1 drug interaction documented — see monograph.

- **Benefit:** Sore throat, GERD, gut lining.
- **Recipe:** 1 tsp inner-bark powder in warm water → mucilage.
- **Sourcing:** Health stores.

Modern sources: [POWO — *Ulmus rubra* Muhl.](#)

42. Goldenseal (*Hydrastis canadensis*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 4 drug interactions documented — see monograph.

- **Benefit:** Mucous membranes, antimicrobial; threatened — use cultivated.
- **Recipe:** Tincture 1–3 ml 3×/day short term.
- **Sourcing:** Herb stores (certified cultivated).

Pacific & Oceania

Modern sources: [NCCIH — Goldenseal](#) · [PubMed — *Hydrastis canadensis* and berberine: drug interactions \(2018\)](#)

43. Kava (*Piper methysticum*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 3 drug interactions documented — see monograph.

- **Benefit:** Anxiety, sleep, social relaxation.
- **Recipe:** Noble-cultivar root powder kneaded in water 10 min, strained.
- **Caution:** Avoid alcohol and hepatotoxic drugs; choose noble cultivars.
- **Sourcing:** Fiji, Vanuatu, Tonga markets; reputable online vendors.

Modern sources: [NCCIH — Kava](#) · [PubMed — Kava hepatotoxicity: review of case reports \(2011\)](#)

44. Manuka honey (*Leptospermum scoparium*) — NZ

- **Benefit:** Wound healing, throat, antimicrobial (UMF rated).
- **Recipe:** 1 tsp on toast; topical on wounds.
- **Sourcing:** NZ supermarkets; look for UMF 10+ for therapeutic use.

45. Kawakawa (*Piper excelsum*) — Māori

-
- **Benefit:** Digestion, skin, circulation.
 - **Recipe:** 3–4 young leaves with holes (insect-bitten) in hot water 10 min.
 - **Sourcing:** NZ herbal shops; wild on North Island.

Southeast Asia

46. Lemongrass / Sereh (*Cymbopogon citratus*)

- **Benefit:** Digestion, fever, mosquito repellent.
- **Recipe:** 2 stalks crushed in hot water; tea with ginger.
- **Sourcing:** SE Asian markets; supermarkets.

47. Pandan (*Pandanus amaryllifolius*)

- **Benefit:** Blood sugar traditional, aromatic.
- **Recipe:** 3 leaves boiled in 1 L water as tea.
- **Sourcing:** SE Asian groceries.

48. Kratom (*Mitragyna speciosa*) — Thailand/Indonesia

- **Benefit:** Traditional fatigue/pain; opioid-like and addictive.
- **Caution:** Legal status varies; dependency risk; not recommended without caution.
- **Sourcing:** Restricted in many countries.

49. Galangal / Lengkuas (*Alpinia galanga*)

- **Benefit:** Digestion, joint pain, nausea.
- **Recipe:** Soup: 4–6 slices (≈5 g) fresh galangal per 500 ml broth (Tom Kha). Tea: 3–5 slices + 1 tsp grated ginger in 240 ml water simmered 10 min; 1 cup for nausea or cold symptoms.
- **Sourcing:** SE Asian markets.

50. Betel leaf (*Piper betle*) — South/SE Asia

- **Benefit:** Oral health, digestion (traditional).
- **Recipe:** Leaf chewed with cardamom/cloves (avoid areca nut — carcinogenic).
- **Sourcing:** Paan shops across South Asia.

51. Cleavers (*Galium aparine*) — Global weed

- **Benefit:** Lymphatic drainage, gentle diuretic for skin conditions.
- **Recipe:** Fresh herb as tea or juice; or tincture.
- **Sourcing:** Common weed worldwide.

52. Chickweed (*Stellaria media*) — Global weed

- **Benefit:** Cooling demulcent for skin irritation; nutritive spring green.
- **Recipe:** Fresh leaves in salads; poultice for skin.
- **Sourcing:** Common garden weed.

53. Fig (*Ficus carica*) — Mediterranean

- **Benefit:** Blood sugar support; mild laxative fruit and leaf.
- **Recipe:** Fresh fruit; leaf tea for blood sugar.
- **Sourcing:** Mediterranean origin.

54. Rosehip (*Rosa canina*) — Global

- **Benefit:** High vitamin C; joint support and immune tonic.
- **Recipe:** Dried hips as tea or syrup.
- **Sourcing:** Wild rose species worldwide.

55. Turkey Tail (*Trametes versicolor*) — Global mushroom

- **Benefit:** Immune modulating mushroom; PSK and PSP polysaccharides.
- **Recipe:** Decoction 2–3 g dried mushroom daily.
- **Sourcing:** Wood-decaying mushroom worldwide.

56. Chaga (*Inonotus obliquus*) — Northern hemisphere

- **Benefit:** Antioxidant-rich adaptogen; traditional Siberian tonic.
- **Recipe:** Decoction or tincture of sclerotium.
- **Sourcing:** Birch trees in northern climates.

57. Clove (*Syzygium aromaticum*) — Indonesia

- **Benefit:** Antimicrobial spice; dental pain and digestive support.
- **Recipe:** Whole clove for toothache; 1–2 drops oil diluted.
- **Sourcing:** Indonesian origin; dried flower buds.

CHAPTER

Extended Reference — Global

Every landscape carries its own pharmacy.

Remedies from Europe, Africa, the Middle East, the Americas, the Pacific, and South-east Asia that do not belong to the four anchor traditions. Regulatory status varies widely — legality and sourcing notes are flagged where known.

The following entries are sourced from the structured JSON dataset that backs the Remedia site encyclopedia. They share the same safety + reference lookups as the curated markdown above.

58. St. John's Wort (*Hypericum perforatum*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 6 drug interactions documented — see monograph.

- **Benefit:** Mild-to-moderate depression; SSRI-comparable efficacy in trials. Strong drug interactions.
- **Recipe:** 300 mg standardized extract (0.3% hypericin) 3× daily for 4–6 weeks.
- **Sourcing:** Mediterranean/temperate; flowering tops.
- **Note:** Major CYP3A4 induction — check all medications

Modern sources: NCCIH — St. John's Wort · Cochrane — St John's wort for major depression (Cochrane 2008) · PubMed — Hypericum perforatum drug interactions (2014)

59. Passionflower (*Passiflora incarnata*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Mild anxiolytic and sleep aid; GABAergic activity.
- **Recipe:** 1 tsp dried aerial parts as tea before bed; or 400 mg extract.
- **Sourcing:** Native southeastern US.

Modern sources: NCCIH — Passionflower · PubMed — Passiflora incarnata for anxiety: systematic review (2017)

60. Lemon Balm (*Melissa officinalis*)

Safety Pregnancy: **caution**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Anxiolytic and antiviral (HSV); rosmarinic acid and terpenes.
- **Recipe:** 1–2 tsp fresh/dried leaf as tea 2–3× daily; topical cream for cold sores.
- **Sourcing:** Common garden herb.

Modern sources: [NCCIH — Lemon Balm](#) · [PubMed — Melissa officinalis for anxiety and sleep: systematic review \(2019\)](#)

61. Skullcap (*Scutellaria lateriflora*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 3 drug interactions documented — see monograph.

- **Benefit:** Gentle nervine; anxiety, tension, mild tremor.
- **Recipe:** 1 tsp dried herb as tea; or tincture.
- **Sourcing:** Eastern North America.

Modern sources: [PubMed — Scutellaria baicalensis: flavonoids and pharmacology review \(2017\)](#)

62. California Poppy (*Eschscholzia californica*)

- **Benefit:** Mild sedative and analgesic; non-addictive relative of opium poppy.
- **Recipe:** 1 tsp herb as tea; or tincture.
- **Sourcing:** Native western North America.

63. Rhodiola (*Rhodiola rosea*)

Safety Pregnancy: **insufficient data**. Lactation: **insufficient data**. 4 drug interactions documented — see monograph.

- **Benefit:** Adaptogen; reduces fatigue and burnout symptoms in trials.
- **Recipe:** 200–400 mg standardized extract (3% rosavins) morning.
- **Sourcing:** Arctic/alpine; overharvested — buy sustainable.

Modern sources: [NCCIH — Rhodiola](#) · [PubMed — Rhodiola rosea for stress and fatigue: systematic review \(2012\)](#)

64. Holy Basil (Tulsi) (*Ocimum tenuiflorum*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Duplicate of Tulsi.

Modern sources: [PubMed — The clinical efficacy and safety of Tulsi: a systematic review \(2017\)](#) · [POWO — Ocimum tenuiflorum L.](#)

65. Ginkgo (*Ginkgo biloba*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 4 drug interactions documented — see monograph.

- **Benefit:** Circulation and cognition; mixed trials for dementia.
- **Recipe:** 120–240 mg standardized extract (EGb 761) daily.
- **Sourcing:** Cultivated; leaf extract.

Modern sources: [NCCIH — Ginkgo](#) · [PubMed — Ginkgo biloba for cognitive decline: Cochrane review \(2009\)](#)

66. Burdock (*Arctium lappa*)

- **Benefit:** Blood-purifying root; inulin-rich for gut and skin support.
- **Recipe:** Fresh root like parsnip; or decoction 1 tbsp dried root.
- **Sourcing:** Biennial weed worldwide.

67. Yellow Dock (*Rumex crispus*)

- **Benefit:** Iron-rich liver herb; chronic skin conditions, constipation.
- **Recipe:** 1 tsp root decoction twice daily.
- **Sourcing:** Common weed.

68. Red Raspberry Leaf (*Rubus idaeus*)

- **Benefit:** Uterine tonic; traditional pregnancy tea (3rd trimester).
- **Recipe:** 1–2 cups tea daily.
- **Sourcing:** Common cultivated.

69. Vitex (Chaste Tree) (*Vitex agnus-castus*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 4 drug interactions documented — see monograph.

- **Benefit:** PMS, PMDD, and cycle regulation; modulates prolactin.
- **Recipe:** 20–40 mg standardized extract morning.
- **Sourcing:** Mediterranean origin.

Modern sources: [PubMed — Vitex agnus-castus for premenstrual syndrome: systematic review \(2017\)](#)

70. Black Cohosh (*Actaea racemosa*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 2 drug interactions documented — see monograph.

- **Benefit:** Menopausal hot flashes; mixed trial results. Short-term only.
- **Recipe:** 40–80 mg extract daily; max 6 months.
- **Sourcing:** Eastern North America; sustainability concerns.
- **Note:** Rare liver toxicity — stop if symptoms

Modern sources: [NCCIH — Black Cohosh](#) · [Cochrane — Black cohosh for menopausal symptoms \(2012\)](#)

71. Red Clover (*Trifolium pratense*)

- **Benefit:** Phytoestrogen-rich; menopause and women's health.
- **Recipe:** 1 tsp flowers as tea 2–3× daily.
- **Sourcing:** Pasture herb, widely available.

72. Evening Primrose (*Oenothera biennis*)

- **Benefit:** GLA-rich seed oil; PMS breast tenderness, eczema support.
- **Recipe:** 500 mg oil 2–4× daily.
- **Sourcing:** Native North American, now worldwide.

73. Borage (*Borago officinalis*)

- **Benefit:** Higher-GLA source than evening primrose; similar uses.
- **Recipe:** 1000 mg seed oil daily.
- **Sourcing:** Garden herb.
- **Note:** Pyrrolizidine alkaloids — choose PA-free processed oils

74. Dong Quai (Dang Gui) (*Angelica sinensis*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 3 drug interactions documented — see monograph.

- **Benefit:** Duplicate of Dang Gui.

Modern sources: [PubMed](#) — *Angelica sinensis: pharmacological and clinical review (2013)*

75. Saw Palmetto (*Serenoa repens*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 3 drug interactions documented — see monograph.

- **Benefit:** Benign prostatic hyperplasia; mixed trial results.
- **Recipe:** 320 mg standardized extract daily.
- **Sourcing:** Florida/southeastern US berries.

Modern sources: [NCCIH](#) — *Saw Palmetto* · [Cochrane](#) — *Serenoa repens for benign prostatic hyperplasia (2012)*

76. Pygeum (*Prunus africana*)

- **Benefit:** African herbal for BPH; modest urinary improvement.
- **Recipe:** 100–200 mg standardized bark extract daily.
- **Sourcing:** African tree bark; CITES-monitored.
- **Note:** Sustainability: verify CITES compliance

77. Nettle Root (*Urtica dioica radix*)

- **Benefit:** BPH-specific use; combines well with saw palmetto.
- **Recipe:** 240 mg extract 2× daily.
- **Sourcing:** Root separate from leaf.

78. Tribulus (*Tribulus terrestris*)

- **Benefit:** Traditional male vitality herb; libido effect shown, testosterone effect weak.
- **Recipe:** 500 mg standardized extract 2× daily.
- **Sourcing:** Weedy plant worldwide.

79. Horny Goat Weed (*Epimedium spp*)

- **Benefit:** Traditional Chinese kidney-yang tonic; icariin may support erectile function.
- **Recipe:** 1 g leaf extract 2× daily.
- **Sourcing:** Chinese origin.

80. Fenugreek (Men's) (*Trigonella foenum-graecum*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Some studies show modest free-testosterone increase in middle-aged men.
- **Recipe:** 600 mg standardized extract daily.
- **Sourcing:** See Methi.

Modern sources: [NCCIH — Fenugreek](#) · [LactMed — Fenugreek \(LactMed\)](#)

81. Gotu Kola (*Centella asiatica*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 4 drug interactions documented — see monograph.

- **Benefit:** Duplicate of Gotu Kola.

Modern sources: [PubMed — Centella asiatica: review of its pharmacology and potential applications \(2014\)](#)

82. Comfrey (*Symphytum officinale*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 1 drug interaction documented — see monograph.

- **Benefit:** 'Knitbone' — topical healing of bruises, sprains, small fractures.
- **Recipe:** Ointment on intact skin only; short courses.
- **Sourcing:** Garden herb.
- **Note:** PAs hepatotoxic — external use only, intact skin

Modern sources: [EMA — Symphytum officinale: assessment report on pyrrolizidine alkaloids](#) · [PubMed — Pyrrolizidine alkaloid hepatotoxicity: systematic review \(2019\)](#)

83. Arnica (*Arnica montana*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 2 drug interactions documented — see monograph.

- **Benefit:** Topical bruise, muscle soreness, sprain.
- **Recipe:** Gel or ointment on unbroken skin.
- **Sourcing:** Alpine; most commercial is *A. chamissonis*.
- **Note:** Oral use toxic — topical only

Modern sources: [Cochrane — Topical herbal therapies for osteoarthritis: arnica \(2013\)](#)

84. Witch Hazel (*Hamamelis virginiana*)

- **Benefit:** Astringent; hemorrhoids, minor skin irritation, varicose veins.
- **Recipe:** Topical distillate or bark decoction.
- **Sourcing:** Native eastern North America.

85. Chickweed (*Stellaria media*)

- **Benefit:** Cooling demulcent; topical itch and eczema, internal cooling.
- **Recipe:** Fresh salad; or topical cream.
- **Sourcing:** Common weed.

86. Plantain (*Plantago major*)

- **Benefit:** Wound-drawing, astringent, and demulcent; insect bites, coughs.
- **Recipe:** Fresh leaf mashed on bites/splinters; leaf infusion for coughs.
- **Sourcing:** Common lawn weed.

87. Marshmallow Root (*Althaea officinalis*)

Safety Pregnancy: **generally safe**. Lactation: **generally safe**. 2 drug interactions documented — see monograph.

- **Benefit:** Mucilaginous demulcent; gastritis, sore throat, cough.
- **Recipe:** Cold-water infusion 4 hr; 1 tsp root in water.
- **Sourcing:** European origin.

Modern sources: [PubMed — Althaea officinalis: review of phytochemistry and ethnopharmacology \(2019\)](#)

88. Caraway (*Carum carvi*)

- **Benefit:** Classical carminative; IBS and colic.
- **Recipe:** Seeds chewed after meals; or with peppermint oil.
- **Sourcing:** European culinary seed.

89. Dill (*Anethum graveolens*)

- **Benefit:** Infant colic (dill water), mild digestive.
- **Recipe:** Seed infusion; traditional gripe water.
- **Sourcing:** Garden herb.

90. Anise (*Pimpinella anisum*)

- **Benefit:** Coughs, digestion, lactation.
- **Recipe:** 1 tsp seeds in tea 2–3× daily.
- **Sourcing:** Mediterranean.

91. Angelica (*Angelica archangelica*)

- **Benefit:** European digestive bitter; warming, carminative.
- **Recipe:** Root tincture or tea, small doses.
- **Sourcing:** Northern European tradition.

92. Gentian (*Gentiana lutea*)

- **Benefit:** Intensely bitter digestive aperitif; stimulates gastric secretion.
- **Recipe:** Small amounts tincture before meals.
- **Sourcing:** Alpine; CITES monitored.

93. Artichoke Leaf (*Cynara scolymus*)

- **Benefit:** Bile stimulation; cholesterol, dyspepsia.
- **Recipe:** 320–640 mg standardized extract daily.
- **Sourcing:** Mediterranean cultivar.

94. Bitters blend (*Traditional blend*)

- **Benefit:** Digestive bitters (angelica, gentian, citrus peel) stimulate upstream digestion.
- **Recipe:** 1 dropperful tincture in water 15 min before meals.
- **Sourcing:** Many herbalist brands.

95. Hawthorn (*Crataegus monogyna* / *oxyacantha*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 4 drug interactions documented — see monograph.

- **Benefit:** Cardiac tonic; mild heart failure (NYHA I-II) support.
- **Recipe:** 160–900 mg standardized extract daily.
- **Sourcing:** European tree; leaves, flowers, and berries.

Modern sources: [NCCIH — Hawthorn](#) · [Cochrane — Hawthorn extract for treating chronic heart failure \(2008\)](#)

96. Motherwort (*Leonurus cardiaca*)

- **Benefit:** Cardiovascular calmative; palpitations with anxiety.
- **Recipe:** Tincture or tea 1–3× daily.
- **Sourcing:** European herb.

97. Olive Leaf (*Olea europaea*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 3 drug interactions documented — see monograph.

- **Benefit:** Blood-pressure support; cardiovascular and antiviral.
- **Recipe:** 500 mg standardized extract (oleuropein) daily.
- **Sourcing:** Mediterranean olive leaves.

Modern sources: [PubMed](#) — *Olea europaea* leaf: cardiovascular effects review (2015)

98. Garlic (*Allium sativum*)

Safety Pregnancy: **generally safe**. Lactation: **generally safe**. 3 drug interactions documented — see monograph.

- **Benefit:** Duplicate of Garlic main entry.

Modern sources: [NCCIH](#) — *Garlic* · [PubMed](#) — *Garlic for cardiovascular disease: Cochrane review (2012)*

99. Onion (*Allium cepa*)

- **Benefit:** Quercetin-rich; cardiovascular support, mild antiviral.
- **Recipe:** Raw or cooked daily; traditional onion-honey cough syrup.
- **Sourcing:** Universal culinary.

100. Horseradish (*Armoracia rusticana*)

- **Benefit:** Circulatory stimulant, decongestant, urinary antiseptic.
- **Recipe:** Fresh grated root in small amounts.
- **Sourcing:** European culinary root.

101. Mustard (*Sinapis alba*)

- **Benefit:** Topical warming plaster for chest congestion.
- **Recipe:** Classical mustard plaster on chest — test skin first.
- **Sourcing:** Seed and powder widely available.

102. Capsaicin / Chili (*Capsicum annuum*)

- **Benefit:** Topical pain relief (neuropathic); circulatory stimulant.

- **Recipe:** 0.025–0.075% topical cream 3–4× daily.
- **Sourcing:** Universal culinary.

103. Black Pepper (*Piper nigrum*)

- **Benefit:** Warming digestive; piperine increases absorption of curcumin and other compounds.
- **Recipe:** Freshly ground with meals, especially turmeric.
- **Sourcing:** Tropical culinary.

104. Cinnamon (*Cinnamomum verum* (Ceylon))

- **Benefit:** Blood-sugar support; use Ceylon not Cassia for long-term (coumarin levels).
- **Recipe:** ½–1 tsp Ceylon cinnamon daily in food.
- **Sourcing:** Verify 'Ceylon' / 'true' cinnamon for long-term use.

105. Cloves (*Syzygium aromaticum*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 2 drug interactions documented — see monograph.

- **Benefit:** Potent antimicrobial (eugenol); toothache, digestion.
- **Recipe:** Whole clove held by aching tooth; clove oil drop for localized relief.
- **Sourcing:** Tropical spice.

Modern sources: [PubMed](#) — *Syzygium aromaticum* (clove): pharmacology and clinical review (2014)

106. Cardamom (*Elettaria cardamomum*)

Safety Pregnancy: **generally safe**. Lactation: **generally safe**. 2 drug interactions documented — see monograph.

- **Benefit:** Digestive and respiratory warming spice.
- **Recipe:** 3–5 pods crushed in tea.
- **Sourcing:** Indian cultivar.

Modern sources: [PubMed](#) — *Elettaria cardamomum*: traditional and scientific review (2020)

107. Nutmeg (*Myristica fragrans*)

- **Benefit:** Mild sedative in small doses; toxic and hallucinogenic in excess.
- **Recipe:** Pinch only, grated fresh; in warm milk before bed.
- **Sourcing:** Indonesian/Caribbean spice.
- **Note:** Doses above 5 g can be toxic

108. Saffron (*Crocus sativus*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Mild depression and PMS support; clinical trials promising.
- **Recipe:** 15 mg standardized extract 2× daily; or culinary.
- **Sourcing:** Iranian, Spanish, Kashmiri.

Modern sources: [PubMed](#) — *Crocus sativus for major depressive disorder: meta-analysis (2019)*

109. Green Tea (*Camellia sinensis*)

- **Benefit:** EGCG-rich antioxidant; cardiovascular, metabolic, cognitive support.
- **Recipe:** 2–4 cups daily; or 500 mg EGCG extract with food.
- **Sourcing:** Japanese, Chinese.
- **Note:** High-dose extracts: rare hepatotoxicity

110. Black Tea (*Camellia sinensis*)

- **Benefit:** Theaflavins; cardiovascular and cognitive support.
- **Recipe:** 2–4 cups daily.
- **Sourcing:** Indian, Sri Lankan, Chinese.

111. Rooibos (*Aspalathus linearis*)

- **Benefit:** South African caffeine-free; antioxidant and calming.
- **Recipe:** 1 tsp in hot water; unlimited.
- **Sourcing:** Western Cape, South Africa.

112. Devil's Claw (*Harpagophytum procumbens*)

- **Benefit:** Joint pain; osteoarthritis trials show modest benefit.
- **Recipe:** 2–4 g dried root as decoction; or 600 mg extract 3× daily.
- **Sourcing:** Southern African savanna; sustainability concerns.

113. White Willow (*Salix alba*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 4 drug interactions documented — see monograph.

- **Benefit:** Salicin — precursor to aspirin; back pain, osteoarthritis.
- **Recipe:** 240 mg salicin daily; avoid with aspirin allergy.
- **Sourcing:** European tree bark.

Modern sources: [Cochrane](#) — *Herbal medicine for low back pain: willow bark (2014)* · [POWO](#) — *Salix alba L.*

114. Meadowsweet (*Filipendula ulmaria*)

- **Benefit:** Another salicylate source; gentler on stomach, digestive anti-inflammatory.
- **Recipe:** 1 tsp flowers/leaves as tea.
- **Sourcing:** European meadows.

115. Feverfew (*Tanacetum parthenium*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 2 drug interactions documented — see monograph.

- **Benefit:** Migraine prophylaxis; reduces frequency in trials.
- **Recipe:** 100–150 mg standardized extract daily for 2–3 months.
- **Sourcing:** European garden herb.

Modern sources: [NCCIH — Feverfew](#) · [Cochrane — Feverfew for preventing migraine \(2015\)](#)

116. Butterbur (*Petasites hybridus*)

- **Benefit:** Migraine and allergic rhinitis; PA-free products only.
- **Recipe:** 75 mg PA-free extract 2× daily.
- **Sourcing:** European; verify PA-free processing.
- **Note:** Use only certified PA-free preparations

117. Cranberry (*Vaccinium macrocarpon*)

- **Benefit:** Recurrent UTI prevention; proanthocyanidins.
- **Recipe:** 36 mg PAC standardized daily; or 250 ml juice.
- **Sourcing:** North American cultivars.

118. Elder Flower (*Sambucus nigra*)

Safety Pregnancy: **caution**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Diaphoretic; early-stage cold with fever.
- **Recipe:** 1 tsp flowers in hot water 2–3× daily.
- **Sourcing:** European hedgerow.

Modern sources: [NCCIH — European Elder](#) · [Cochrane — Sambucus nigra for upper respiratory tract infections \(2019\)](#)

119. Linden / Lime Flower (*Tilia cordata*)

- **Benefit:** Calming diaphoretic; colds with anxiety or children.
- **Recipe:** 1 tsp flowers in hot water.
- **Sourcing:** European street tree.

120. Horehound (*Marrubium vulgare*)

- **Benefit:** Expectorant for wet cough; traditional in cough lozenges.
- **Recipe:** 1 tsp herb as tea or lozenges.
- **Sourcing:** European herb.

121. Eucalyptus (*Eucalyptus globulus*)

- **Benefit:** Decongestant; steam inhalation, chest rubs.
- **Recipe:** 5 drops oil in hot water for steam; or diluted topical.
- **Sourcing:** Australian origin; global cultivation.

122. Cleavers (*Galium aparine*)

- **Benefit:** Lymphatic drainage; gentle diuretic for skin conditions.
- **Recipe:** Fresh herb as tea or juice; or tincture.
- **Sourcing:** Common weed worldwide.

123. Chickweed (*Stellaria media*)

- **Benefit:** Cooling demulcent for skin irritation; nutritive spring green.
- **Recipe:** Fresh leaves in salads; poultice for skin.
- **Sourcing:** Common garden weed.

124. Fig (*Ficus carica*)

- **Benefit:** Blood sugar support; mild laxative fruit and leaf.
- **Recipe:** Fresh fruit; leaf tea for blood sugar.
- **Sourcing:** Mediterranean origin.

125. Rosehip (*Rosa canina*)

- **Benefit:** High vitamin C; joint support and immune tonic.
- **Recipe:** Dried hips as tea or syrup.
- **Sourcing:** Wild rose species worldwide.

126. Turkey Tail (*Trametes versicolor*)

- **Benefit:** Immune modulating mushroom; PSK and PSP polysaccharides.
- **Recipe:** Decoction 2–3 g dried mushroom daily.
- **Sourcing:** Wood-decaying mushroom worldwide.

127. Chaga (*Inonotus obliquus*)

Safety Pregnancy: **insufficient data**. Lactation: **insufficient data**. 3 drug interactions documented — see monograph.

- **Benefit:** Antioxidant-rich adaptogen; traditional Siberian tonic.
- **Recipe:** Decoction or tincture of sclerotium.
- **Sourcing:** Birch trees in northern climates.

Modern sources: [PubMed](#) — *Inonotus obliquus: medicinal mushroom review (2021)*

128. Clove (*Syzygium aromaticum*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 2 drug interactions documented — see monograph.

- **Benefit:** Antimicrobial spice; dental pain and digestive support.
- **Recipe:** Whole clove for toothache; 1–2 drops oil diluted.
- **Sourcing:** Indonesian origin; dried flower buds.

Modern sources: [PubMed](#) — *Syzygium aromaticum (clove): pharmacology and clinical review (2014)*

129. Tea Tree (*Melaleuca alternifolia*)

- **Benefit:** Topical antimicrobial; acne, fungal infections.
- **Recipe:** 5% dilution topically; undiluted for spot treatment.
- **Sourcing:** Australian native.

130. Oregon Grape (*Mahonia aquifolium*)

- **Benefit:** Berberine substitute for goldenseal; skin and GI infections.
- **Recipe:** Root decoction or tincture.
- **Sourcing:** Western North American shrub.

131. Barberry (*Berberis vulgaris*)

- **Benefit:** Berberine source; metabolic, GI.
- **Recipe:** Root or bark decoction; or 500 mg berberine 2–3× daily.
- **Sourcing:** European shrub.

132. Berberine (isolated) (*Various sources*)

- **Benefit:** Isolated alkaloid; blood sugar and cholesterol — comparable to metformin in small trials.
- **Recipe:** 500 mg 3× daily with meals.
- **Sourcing:** Capsule form from Coptis, Berberis, Hydrastis.
- **Note:** Recent clinical research supports metabolic effects

133. Ivy Leaf (*Hedera helix*)

- **Benefit:** Pediatric cough syrup; Prospan extract widely prescribed in Europe.
- **Recipe:** 5–7.5 ml syrup 2–3× daily.
- **Sourcing:** European standardized extract.

134. Agrimony (*Agrimonia eupatoria*)

- **Benefit:** Astringent; diarrhea, mild cystitis.
- **Recipe:** 1 tsp herb as tea.
- **Sourcing:** European/Asian herb.

135. Hyssop (*Hyssopus officinalis*)

- **Benefit:** Expectorant; classical biblical herb.
- **Recipe:** 1 tsp herb as tea.
- **Sourcing:** Mediterranean garden herb.

136. Rose (*Rosa damascena / gallica*)

- **Benefit:** Heart-soothing; rose-water, rose petal tea for grief and skin.
- **Recipe:** Petal tea; hydrosol on skin.
- **Sourcing:** Damask rose, Bulgarian and Iranian.

137. Hibiscus (*Hibiscus sabdariffa*)

Safety Pregnancy: **AVOID**. Lactation: **generally safe**. 4 drug interactions documented — see monograph.

- **Benefit:** Blood pressure reduction; sour cooling tea.
- **Recipe:** 1 tbsp flowers in hot water 5 min, 2–3× daily.
- **Sourcing:** Tropical; Egypt, Sudan major producers.

Modern sources: [PubMed](#) — *Hibiscus sabdariffa for blood pressure: meta-analysis (2015)*

138. Cordyceps (*Cordyceps spp*)

Safety Pregnancy: **insufficient data**. Lactation: **insufficient data**. 3 drug interactions documented — see monograph.

- **Benefit:** Duplicate of TCM entry.

Modern sources: [PubMed](#) — *Cordyceps sinensis: pharmacology and clinical applications review (2013)*

139. Astragalus (*Astragalus membranaceus*)

Safety Pregnancy: **caution**. Lactation: **insufficient data**. 4 drug interactions documented — see monograph.

- **Benefit:** Duplicate of Huang Qi.

Modern sources: [NCCIH](#) — *Astragalus* · [PubMed](#) — *Astragalus membranaceus: pharmacology and clinical review (2014)*

140. Schisandra (*Schisandra chinensis*)

Safety Pregnancy: **AVOID**. Lactation: **insufficient data**. 3 drug interactions documented — see monograph.

- **Benefit:** Duplicate of Wu Wei Zi.

Modern sources: [PubMed](#) — *Schisandra chinensis: CYP-mediated drug interactions review (2014)*

141. Rhaponticum (Maral Root) (*Rhaponticum carthamoides*)

- **Benefit:** Siberian adaptogen; physical stamina, traditional in athletes.
- **Recipe:** Tincture or 500 mg extract.
- **Sourcing:** Siberian/Altai mountains.

142. Spirulina (*Arthrospira platensis*)

- **Benefit:** Protein-rich cyanobacteria; iron, B12 analog (limited bioavailability).
- **Recipe:** 1–5 g daily in smoothies.
- **Sourcing:** Cultivated; verify heavy-metal testing.

143. Chlorella (*Chlorella vulgaris*)

- **Benefit:** Green algae; traditional detox (heavy metals evidence preliminary).
- **Recipe:** 2–5 g daily broken-cell wall powder.
- **Sourcing:** Cultivated.

144. Spearmint (*Mentha spicata*)

- **Benefit:** Anti-androgenic (PCOS hirsutism); digestive.
- **Recipe:** 2 cups tea daily for PCOS hirsutism.
- **Sourcing:** Garden herb.

145. Damiana (*Turnera diffusa*)

- **Benefit:** Mexican traditional aphrodisiac and mild antidepressant.
- **Recipe:** 1 tsp leaves as tea.
- **Sourcing:** Mexico and Central America.

146. Muira Puama (*Ptychopetalum olacoides*)

- **Benefit:** Amazonian 'potency wood' — traditional sexual tonic.
- **Recipe:** Bark tincture or decoction.
- **Sourcing:** Amazonian tree bark.

147. Catuaba (*Trichilia catigua*)

- **Benefit:** Brazilian aphrodisiac and nervine.
- **Recipe:** Bark tincture 1–2 ml 2× daily.
- **Sourcing:** Brazilian Atlantic forest.

148. Yohimbe (*Pausinystalia johimbe*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 5 drug interactions documented — see monograph.

- **Benefit:** African tree bark; yohimbine alkaloid used for erectile dysfunction.
- **Recipe:** Prescription product (yohimbine HCl) preferable — crude bark unreliable.
- **Sourcing:** West African; bark sustainability concerns.
- **Note:** BP and heart effects; don't combine with MAOIs

Modern sources: [NCCIH — Yohimbe](#) · [PubMed — Yohimbine adverse events: 10-year surveillance review \(2018\)](#)

149. Kratom (*Mitragyna speciosa*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 4 drug interactions documented — see monograph.

- **Benefit:** Southeast Asian leaf; opioid-receptor agonist, pain and withdrawal. Regulated.
- **Sourcing:** Southeast Asia.
- **Note:** Controversial legal status; addiction potential

Modern sources: [NCCIH — Kratom](#) · [FDA — FDA and Kratom](#) · [PubMed — Mitragyna speciosa \(kratom\): pharmacology and clinical review \(2020\)](#)

150. Blue Lotus (*Nymphaea caerulea*)

- **Benefit:** Ancient Egyptian mildly psychoactive flower; calming.
- **Recipe:** Wine infusion or tea from flowers.
- **Sourcing:** Egypt, East Africa.

151. Mugwort (*Artemisia vulgaris*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 2 drug interactions documented — see monograph.

- **Benefit:** Dream-enhancing, digestive bitter, menstrual regulator.
- **Recipe:** 1 tsp herb as tea; or smudge.
- **Sourcing:** European/Asian herb.
- **Note:** Thujone content — avoid long-term and in pregnancy

Modern sources: [PubMed — Artemisia vulgaris: phytochemistry and pharmacology review \(2011\)](#)

152. Wormwood (*Artemisia absinthium*)

- **Benefit:** Bitter tonic and traditional antiparasitic; base of absinthe.

- **Recipe:** Small doses in formulas; short-term only.
- **Sourcing:** European/global.
- **Note:** Thujone neurotoxicity — limit duration

153. *Artemisia annua* (Sweet wormwood)

Safety Pregnancy: **AVOID**. Lactation: **insufficient data**. 3 drug interactions documented — see monograph.

- **Benefit:** Source of artemisinin antimalarial (Nobel 2015). Research in other conditions ongoing.
- **Recipe:** Artemisinin-derived drugs used per protocol; crude herb unreliable.
- **Sourcing:** Chinese cultivation.
- **Note:** WHO recommends ACT therapy for malaria

Modern sources: [WHO — WHO guidelines for the treatment of malaria — artemisinin](#) · [PubMed — Artemisia annua and artemisinin: pharmacological review \(2017\)](#)

154. *Neem* (*Azadirachta indica*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 3 drug interactions documented — see monograph.

- **Benefit:** Duplicate of Neem.

Modern sources: [PubMed — Azadirachta indica: a comprehensive review \(2013\)](#)

155. *Tongkat Ali* (*Eurycoma longifolia*)

- **Benefit:** Southeast Asian tonic; small studies suggest testosterone and stress effects.
- **Recipe:** 200–400 mg standardized extract daily.
- **Sourcing:** Malaysian, Indonesian.

156. *Kudzu* (*Pueraria lobata*)

- **Benefit:** Alcohol craving reduction in small trials; also for neck tension.
- **Recipe:** 300 mg root extract 2× daily before drinking.
- **Sourcing:** Asian origin; invasive in US.

157. *Pine Bark* (*Pinus pinaster* (Pycnogenol))

- **Benefit:** OPC-rich; circulation, cognitive, ADHD in children.
- **Recipe:** 50–150 mg Pycnogenol daily.
- **Sourcing:** French Landes pine.

158. *Grape Seed Extract* (*Vitis vinifera*)

- **Benefit:** OPC-rich like pine bark; vascular support.
- **Recipe:** 150–300 mg standardized extract daily.

- **Sourcing:** Wine-industry byproduct.

159. Resveratrol (*Polygonum cuspidatum*)

- **Benefit:** Polyphenol studied for longevity and cardiovascular; human data mixed.
- **Recipe:** 250–500 mg daily; often with food.
- **Sourcing:** Japanese knotweed source.

160. Olive Oil (EVOO) (*Olea europaea*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 3 drug interactions documented — see monograph.

- **Benefit:** Cornerstone of Mediterranean diet; polyphenol-rich extra-virgin cardiovascular.
- **Recipe:** 2–4 tbsp daily replacing other fats.
- **Sourcing:** True extra-virgin; polyphenol-rich varieties.

Modern sources: [PubMed](#) — *Olea europaea* leaf: cardiovascular effects review (2015)

161. Flaxseed (*Linum usitatissimum*)

- **Benefit:** ALA omega-3, lignans; hormone balance, cardiovascular.
- **Recipe:** 1–2 tbsp freshly ground daily.
- **Sourcing:** Global cultivation.

162. Chia Seed (*Salvia hispanica*)

- **Benefit:** Omega-3, fiber, mineral-rich; Aztec staple.
- **Recipe:** 1–2 tbsp soaked in water or smoothie.
- **Sourcing:** Mexican/Central American.

163. Hemp Seed (*Cannabis sativa* (fiber type))

- **Benefit:** Complete protein and omega-3:6 balance; non-psychoactive.
- **Recipe:** 2–3 tbsp hulled seeds daily.
- **Sourcing:** Global cultivation.

164. Nigella / Black Seed (*Nigella sativa*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 5 drug interactions documented — see monograph.

- **Benefit:** Middle Eastern traditional tonic; trials for asthma, blood sugar, lipids.
- **Recipe:** 1–3 g seeds or 500 mg oil daily.
- **Sourcing:** Middle Eastern origin.
- **Note:** Recent trial research

Modern sources: [PubMed](#) — *Nigella sativa*: clinical review (2013)

165. Propolis (*Bee-collected resin*)

- **Benefit:** Antimicrobial; cold sores, wound healing, sore throat.
- **Recipe:** Tincture spray for throat; topical for cold sores.
- **Sourcing:** Beekeepers worldwide.

166. Raw Honey (*Apis mellifera product*)

- **Benefit:** Antimicrobial (Manuka particularly); cough suppressant in children over 1 year.
- **Recipe:** 1 tsp for cough; topical on wounds.
- **Sourcing:** Unpasteurized, single-source.
- **Note:** Never to infants under 1 year (botulism)

167. Royal Jelly (*Bee queen food*)

- **Benefit:** 10-HDA and proteins; traditional tonic, menopausal symptom research.
- **Recipe:** 500–1000 mg fresh royal jelly daily.
- **Sourcing:** Refrigerated fresh; quality varies.

168. Bee Pollen (*Flower pollen collected by bees*)

- **Benefit:** Protein, vitamins, carotenoids; tonic.
- **Recipe:** 1 tsp daily, building from small pinch for allergy testing.
- **Sourcing:** Local beekeepers.

169. Spilanthes (*Acmella oleracea*)

- **Benefit:** 'Toothache plant' — analgesic and antimicrobial, fresh flower buds numb the mouth.
- **Recipe:** Fresh flower bud chewed for local numbing.
- **Sourcing:** Tropical garden.

170. Bladderwrack (*Fucus vesiculosus*)

- **Benefit:** Iodine-rich seaweed; thyroid support. Verify needs first.
- **Recipe:** 1–3 capsules daily.
- **Sourcing:** Atlantic coast.

171. Irish Moss (*Chondrus crispus*)

- **Benefit:** Mucilaginous seaweed; respiratory, gut, mineral-rich.
- **Recipe:** Soaked and blended into gel.
- **Sourcing:** North Atlantic.

172. Colloidal Oatmeal (*Avena sativa*)

- **Benefit:** Topical anti-itch; eczema, dermatitis.
- **Recipe:** Oatmeal bath 1 cup ground oats in bath.
- **Sourcing:** Food-grade rolled oats.

173. Oat Straw / Milky Oat (*Avena sativa*)

- **Benefit:** Nervine tonic; chronic stress, nicotine withdrawal.
- **Recipe:** 1 tsp herb as tea 2–3× daily; or milky-oat tincture fresh.
- **Sourcing:** Harvested in milky stage for medicinal use.

Cross-Cultural Symptom Index

Remedies from all five regions grouped by condition. Abbreviations: **[IN]** India, **[PE]** Peru/Andes/Spanish, **[CN]** China, **[JP]** Japan, **[GL]** Other Global.

Educational cross-reference only. Confirm suitability, dose, and interactions for your situation before use.

Respiratory — cough, bronchitis, sore throat

- **[IN]** Tulsi, Vasaka, Mulethi, Sitopaladi churna, Pippali, Turmeric + honey, Chyawanprash
- **[PE]** Huamanripa, Matico, Eucalipto (folk), Thyme (tomillo), Malva
- **[CN]** Pi Pa Ye (loquat), Bai He (lily bulb), Xing Ren, Bakumondō herbs, Jin Yin Hua, Nin Jiom Pei Pa Koa
- **[JP]** Bakumondō-tō, Biwa-ha, Karin syrup, Kinkan honey, Daikon-ame, Renkon juice, Kakkon-tō
- **[GL]** Thyme, Mullein, Elderberry syrup, Marshmallow/Slippery elm, Oregano steam, Sage gargle, Honey + lemon

Cold, flu, fever

- **[IN]** Tulsi-ginger kadha, Giloy, Kalmegh, Turmeric-milk, Trikatu
- **[PE]** Muña, Eucalipto vapor, Coca (altitude), Manzanilla
- **[CN]** Yin Qiao San, Ban Lan Gen, Gan Mao Ling, Kakkon-tō
- **[JP]** Kakkon-tō, Shōga-yu (ginger hot drink), Umeboshi bancha, Yuzu bath
- **[GL]** Echinacea, Elderberry, Yarrow tea (diaphoretic), Garlic-honey, Linden flower

Sleep & insomnia

- **[IN]** Ashwagandha milk, Jatamansi, Brahmi, Tagara, Nutmeg-milk
- **[PE]** Valeriana, Pasiflora, Tilo, Manzanilla, Hierba Luisa
- **[CN]** Suan Zao Ren, Bai Zi Ren, Long Yan Rou, Yuan Zhi, Gui Pi Tang
- **[JP]** Yokukansan, Sansō'nin-tō, Hōjicha, Lavender sachet (folk import)
- **[GL]** Valerian, Hops, Passionflower, Lavender, Chamomile, Kava (noble)

Anxiety & stress

- **[IN]** Ashwagandha, Brahmi, Jatamansi, Shankpushpi, Saraswatarishta
- **[PE]** Pasiflora, Valeriana, Hierba Luisa, Manzanilla, Tilo
- **[CN]** Suan Zao Ren, He Huan Pi, Gan Mai Da Zao Tang, Xiao Yao San
- **[JP]** Yokukansan, Kamishoyōsan, Matcha (L-theanine), Hōjicha
- **[GL]** Lemon balm, Passionflower, Rhodiola, Kava, Lavender, St John's Wort

Depression, low mood

- **[IN]** Ashwagandha, Brahmi, Saffron-milk, Mucuna
- **[PE]** Maca, Pasiflora, Aguaymanto
- **[CN]** Xiao Yao San, Chai Hu Shu Gan San, Gan Mai Da Zao Tang
- **[JP]** Kamishoyōsan, Hangekōbokutō
- **[GL]** St John's Wort, Saffron, Rhodiola, Lemon balm

Memory & cognition

- **[IN]** Brahmi, Shankpushpi, Mandukaparni (gotu kola), Ashwagandha, Saraswatarishta
- **[CN]** Yuan Zhi, Shi Chang Pu, Tian Wang Bu Xin Dan
- **[JP]** Yokukansan (dementia behaviors), Chōtōsan
- **[GL]** Ginkgo, Rosemary, Bacopa, Lion's mane mushroom

Digestion / bloating / gas

- **[IN]** Hingvastak churna, Trikatu, Ajwain, Jeera-saunf, Hing in ghee
- **[PE]** Muña, Manzanilla, Hierba Luisa, Paico, Boldo
- **[CN]** Bao He Wan, Xiang Sha Liu Jun Zi, Chen Pi tea, Shan Zha
- **[JP]** Rikkunshitō, Ume-shō-bancha, Shōga-yu, Sanshō
- **[GL]** Fennel, Peppermint (IBS), Chamomile, Caraway, Artichoke leaf

Constipation

- **[IN]** Triphala, Haritaki, Isabgol (psyllium), Castor oil, Avipattikar
- **[PE]** Linaza (flax), Sen (senna), Cascara sagrada, Malva
- **[CN]** Ma Ren Wan, Da Huang (short term), Run Chang Wan
- **[JP]** Mashiningan, Kanten (agar), Gobō fiber
- **[GL]** Psyllium, Senna (short-term), Prunes, Flaxseed

Diarrhea

- **[IN]** Bilva, Kutaja, Musta, Pomegranate peel tea
- **[PE]** Guayaba leaf, Manzanilla, Llantén
- **[CN]** Shen Ling Bai Zhu San, Huang Lian, Che Qian Zi
- **[JP]** Hangeshashintō, Umeboshi, Kuzu-yu
- **[GL]** BRAT diet, Blackberry root, Agrimony, Slippery elm

Acid reflux / gastritis / ulcers

- **[IN]** Yashtimadhu (licorice DGL), Amla, Shatavari, Avipattikar
- **[PE]** Matico, Manzanilla, Malva, Llantén
- **[CN]** Hai Piao Xiao (cuttlebone), Wu Bei Zi, Huang Lian for heat
- **[JP]** Rikkunshitō, Hangeshashintō, Anchūsan

- **[GL]** Slippery elm, DGL licorice, Marshmallow root, Cabbage juice

Nausea & motion sickness

- **[IN]** Ginger, Pippali, Ajwain
- **[PE]** Jengibre, Muña, Manzanilla
- **[CN]** Sheng Jiang, Ban Xia (processed), Huo Xiang Zheng Qi San
- **[JP]** Shōga-yu, Hangeshashintō
- **[GL]** Ginger, Peppermint, Acupressure P6

Liver support / detox

- **[IN]** Bhumyamalaki, Kutki, Punarnava, Kalmegh, Bhringraj, Triphala
- **[PE]** Boldo, Hercampuri, Chancapiedra, Diente de león
- **[CN]** Yin Chen Hao, Xiao Chai Hu Tang, Wu Wei Zi
- **[JP]** Shōsaikotō (under guidance), Ukon (turmeric)
- **[GL]** Milk thistle, Dandelion root, Schisandra, Artichoke

Kidney / urinary / stones

- **[IN]** Gokshura, Varuna, Punarnava, Pashanabheda
- **[PE]** Chancapiedra, Cola de caballo, Manayupa
- **[CN]** Che Qian Zi, Jin Qian Cao, Liu Wei Di Huang Wan
- **[JP]** Chorei-to, Hachimijiogan
- **[GL]** Cornsilk, Uva ursi (short-term), Nettle, Parsley

Menstrual pain & PMS

- **[IN]** Ashoka, Shatavari, Dashamoola, Turmeric, Cinnamon
- **[PE]** Orégano peruano, Manzanilla, Ruda (folk — avoid pregnancy)
- **[CN]** Si Wu Tang, Xiao Yao San, Dang Gui, Yi Mu Cao
- **[JP]** Tōki-shakuyaku-san, Kamishoyōsan, Keishibukuryōgan
- **[GL]** Chasteberry (Vitex), Cramp bark, Ginger, Raspberry leaf

Menopause

- **[IN]** Shatavari, Ashwagandha, Saffron
- **[CN]** Zhi Bai Di Huang Wan, Er Xian Tang
- **[JP]** Kamishoyōsan, Keishibukuryōgan, Tōki-shakuyaku-san
- **[GL]** Black cohosh, Sage, Red clover, Honeybush, Maca

Male vitality / fertility

- **[IN]** Ashwagandha, Kapikacchu, Safed musli, Gokshura, Shilajit

- **[PE]** Maca (black), Huanarpo macho, Chuchuhuasi
- **[CN]** Lu Rong (antler), Yin Yang Huo, You Gui Wan, Cordyceps
- **[JP]** Hachimijiogan, Gosha-jinki-gan
- **[GL]** Tribulus, Tongkat ali, Fenugreek, Pine pollen

Joint pain, arthritis

- **[IN]** Guggul (Yogaraj/Kaishore), Ashwagandha, Shallaki, Mahanarayan oil
- **[PE]** Uña de gato, Chuchuhuasi, Cola de caballo
- **[CN]** Du Huo Ji Sheng Tang, Fang Feng, Wei Ling Xian
- **[JP]** Goshajinkigan, Keishi-ka-jutsubu-tō
- **[GL]** Boswellia, Turmeric-piperine, Nettle, Devil's claw, Willow bark

Skin — eczema, acne, psoriasis

- **[IN]** Neem, Manjistha, Turmeric paste, Sandalwood, Aloe
- **[PE]** Sangre de grado, Sábila, Matico
- **[CN]** Jin Yin Hua, Pu Gong Ying, Xiao Feng San
- **[JP]** Dokudami, Yomogi bath, Jumihaidokutō
- **[GL]** Calendula, Chamomile, Oregon grape root, Tea tree, Chickweed

Wound healing

- **[IN]** Turmeric + honey, Neem, Aloe gel, Jatyadi taila
- **[PE]** Sangre de grado, Matico poultice, Miel de abeja
- **[CN]** Yunnan Baiyao, San Qi, Zi Cao oil
- **[JP]** Shiunkō ointment, Yomogi poultice
- **[GL]** Manuka honey, Calendula, Plantain, Yarrow, Comfrey (external only)

Headache & migraine

- **[IN]** Shadbindu, Anu taila nasya, Brahmi, Jatamansi
- **[CN]** Chuan Xiong Cha Tiao San, Tian Ma, Gou Teng
- **[JP]** Goshuyū-tō, Chōtōsan
- **[GL]** Feverfew, Butterbur, Peppermint oil temple, Ginger

Blood pressure

- **[IN]** Sarpagandha (Rx only), Arjuna, Ashwagandha
- **[CN]** Gou Teng, Du Zhong, Tian Ma
- **[JP]** Daisaikotō, Oren-gedoku-tō
- **[GL]** Hawthorn, Hibiscus, Garlic, Olive leaf

Cholesterol

-
- **[IN]** Guggul, Arjuna, Fenugreek, Amla
 - **[CN]** Shan Zha, He Ye, Jue Ming Zi
 - **[GL]** Red yeast rice (with CoQ10), Artichoke, Oats, Psyllium

Blood sugar / diabetes support

- **[IN]** Gurmar (Gymnema), Jamun seed, Karela, Methi, Turmeric, Neem
- **[PE]** Yacón, Pasuchaca, Hercampuri
- **[CN]** Yu Mi Xu (cornsilk), Xiao Ke formulas, Bitter melon
- **[JP]** Bakumondō-tō for dry diabetes thirst
- **[GL]** Berberine, Bitter melon, Cinnamon, Fenugreek

Immunity (general, chronic)

- **[IN]** Chyawanprash, Guduchi, Amla, Ashwagandha
- **[PE]** Uña de gato, Camu camu, Maca
- **[CN]** Yu Ping Feng San (Astragalus + Bai Zhu + Fang Feng), Ling Zhi, Cordyceps
- **[JP]** Hochu-ekki-tō, Jūzen-taiho-tō
- **[GL]** Elderberry, Astragalus, Echinacea (short), Reishi, Vitamin D + Zn

Fatigue / adrenal

- **[IN]** Ashwagandha, Shatavari, Chyawanprash, Shilajit
- **[PE]** Maca, Suma
- **[CN]** Ren Shen, Huang Qi, Dang Shen
- **[JP]** Hochu-ekki-tō, Jūzen-taiho-tō
- **[GL]** Rhodiola, Eleuthero, Schisandra, Licorice (short), Cordyceps

Eyes / vision

- **[IN]** Triphala eyewash, Amla, Saptamrita lauha
- **[CN]** Gou Qi Zi + Ju Hua tea, Mi Meng Hua, Qi Ju Di Huang Wan
- **[GL]** Bilberry, Lutein-rich greens

Hair loss, graying

- **[IN]** Bhringraj oil, Amla, Neelibhringadi, Brahmi oil
- **[CN]** Zhi He Shou Wu, Nu Zhen Zi, Han Lian Cao
- **[JP]** Camellia oil (tsubaki), Kombu rinse
- **[GL]** Rosemary oil, Nettle, Horsetail

Oral / dental

- **[IN]** Neem twig (datun), Triphala gargle, Clove oil

- **[MENA]** Miswak stick, Myrrh rinse
- **[CN]** Wu Bei Zi mouthwash
- **[JP]** Salt + green tea rinse
- **[GL]** Tea tree diluted, Propolis, Clove oil for toothache

Ear

- **[IN]** Bilva taila drops, Garlic-ajwain oil
- **[GL]** Mullein-garlic oil (intact eardrum only)

Antiparasitic

- **[IN]** Vidanga, Palasha seed, Neem
- **[PE]** Paico, Epazote, Papaya seeds
- **[CN]** Bing Lang (betel nut), Shi Jun Zi
- **[GL]** Black walnut hull, Wormwood, Clove, Pumpkin seeds

Weight management (supportive)

- **[IN]** Triphala, Guggul, Medohar Vati
- **[CN]** Shan Zha, He Ye (lotus leaf), Pu-erh tea
- **[JP]** Bōfutsūshōsan, Dai-saiko-tō
- **[GL]** Green tea catechins, Glucomannan, Psyllium

Pregnancy quick reference

One-page summary of every remedy in this compendium with a structured safety flag for pregnancy. Always consult a qualified practitioner — this is a starting point, not a complete list.

Avoid in pregnancy

Arnica — <i>Arnica montana</i>	p.27
Artemisia annua — <i>Sweet wormwood</i>	p.38
Black Cohosh — <i>Actaea racemosa</i>	p.24
Black seed / Habbat al-Barakah — <i>Nigella sativa</i>	p.16
Calendula — <i>Calendula officinalis</i>	p.13
Comfrey — <i>Symphytum officinale</i>	p.26
Dong Quai (Dang Gui) — <i>Angelica sinensis</i>	p.25
Fenugreek (Men's) — <i>Trigonella foenum-graecum</i>	p.26
Feverfew — <i>Tanacetum parthenium</i>	p.32
Frankincense / Luban — <i>Boswellia sacra / serrata</i>	p.16
Ginkgo — <i>Ginkgo biloba</i>	p.23
Goldenseal — <i>Hydrastis canadensis</i>	p.19
Gotu Kola — <i>Centella asiatica</i>	p.26
Hawthorn — <i>Crataegus monogyna / oxyacantha</i>	p.28
Hibiscus — <i>Hibiscus sabdariffa</i>	p.35
Hibiscus / Bissap / Karkadé — <i>Hibiscus sabdariffa</i>	p.18
Holy Basil (Tulsi) — <i>Ocimum tenuiflorum</i>	p.23
Kava — <i>Piper methysticum</i>	p.19
Kratom — <i>Mitragyna speciosa</i>	p.37
Mugwort — <i>Artemisia vulgaris</i>	p.37
Neem — <i>Azadirachta indica</i>	p.38
Nigella / Black Seed — <i>Nigella sativa</i>	p.39
Passionflower — <i>Passiflora incarnata</i>	p.22
Rosemary — <i>Salvia rosmarinus</i>	p.12
Saffron — <i>Crocus sativus</i>	p.30
Sage — <i>Salvia officinalis</i>	p.12
Saw Palmetto — <i>Serenoa repens</i>	p.25
Schisandra — <i>Schisandra chinensis</i>	p.35
Skullcap — <i>Scutellaria lateriflora</i>	p.23
St John's Wort — <i>Hypericum perforatum</i>	p.14
St. John's Wort — <i>Hypericum perforatum</i>	p.22
Valerian — <i>Valeriana officinalis</i>	p.14
Vitex (Chaste Tree) — <i>Vitex agnus-castus</i>	p.24
White Willow — <i>Salix alba</i>	p.31
Yarrow — <i>Achillea millefolium</i>	p.15
Yohimbe — <i>Pausinystalia johimbe</i>	p.37

Use only with caution

Astragalus — <i>Astragalus membranaceus</i>	p.35
Chamomile — <i>Matricaria chamomilla</i>	p.13
Clove — <i>Syzygium aromaticum</i>	p.34
Cloves — <i>Syzygium aromaticum</i>	p.30
Dandelion — <i>Taraxacum officinale</i>	p.14
Elder Flower — <i>Sambucus nigra</i>	p.32

Elderberry / Sambucus — <i>Sambucus nigra</i>	p.11
Fennel — <i>Foeniculum vulgare</i>	p.13
Lavender — <i>Lavandula angustifolia</i>	p.12
Lemon Balm — <i>Melissa officinalis</i>	p.22
Milk thistle — <i>Silybum marianum</i>	p.14
Nettle — <i>Urtica dioica</i>	p.15
Olive Leaf — <i>Olea europaea</i>	p.29
Olive Oil (EVOO) — <i>Olea europaea</i>	p.39
Peppermint — <i>Mentha × piperita</i>	p.13
Slippery elm — <i>Ulmus rubra</i>	p.19
Thyme — <i>Thymus vulgaris</i>	p.12

Symptom cross-reference

Every remedy grouped by the concern it traditionally addresses, with page number. Region codes: IN = India, PE = Peru/Andes, CN = China, JP = Japan, GL = Global.

Latin binomial index

Every remedy cross-referenced to its correct botanical binomial. Always confirm identification by Latin name — common names collide. Page numbers resolve to the canonical entry.

A

<i>Achillea millefolium</i> — Yarrow · Global	p.15
<i>Acmella oleracea</i> — Spilanthes · Global	p.40
<i>Actaea racemosa</i> — Black Cohosh · Global	p.24
<i>Adansonia digitata</i> — Baobab fruit · Global	p.18
<i>Agrimonia eupatoria</i> — Agrimony · Global	p.34
<i>Allium cepa</i> — Onion · Global	p.29
<i>Allium sativum</i> — Garlic · Global	p.29
<i>Alpinia galanga</i> — Galangal / Lengkuas · Global	p.20
<i>Althaea officinalis</i> — Marshmallow Root · Global	p.27
<i>Anethum graveolens</i> — Dill · Global	p.27
<i>Angelica archangelica</i> — Angelica · Global	p.28
<i>Angelica sinensis</i> — Dong Quai (Dang Gui) · Global	p.25
<i>Apis mellifera product</i> — Raw Honey · Global	p.40
<i>Arctium lappa</i> — Burdock · Global	p.24
<i>Armoracia rusticana</i> — Horseradish · Global	p.29
<i>Arnica montana</i> — Arnica · Global	p.27
<i>Artemisia absinthium</i> — Wormwood · Global	p.37
<i>Artemisia vulgaris</i> — Mugwort · Global	p.37
<i>Arthrospira platensis</i> — Spirulina · Global	p.36
<i>Aspalathus linearis</i> — Rooibos · Global	p.31
<i>Astragalus membranaceus</i> — Astragalus · Global	p.35
<i>Avena sativa</i> — Colloidal Oatmeal · Global	p.41
<i>Azadirachta indica</i> — Neem · Global	p.38

B

<i>Bee queen food</i> — Royal Jelly · Global	p.40
<i>Bee-collected resin</i> — Propolis · Global	p.40
<i>Berberis vulgaris</i> — Barberry · Global	p.34
<i>Borago officinalis</i> — Borage · Global	p.25
<i>Boswellia sacra / serrata</i> — Frankincense / Luban · Global	p.16

C

<i>Calendula officinalis</i> — Calendula · Global	p.13
<i>Camellia sinensis</i> — Black Tea · Global	p.31
<i>Capsicum annuum</i> — Capsaicin / Chili · Global	p.29
<i>Carum carvi</i> — Caraway · Global	p.27
<i>Centella asiatica</i> — Gotu Kola · Global	p.26
<i>Chlorella vulgaris</i> — Chlorella · Global	p.36
<i>Chondrus crispus</i> — Irish Moss · Global	p.40
<i>Commiphora myrrha</i> — Myrrh · Global	p.16
<i>Cordyceps spp</i> — Cordyceps · Global	p.35
<i>Crataegus monogyna / oxyacantha</i> — Hawthorn · Global	p.28

<i>Crocus sativus</i> — Saffron · Global	p.30
<i>Cyclopia</i> — Honeybush · Global	p.17
<i>Cymbopogon citratus</i> — Lemongrass / Sereh · Global	p.20
<i>Cynara scolymus</i> — Artichoke Leaf · Global	p.28

E

<i>Elettaria cardamomum</i> — Cardamom · Global	p.30
<i>Epimedium spp</i> — Horny Goat Weed · Global	p.26
<i>Eschscholzia californica</i> — California Poppy · Global	p.23
<i>Eucalyptus globulus</i> — Eucalyptus · Global	p.33
<i>Eurycoma longifolia</i> — Tongkat Ali · Global	p.38

F

<i>Ficus carica</i> — Fig · Global	p.33
<i>Filipendula ulmaria</i> — Meadowsweet · Global	p.31
<i>Flower pollen collected by bees</i> — Bee Pollen · Global	p.40
<i>Foeniculum vulgare</i> — Fennel · Global	p.13
<i>Fucus vesiculosus</i> — Bladderwrack · Global	p.40

G

<i>Galium aparine</i> — Cleavers · Global	p.33
<i>Gentiana lutea</i> — Gentian · Global	p.28
<i>Ginkgo biloba</i> — Ginkgo · Global	p.23

H

<i>Hamamelis virginiana</i> — Witch Hazel · Global	p.27
<i>Harpagophytum procumbens</i> — Devil's Claw · Global	p.31
<i>Hedera helix</i> — Ivy Leaf · Global	p.34
<i>Hibiscus sabdariffa</i> — Hibiscus · Global	p.35
<i>Humulus lupulus</i> — Hops · Global	p.14
<i>Hydrastis canadensis</i> — Goldenseal · Global	p.19
<i>Hypericum perforatum</i> — St John's Wort · Global	p.14
<i>Hypoxis hemerocallidea</i> — African potato · Global	p.17
<i>Hyssopus officinalis</i> — Hyssop · Global	p.35

I

<i>Inonotus obliquus</i> — Chaga · Global	p.33
---	------

L

<i>Lavandula angustifolia</i> — Lavender · Global	p.12
<i>Lawsonia inermis</i> — Henna · Global	p.16
<i>Leonurus cardiaca</i> — Motherwort · Global	p.29
<i>Lessertia frutescens</i> — Sutherlandia / Cancer bush · Global	p.17
<i>Linum usitatissimum</i> — Flaxseed · Global	p.39

M

<i>Mahonia aquifolium</i> — Oregon Grape · Global	p.34
<i>Marrubium vulgare</i> — Horehound · Global	p.32
<i>Matricaria chamomilla</i> — Chamomile · Global	p.13
<i>Melaleuca alternifolia</i> — Tea Tree · Global	p.34
<i>Melissa officinalis</i> — Lemon Balm · Global	p.22
<i>Mentha × piperita</i> — Peppermint · Global	p.13
<i>Mentha spicata</i> — Spearmint · Global	p.36
<i>Mitragyna speciosa</i> — Kratom · Global	p.37
<i>Myristica fragrans</i> — Nutmeg · Global	p.30

N

<i>Nigella sativa</i> — Black seed / Habbat al-Barakah · Global	p.16
<i>Nymphaea caerulea</i> — Blue Lotus · Global	p.37

O

<i>Ocimum tenuiflorum</i> — Holy Basil (Tulsi) · Global	p.23
<i>Oenothera biennis</i> — Evening Primrose · Global	p.25
<i>Olea europaea</i> — Olive Leaf · Global	p.29
<i>Origanum vulgare</i> — Oregano · Global	p.12

P

<i>Pandanus amaryllifolius</i> — Pandan · Global	p.20
<i>Passiflora incarnata</i> — Passionflower · Global	p.22
<i>Pausinystalia johimbe</i> — Yohimbe · Global	p.37
<i>Petasites hybridus</i> — Butterbur · Global	p.32
<i>Pimpinella anisum</i> — Anise · Global	p.28
<i>Piper methysticum</i> — Kava · Global	p.19
<i>Piper nigrum</i> — Black Pepper · Global	p.30
<i>Plantago major</i> — Plantain · Global	p.27
<i>Polygonum cuspidatum</i> — Resveratrol · Global	p.39
<i>Prunus africana</i> — Pygeum · Global	p.25
<i>Ptychopetalum olacoides</i> — Muira Puama · Global	p.36
<i>Pueraria lobata</i> — Kudzu · Global	p.38

R

<i>Rhaponticum carthamoides</i> — Rhaponticum (Maral Root) · Global	p.36
<i>Rhodiola rosea</i> — Rhodiola · Global	p.23
<i>Rosa canina</i> — Rosehip · Global	p.33
<i>Rosa damascena / gallica</i> — Rose · Global	p.35
<i>Rubus idaeus</i> — Red Raspberry Leaf · Global	p.24
<i>Rumex crispus</i> — Yellow Dock · Global	p.24

S

<i>Salix alba</i> — White Willow · Global	p.31
<i>Salvia apiana</i> — Sage smudge / White sage · Global	p.18
<i>Salvia hispanica</i> — Chia Seed · Global	p.39
<i>Salvia officinalis</i> — Sage · Global	p.12
<i>Salvia rosmarinus</i> — Rosemary · Global	p.12
<i>Sambucus nigra</i> — Elder Flower · Global	p.32
<i>Schisandra chinensis</i> — Schisandra · Global	p.35
<i>Scutellaria lateriflora</i> — Skullcap · Global	p.23
<i>Serenoa repens</i> — Saw Palmetto · Global	p.25
<i>Silybum marianum</i> — Milk thistle · Global	p.14
<i>Sinapis alba</i> — Mustard · Global	p.29
<i>Stellaria media</i> — Chickweed · Global	p.27
<i>Sweet wormwood</i> — <i>Artemisia annua</i> · Global	p.38
<i>Symphytum officinale</i> — Comfrey · Global	p.26
<i>Syzygium aromaticum</i> — Clove · Global	p.34

T

<i>Tanacetum parthenium</i> — Feverfew · Global	p.32
<i>Taraxacum officinale</i> — Dandelion · Global	p.14
<i>thyme + sumac + sesame</i> — Za'atar blend · Global	p.17
<i>Thymus vulgaris</i> — Thyme · Global	p.12
<i>Tilia cordata</i> — Linden / Lime Flower · Global	p.32
<i>traditional</i> — Date + milk · Global	p.17
<i>Traditional blend</i> — Bitters blend · Global	p.28
<i>Trametes versicolor</i> — Turkey Tail · Global	p.33
<i>Tribulus terrestris</i> — Tribulus · Global	p.26
<i>Trichilia catigua</i> — Catuaba · Global	p.36
<i>Trifolium pratense</i> — Red Clover · Global	p.25
<i>Trigonella foenum-graecum</i> — Fenugreek (Men's) · Global	p.26
<i>Turnera diffusa</i> — Damiana · Global	p.36

U

<i>Ulmus rubra</i> — Slippery elm · Global	p.19
<i>Urtica dioica</i> — Nettle · Global	p.15
<i>Urtica dioica radix</i> — Nettle Root · Global	p.25

V

<i>Vaccinium macrocarpon</i> — Cranberry · Global	p.32
<i>Vaccinium myrtillus</i> — Bilberry · Global	p.16
<i>Valeriana officinalis</i> — Valerian · Global	p.14
<i>Various sources</i> — Berberine (isolated) · Global	p.34
<i>Verbascum thapsus</i> — Mullein · Global	p.16
<i>Vitellaria paradoxa</i> — Shea butter · Global	p.18
<i>Vitex agnus-castus</i> — Vitex (Chaste Tree) · Global	p.24
<i>Vitis vinifera</i> — Grape Seed Extract · Global	p.38

Colophon

Edition	Living document — rebuilt on every commit.
Built	2026-05-04 11:21
Entries	173 remedies across five traditions
Structured safety	59 entries with pregnancy, lactation, and drug-interaction flags
Typography	Serif: system default (Segoe UI / Arial). Monospace: Consolas.
Taxonomy	Latin binomials verified against Kew POWO (powo.science.kew.org).
Safety sources	WHO monographs, NCCIH, NIH LactMed, Cochrane systematic reviews, PubMed.
Build tools	Pandoc → Typst. Layout template: <code>_pdf_template.typ</code> .
License	Educational use. Content reflects traditional practice; not medical advice.

Corrections, missing references, and new entries are welcome. This book is a work in progress by design — traditional medicine is a living archive, not a fixed canon.